

# **Port Colborne Municipal Drain Report**

# City of Port Colborne



# April 16, 2021 Updated July 12, 2022

Project No: EWA-189999

Copyright © 2022, all rights reserved



**EWA Engineering Inc.** <sup>84</sup> Main Street, Unionville, Ontario L3R 2E7

www.ewaeng.com

#### Revision and Version Tracking Title: **Port Colborne Drain Report** Submission Date: <del>April 16, 2021</del> July 12, 2022

Version #	Issued As:	Prepared by	QA/QC	Editor	Date:
106	Issued as Amended – cost update	P.Marsh			July 12, 2022
105	Issued as Amended – corrections	P.Marsh	A.Vander Veen	P.Marsh	April 28, 2022
104	Issued as Amended	P.Marsh		P.Marsh	January 31, 2022
103	Issued For Report	P.Marsh	K. Graham	P.Marsh	Apr 16, 2021
102	Issued For Final Review	P.Marsh	A.Vander Veen		Dec. 7, 2020
101		P.Marsh		P.Marsh	Nov 13, 2020
100	Issued as Final	P.Marsh	A.Vander Veen		May 15, 2020
99	Issued for Final Review	P.Marsh	A. Vander Veen	P.Marsh	Dec. 13, 2019
95	95% Issued For Review	P.Marsh		P.Marsh	April 12, 2019
070	70% Issued For Review	P.Marsh		P.Marsh	
025	25% Outline IFR				Sept. 18, 2018

FileName: 189999PortColborneDrainReport\_v106.docx



#### © 2022 EWA Engineering Inc.

The conclusions, analysis and interpretations are based on the data and information available and in the condition and accuracy provided. EWA Engineering assumes no responsibility for data provided by others and has not reviewed nor verified the reliability, accuracy or representation of the data provided.

The information contained in this document is solely for the use of the Client identified on the cover sheet for the purpose for which it has been prepared and EWA Engineering Inc. recognizes nor accepts duty to or accepts any responsibility to any third party who may rely upon this document.

This document may not be used for any purpose other than that provided in the contract between the Owner/Client and the Engineer nor may any section or element of this document be removed, reproduced, electronically stored or transmitted in any form.

Та	ible of Contents	
1	Executive Summary	1
2	Introduction	
	2.1 Objective	5
	2.2 Drain History and Past Reports	
	2.3 Port Colborne Drain Watershed	6
3	Design Considerations	10
5		10
	3.1 Watershed Characterization and Use	10
	3.2 Former Drain Changes	10
	3.5 Design	11 11
	3.3.2 Drain Canacity Design	11
	D : W L D L .:	11
4	Drain Works Recommendations	13
	4.1 Description of the Works	13
	4.1.1 Port Colborne Drain Flow Improvement	
	4.1.2 Port Colborne Drain Extension to Second Concession Rd.	15
	4.1.3 Port Colborne Branch Drain #1	15
	4.1.4 Road Crossings	16
	4.1.5 Private Crossings	16
	4.1.6 Abandonments	I /
	4.1.7 Utility Conflicts & Coordination	18
	4.1.8 Plans, Profiles & Specifications	18
	4.2 Construction and Constructability	10 10
	4.2.1 Vegetation Removal	10 10
	4.2.2 Spoil Matchailted Spoils	
	4.2.2.1 Contaminated Spons	20
	4.2.5 Sedment Control Dashis	20
	4 2 5 Private Drain Connections	20
	4.3 Future Maintenance and Repair Provisions	
	4.4 Construction Summary	22
5	Drainage Works Financing	24
0		~ 4
	5.1 Cost of Works	24
	5.1.1 Admin & Engineering Costs	
	5.1.2 Capital Construction Cost	
	5.1.5 Flevious works completed	23 25
	5.2 Maintenance & Program Costs	23 26
	5.2 Principles of Assessment	
	5.3.1 Allowances:	
	5.3.2 General Instructions to Property Owners Road Authorities and Public Utilities	32 34
	5.3.3 Grants	34
	5.4 Port Colborne Drain Improvements & Maintenance	
	5.4.1 Drain Improvement to Second Concession	
	5.4.2 Drain Crossings	35

## City of Port Colborne Port Colborne Drain Report

	5.4.3 Po	rt Colborne Branch #1 Drain Improvement	
	5.4.4 Se	diment Basins	
	5.4.5 20	16 Grading and Re-alignment	
	5.5 Allowan	ce and Assessment Schedules	
	5.5.1 Dr	ain Allowances	
	5.5.1.1	Port Colborne Drain	
	5.5.1.2	Port Colborne Branch Drain #1	
	5.5.2 Po	rt Colborne Assessment Schedules	
	5.5.3 Po	rt Colborne Drain Maintenance Schedules	
	5.5.3.1	Port Colborne Drain Maintenance Schedule	
	5.5.3.2	Port Colborne Branch Drain #1 Maintenance Schedule	
6	Port Colborne	e Drain Report Conclusions	

- Appendix A: Drainage Design Drawings; Plans, Profiles
- Appendix B: Cost Estimates & Assessment Schedules
- **Appendix C: Past Financing and Cost Reports**
- Appendix D: Supplementary Information & Documents
- **Appendix E: Specifications**

## City of Port Colborne Port Colborne Drain Report

# Figures

<u> </u>		
Figure 1	Wignell Watershed; Michener, Port Colborne and Wignell Drains	4
Figure 2	OMAF AgMaps - Constructed Drains	6
Figure 3	Drainage Catchment of Port Colborne Drain	9
Figure 4:	Wignell PC-SWMM Model with Port Colborne	12
Figure 5	Proposed Port Colborne Drain Improvements	13
Figure 6	Typical Drain Work and Work Zones	14
Figure 7	Port Colborne Branch Drain History	15
Figure 8	Port Colborne (formerly Wignell) Abandoned Segments	17
-		

## Tables

Table 1 Port Colborne Drain Construction Summary	
Table 2 Port Colborne Branch Drain Construction Summary	
Table 3 Drain Area Ratios	
Table 4 Past Admin and Engineer Costs	
Table 5 Port Colborne Estimated Cost of Construction	
Table 6 Previous Construction Costs	
Table 7 Land Use and C Factors	
Table 8 Section 23 Runoff Factor Determination - QRF Ratio	
Table 9 Port Colborne Allowances.	
Table 10    Port Colborne Branch #1 Allowances	
Table 11 Port Colborne Drain Assessment Schedule of Costs	
Table 12 Port Colborne Branch #1 Assessment Schedule of Costs	
Table 13 Port Colborne Drain Maintenance Assessment Schedule	
Table 14    Port Colborne Branch Drain #1    Maintenance Schedule	

# 1 Executive Summary

The Port Colborne Municipal Drain is located in the eastern portion of the City of Port Colborne. It has an outlet into the Wignell Drain, immediately south of the Friendship Trail and ends at the Second Concession Road and Babion Rd.

The City of Port Colborne retained Paul Marsh, P.Eng of EWA Engineers Inc. to prepare a Drainage Report under the Drainage Act R.S.O. 1990 for the Port Colborne Drain. See appointment resolution of Council included in Appendix D.

This report includes a description of all work, associated plans, cost estimates, and assessment schedules for the proposed work for the Port Colborne Drain, as well as the proposed Branch Drain. The report has been prepared in accordance with the requirements of the Drainage Act, Chapter D.17 of the Revised Statutes of Ontario, Section 4 and 78. The works are described as predominately maintenance with specific improvements identified.

This report includes drain improvements, including drain maintenance, to ensure suitable channel design flows are achieved and extending the drain to the Second Concession to match the original inflow prior to the expansion of the quarry. The drain improvements have been developed through plan and profile drawings. The drawings include As Constructed data for drain improvements already constructed by the City of Port Colborne in 2016 including re-alignment of the drain south of Highway #3.

The following are summary descriptions of the planned improvements:

- 1. Extension of the drain along the east side of Babion Rd.
- 2. Re-laying the culverts at the intersection of Babion Rd. and Second Concession Rd.
- 3. Using the existing outlet (called Wignell Drain in past reports) for the Port Colborne Branch #1 Drain.
- 4. Maintenance of the Port Colborne Branch Drain #1 to the Snider Rd. ROW.

The following is a summary of the project financial values as prepared in the attached Assessment Schedule included in Appendix C.

Items	Costs
Port Colborne Drain	
Estimated Construction Costs	\$54,068.
Previous Works – completed prior to 2018	\$45,835.
Eligible Administration Costs	\$192554.
Calculated Allowances	\$939.
Sub-Total Port Colborne Drain	\$293,396.
Port Colborne Branch #1 Drain	
Estimated Construction Costs	\$10,340.
Eligible Administration Costs	\$9,112.
Calculated Allowances	\$278.
Sub-total Port Colborne Branch #1 Drain	\$19,730.
Total:	\$313,126.

\* actual values include cents and may vary.

The Port Colborne Drain is organized into two distinct catchments as follows:

- Port Colborne Drain serving 327.8Ha, with an open channel drain including private crossings and having a Drain length of 3,368m.
- Branch Drain #1 serving 14.8Ha with an open channel drain length of 823m.

The Port Colborne Drain Assessment Summary is as follows:

Benefit Assessment (Section 22)		
Private Lands	\$763.50	
Total - Benefit Assessment (Section 22)		\$763.50
Outlet Liability Assessment (Section 23)		
Private Lands		
Road Right of Way Lands	\$221,396.70	
Total - Outlet Liability Assessment (Section 23)		\$221,396.70
Special Benefit Assessment (Section 24)		
Port Colborne Drain	\$54,453.36	
Total - Special Benefit Assessment (Section 24)		\$54,453.36
Special Assessments (Section 26)		
City of Port Colborne	\$10,585.80	
MINISTRY OF TRANSPORTATION ONTARIO	\$6,196.57	
Total: Port Colborne Drain	\$16,782.37	
Total - Special Assessments (Section 26)		\$16,782.37
Forecasted Total Drain Assessments		\$293,395.92

The Port Colborne Branch #1 Drain Assessment Summary is as follows:

Outlet Liability Assessment (Section 23)		
Private Lands	\$2,915.50	
Road Right of Way Lands	\$1,877.25	
Total - Outlet Liability Assessment (Sec	tion 23)	\$4,792.74
Special Assessments (Section 26)		
City of Port Colborne	\$7,412.32	
MINISTRY OF TRANSPORTATION ONTARIO	\$7,525.20	
Total - Special Assessments (Sec	tion 26)	\$14,937.53
		\$19,730.27
Total Asse	essments	\$313,126.19

This report and the proposed improvements are based on instructions from the City of Port Colborne and in consultation with the local landowners. The cost of these improvements is shared across all areas that use the Drain by way of allowances and assessments consistent with the Drainage Act of Ontario.

# 2 Introduction

The City of Port Colborne retained Paul Marsh, P.Eng of EWA Engineers Inc. to prepare a Drainage Report under the Drainage Act R.S.O. 1990 for the Port Colborne Municipal Drain formerly the Wignell Municipal Drain.

In addition to the Port Colborne Drain Report, there are other Drain Reports being prepared concurrently and they are:

- Wignell Drain, outlets to Lake Erie across Lakeshore Rd. East and proceeds northerly for 7.2km.
- Michener Drain, outlets to Wignell at 0+010 north of the Lakeshore Rd. East and proceeds northerly for 1.7km, ending south of the Friendship Trail.

The Port Colborne Drain originally had an outlet to Lake Erie but was diverted to the Wignell Drain by a previous Engineer's report. The remaining portion has been referred to as a branch of the Wignell Drain, but by the preparation of this Engineer's Report with a revised Assessment Schedule, it will be recognized as the Port Colborne Drain with an outlet to the Wignell Drain south of the Friendship Trail. This report also recognizes the already existing channel as a Branch Drain west to Snider Rd. called Port Colborne Branch Drain #1. The following Figure presents the proposed drain names and drainage boundaries.



Figure 1 Wignell Watershed; Michener, Port Colborne and Wignell Drains

This report includes a description of all work, associated plans, cost estimates, and assessment schedules for the proposed work on the existing Port Colborne Drain, as

well as for the proposed Branch Drain. The report has been prepared in accordance with the requirements of the Drainage Act, Chapter D.17 of the Revised Statutes of Ontario, Sections 4 and 78.

The proposed improvement work for the Port Colborne Drain is prepared as a Section 78 (1.1) of the Drainage Act. The works are described as maintenance with the exception of re-alignments, which are deemed to be required but not requiring a Section 4 application of the Act. The Port Colborne Branch Drain #1 is prepared as a Section 4 petition by the Road Authority.

# 2.1 Objective

The Port Colborne Drain already exists and has for many years. Originally known as the Port Colborne Drain, it was renamed and made part of the Wignell/Michener Drain during the 1970s. As of this report, it is being named the Port Colborne Drain again. The objective is to maintain the existing drain in a State of Good Repair (SOGR). The municipal drains have been impacted by changes in land use practices that affect their function. The drain capacity is degraded through growth of vegetation within the banks of the drain.

There are specific new channels proposed to improve drain function recognizing the impacts to the original drain alignments. From Highway #3 to Second Concession is quarry land that has affected the drain alignment with corresponding relocation including quarry boundary and berming.

The Drain channel was relocated to the east side of Babion Road but has not been fully constructed to Second Concession Road. Physical changes to the drain are needed for continued service and proposed improvements have necessitated a new Engineer's report be prepared under Section 78 of the Drainage Act R.S.O. 1990.

Previous maintenance work conducted in 2016, and other dates, is included in this report and will be assessed as part of the cost of the works.

# 2.2 Drain History and Past Reports

The Port Colborne Drain Engineer's Report is prepared as follows:

- Baseline Drainage Report; provides an assessment of current drainage problems and identifies the extent of the drainage area to be serviced by the municipal drain. Baseline report includes a history of drainage and presents historical information such as grade lines.
- Wignell Watershed Assessment Report; provides an assessment of existing capacity through the use of hydrologic and hydraulic modelling which identifies the options for resolving problems and recommends a preferred option to improve drainage.

The final Engineer's Report is composed of the two previous reports along with supporting documentation and final drainage cost estimates and assessment schedule or table.

The exact previous alignment of the upper portion of the Port Colborne Drain is not completely clear. With the expansion of the quarry, efforts to abandon portions of the Drain and to re-align the Drain were provided by report to Port Colborne Council, see review in Baseline Report. For this report, based on the information reviewed, the Port Colborne Branch Drain #1 is presumed to have existed previously by drain report. The following figure shows Constructed Drains as presented in the OMAF AgMaps application.



Figure 2 OMAF AgMaps - Constructed Drains

What is clearly shown in the figure are the two (actually three) top branches of the drain. A branch that turns west north of Highway #3 and is shown along the Snider Rd. ROW to a point north along the eastern edge of the roadway. Also a branch that proceeds eastward to Babion Rd (labeled as Lorraine Rd. in the figure) and ending before Carl Rd.

The alignments were substantially changed by report in 1999, in favour of realignments to allow the quarry properties to expand rock removal within this area.

## 2.3 Port Colborne Drain Watershed

The Port Colborne Drain watershed is composed of a single distinct municipal drain that outlets to the Wignell Drain just south of the Friendship Trail.

The Port Colborne Drain serves an area of 327.8 hectares based on the defined drain boundary, refer to Figure 2. The main branch of the drain is 3,368m in length from the drain origin, which is defined as the south end of culvert headwall crossing the Friendship Trail and is 110m to the outlet into Wignell Drain at STA 2+055 for a total main drain length of 3478m.

The watershed boundary is south of Chippawa Rd. with a high point of 190m. The upper portion of the drain is defined to end at the intersection of Babion Rd. and Second Concession Rd. at an approximate elevation of 182m.

• Watershed average fall (slope, height from furthest point in the watershed to lowest point at outlet) is given as 0.32% or 3.17m per 1000m

• Drain average fall (slope) is given as 0.258% or 2.58m per 1000m

It is worth noting that a portion of the upper watershed, the square edge on the west side of the catchment boundary along Snider Road, is removed by a municipal storm sewer that flows west and outlets into the canal.

This slope characterises the Port Colborne Drain as an average sloped watershed, with greater fall than the Wignell Drain at 0.11% average slope. The lower reach of the drain, where it connects to the Wignell Drain, has very little grade and standing water is a common occurrence.

The Port Colborne Drain can be segregated into distinct geographic areas as shown in Figure 3 Drainage Catchment of Port Colborne Drain.

- 1. The outlet through the Friendship Trail is defined by the low slope and standing water with considerable phragmites growth. This portion of the drain is only 160m in length from the outlet to a point just north of the Friendship Trail.
- 2. Above the Friendship Trail to Highway #3 Crossing. This section was cleaned and a segment re-aligned by the City of Port Colborne in 2016, as shown in the Baseline Report. The resulting grade line is shown as an "As Constructed" grade line on the Plan & Profile Drawings. There are two constructed wetlands adjacent to the drain. They are located on two properties north of the drain and hydraulically above the drain at STA 1+600 and 1+735 respectively. Two fordings were added to the drain during the 2016 works at STA 1+745 and 1+628, which replaced a culvert in poor condition and with the agreement of the property owner.
- 3. North of Highway #3, the main channel of the drain follows the edge of the quarry and crosses Babion Rd. to the east side of the ROW. Historically, RV Anderson Drain Report1979, this drain continued east of Babion Rd., but a portion was abandoned by a Drain Report adopted by council in 1999. Since that 1979 report, the channel has been rerouted along Babion Rd. on the west and east side, but not to Second Concession Rd. Currently the channel stops at the Quarry access lanes with an existing culvert underneath the private access road. An existing PVC culvert appears perched and currently blocking the flow path. There's no defined outlet for the existing culverts located at Second Concession Rd.
- 4. Two culverts are located at the Second Concession Road; one crossing from east to west of Babion Rd. on the north side of Second Concession (600 HDPE) and a second culvert currently on the west side of Babion Rd. graded to the south but not connecting to the Port Colborne Drain. By this report, the culverts will be reset to provide positive drainage

from west to east and north to south on the north and east sides of the ROW. The Port Colborne Drain will end at the north east corner of the intersection and connect for outlet east of Babion Rd. This change will serve lands to the north of Second Concession Rd. that would otherwise drain south but are blocked by the road and the quarry.

5. The existing channel of the Branch Drain #1 serves west to Snider Rd. at the north edge of the property, ARN = 411000. From the current Highway #3 crossing to a point on Branch Drain #1 roughly at STA 0+480, the drain channel is quite clear and the cross-section well defined. From that point to Snider Rd. ROW, the drain is overgrown with vegetation and the cross-section disappears before the ROW. This section of Branch Drain #1 is to be improved to the edge of the Snider ROW. The portion of the drain shown on Snider Rd. is to be abandoned in favour of municipal roadside swales.



Figure 3 Drainage Catchment of Port Colborne Drain

# **3** Design Considerations

The analysis of the Port Colborne Drain, part of the Wignell Drain watershed, is based on Hydrologic and Hydraulic analysis to predict runoff flow requirements and to match channel capacity. Water monitoring, gauge measurements, have not been practiced and thus calibration or validation of the computer based model results is limited to historical anecdotal comparisons.

# 3.1 Watershed Characterization and Use

The Port Colborne Drain watershed is characterized through land use as a design consideration in the following ways:

- 1. The upper portion of the watershed land use is agricultural with mainly row crops; soya, corn or cereal grains grown. The design service level for agricultural land is flooding with low velocities and drainage of ponding areas over 48 to 72 hours. Drainage is provided to improve working time and an overall goal to reduce the risk of crop drowning.
- Fringe or rural residential properties are the other major land use with estate sized lots with houses, buildings, wells and septic beds.
   Urban expectations of no ponding on residential lots in rural areas can not be met without extensive costs. Acceptable flooding without damage to property contents is the reasonable design service level similar to agricultural service levels.
- 3. Gravel and stone quarry operation makes up a significant portion of the drainage area and affects the drain through runoff capture and pumping. The Quarry has several permits to take water granted from the MOE that impact on the function of the drain.
- 4. Port Colborne Outlet. The primary design service level for the outlet is merely to have a positive slope to the Wignell Drain with a clear and clean flow path to outlet.

# 3.2 Former Drain Changes

The Port Colborne Drain has been in use for a very long time. Over that time, changes have occurred and been abandoned. These changes are described in the Baseline Report. A summary of significant changes are as follows:

- Expansion of the quarry impacting site runoff, changing from stormwater runoff to pumped flow.
- Municipal Drain abandonment:
  - Wignell W1 in 1999 north of Highway #3.
  - Wignell W2a & W2 in 2013 east of Babion Rd.

- Drain Re-alignments:
  - North of Highway #3 and west of Babion Rd. in 1999.
  - South of Highway #3 in 2016
  - Roadside swales along Babion Rd.

## 3.3 Design

The following describes the design basis for this drain. Descriptions of design criteria are intended to meet the requirements of O. Reg. 588/17: Asset Management Planning for Municipal Infrastructure specifically Table 3.

## 3.3.1 Criteria

The following section establishes the level of service for the Port Colborne Drain. Channel size is confirmed to be based on a 1 in 5 year return period storm, which is expressed as a design storm as follows:

• 5-year cumulative storm with a total rainfall amount of **68.90 mm** using a Soil Conservation Service (SCS) Type II **24-hr** storm distribution.

The design storm is used to forecast a predicted runoff for identified catchments. Each channel section is designed to convey this runoff.

The existing MTO crossings are to meet the MTO standard criteria of 1:25 year storm. As these are existing crossings with no changes proposed, no analysis of performance is undertaken and available capacity is as it was before this report was prepared. From the original catchments, the quarry lands expansion, previous report abandonments and other watershed changes, the contributory catchments upstream of the MTO crossings are as follows:

- PC1-CS-01; West culvert 1880x1260 (1550x1200) CSPA
  - Original Catchment: 154 Ha
  - Revised Catchment: 14.8 Ha
- PC-CS-04; East culvert, Conc. Box 1200x2400 open bottom
  - o Original Catchment: 111Ha
  - o Revised Catchment: 61Ha

The Port Colborne Drain outlets to the Wignell Drain and is wholly dependent on the Wignell Drain for sufficient outlet.

#### 3.3.2 Drain Capacity Design

The Wignell Watershed Report describes the modelling used to assess the existing watershed. A revised model was implemented for the design and capacity



determination of the existing channels based on the design drawings attached to this report.

Figure 4: Wignell PC-SWMM Model with Port Colborne

The specific results for the Port Colborne Drain are included in the following table.

The details of the model are included in Appendix D, including the input file.

# 4 Drain Works Recommendations

The Port Colborne Drain is not a new drain, but an old name for an existing drain. The watershed served has been dramatically altered by the quarry lands and the long term plan for those lands is not referenced in this design. The rest of the watershed is a mixture of rural residential and farm land, which ispredominately row crop.

# 4.1 Description of the Works

The following presents a program of proposed improvement works for the Port Colborne Drain. As a program, some works are staged at various times and may not proceed in a step-by-step manner, but on an as-and-when available basis that best meets environmental and regulatory requirements.

A significant portion of the works is already complete. The original drain alignment has been compromised by the expansion of the quarry on both sides of Babion Road. A new alignment for the drain extending the open channel to the Second Concession Rd. to provide an outlet for overland flows is required.



Figure 5 Proposed Port Colborne Drain Improvements

### 4.1.1 Port Colborne Drain Flow Improvement

The primary function of the proposed works is maintenance of channel section and reduction of flow restrictions. This is for two key restoration efforts as follows:

Restoration works #1 is the removal of vegetation from top-of-bank to top-of-bank. This removal is targeted at tree and shrub growth that limits or could obstruct primary flow paths. Every effort to retain trees, not in the channel, and understory growth will be made to reduce environmental impacts of the maintenance work. A work zone, presumed from previous drain reports, is required for the channel improvements and the maintenance works will seek to minimize the removal of trees and understory growth adjacent to the drain to that required for machine access.

Restoration works #2 is to remove any deposition humps or deviations that are impeding flow. This does not include any changes to grades that were already over deep, past the calculated grade line, but does include channel bank stabilization where slips or excessive erosion is evident during the restoration works. Channel restoration is done from one side with effort to reduce existing stable bank cover damage on the opposite side of the work zone.

Most of the proposed work is to re-establish the original drain capacity and function through the cutting of trees and vegetation that has grown up through the drain. The following figure illustrates a typical cross-section view of the work and work zone required to do the work.



Figure 6 Typical Drain Work and Work Zones

The main work program for the drain is to clean down to the proposed grade line and a design capacity is achieved through removal of bottom and one bank. It is beneficial to only disturb one bank and leave low vegetation in place to reduce risk of erosion. Trees through the drain top of bank (T/B) to top of bank (T/B) are removed leaving stump and roots in place if the removal negatively impacts the grade.

Living trees that are removed from the work zone are eligible for the canopy preservation program, replacement of 2 saplings for each removed tree with a DBH

of 150mm or greater. Trees within the established banks, top of bank to top of bank, are not eligible unless for a new drain or a re-located drain.

## 4.1.2 Port Colborne Drain Extension to Second Concession Rd.

The original Port Colborne drain alignment to the east has been consumed by the expansion of the quarry. The extension of the drain to the Second Concession was previously identified but not yet completed. This report provides plans and profile drawings for the completion of the extension.

## 4.1.3 Port Colborne Branch Drain #1

The original Port Colborne Drain alignment is shown in the following figure as circa 1934.



Figure 7 Port Colborne Branch Drain History

Figure 2 OMAF AgMaps - Constructed Drains shows the Port Colborne Branch Drain #1 as existing and proceeding west to Snider. However, there is a bylaw from 1999 showing a portion of the original alignment was abandoned to the north side of Highway #3. This portion is illustrated above in Figure 7 Port Colborne Branch Drain History. By adoption of this report, the City of Port Colborne, recognises that this drain does exist and is formally proposed as a newly named drain, hereafter called the Port Colborne Branch Drain #1. See drawings in Appendix A. The branch drain is proposed to be 824m in length. The following describes the three proposed sections of work.

- 1. The existing channel from the outlet at Port Colborne Drain STA 1+654 and proceeding north to Highway #3 requires regrading to design grade line and vegetation clearing with bank re-seeding.
- 2. The existing CSPA crossing Highway #3 does not require work, nor does the existing channel north of Highway #3. The drainage superintendent may undertake spot maintenance works on as needed basis and where needed basis.
- 3. Above 0+627 to the end of the drain, requires vegetation clearing and channel excavation to cross-section and grade.

Figure 2 OMAF AgMaps - Constructed Drains shows a final portion or leg of the drain proceeding north along the eastern side of Snider ROW. This Drainage Report proposes for Port Colborne Branch #1 to end on entry to the ROW and any further north or south drainage structures will be municipal roadside swales/channels and not included as part of the Drain Schedule.

#### 4.1.4 Road Crossings

There are 7 road crossings from the outlet of the drain to Second Concession Road. Of those crossings, one is a Provincial highway crossing, (Highway #3) and the others are municipal road crossings (6). There is one crossing for the proposed Port Colborne Branch Drain #1.

There is no additional work proposed for the existing crossings with the exception of the two culverts located at Babion Rd. and Second Concession Rd. which are to have the following changes:

- The west to east culvert crossing Babion Rd. (600mm HDPE) is to be lowered with the grade changed to outlet east.
- The north-south culvert crossing Second Concession Rd. (750mm HDPE) is to be re-located from the west side of Babion Rd. to the east side and connecting to the downstream extension of the drain along the east side of Babion Rd.

All other crossings were surveyed (Amec 2013) and the grade points used to establish the design grade line (see drawings Appendix A).

## 4.1.5 Private Crossings

Additional survey, CofPC/EWA 2018, showed an existing 30m culvert placed on the east side of Babion Rd. and PVC 6m culvert perched above the grade line. The existing PVC culvert is to be removed and a new channel constructed on the design grade line to the outlet invert of the relocated culvert crossing Second Concession Rd.

Two fordings were constructed in 2016 on two properties south of Highway #3. Amending the fording bottom crossing height using existing concrete slabs (sidewalk removals) is recommended.

Owners have made inquires about replacing these fordings with culverts. Final decisions were not made prior to completion of this report. Where owners decide to proceed with replacement of the fordings, each owner will be responsible for 50% of the cost of constructing the crossing and the remaining 50% is to be allocated to the watershed.

### 4.1.6 Abandonments

A portion of the Port Colborne Drain is to be abandoned through this report. As a part of the drain-re-alignment of the Port Colborne Drain completed in 2016, the original drain alignment crossing east to west through property 410710 is no longer needed. The former channel, running north to south, will be the new Port Colborne Branch #1 outlet.

#### **Past Abandonments**

There were two abandonments adopted by By-Law in 1999 for the Wignell Drain (referred to in this report as the Port Colborne Drain). The part of the Wignell identified as W1, north of Highway #3, was abandoned by adopted By-Law No. 3740/26/99. Additionally, the prepared report also identified that the Wignell, identified as W2a and W2b were abandoned by By-Law No. 5895/02/13.



Figure 8 Port Colborne (formerly Wignell) Abandoned Segments

The portion of the original Wignell, W1 drain north of the Highway #3 multiplate culvert (CS-100) was abandoned as a municipal drain by a report in 1999. Since these documents were not included in the Baseline Report, they are included in Appendix D.

### 4.1.7 Utility Conflicts & Coordination

Utility conflicts may exist with gas lines and telecommunication lines as identified by the exchange of utility information. No direct grade conflicts were identified on the drawings. Where conflicts are identified in the field, relocation of the utilities will be performed following requirements set forth by the utility and charged at cost to each affected utility as per the Drainage Act, R.S.O. 1990.

## 4.1.8 Plans, Profiles & Specifications

The proposed Port Colborne Drain works are described in the attached Plans, Profile drawings and Specific Design Drawing and Standard Detail Drawings attached as Appendix A.

Project Specifications are included in Appendix E.

## 4.2 Construction and Constructability

The following describes the specific requirements for drain construction.

#### 4.2.1 Vegetation Removal

Vegetation, specifically trees are to be cut down outside of any bird nesting periods. The remaining stumps are to remain in place unless they obstruct flow or they are Ash trees with re-growth from the lower truck already established. In those cases, the stump will be ground down to match the existing channel section.

Tree removal within the top-of-bank to top-of-bank is to be 100 percent; however, tree removal within the work zone is at the discretion of the drainage superintendent while making every effort to preserve trees where possible. Where live trees are removed in the work zone, they qualify for the tree replacement program as per the tree qualifying criteria. Where a mature live tree is already established and is an individual tree, it can remain on the work zone adjacent to the drain provided there is a working space to provide future maintenance to the drain.

Trees with a DBH greater than 150mm and alive, such trees will be replaced with 2 trees as saplings for future growth in lieu of a damage allowance for the existing tree that is removed. The tree that is removed will be provided to the owner as stacked branches adjacent to the drain and outside of the working zone along with the trunk. The owner shall be wholly responsible for the wood once cut.

New trees can be planted adjacent to a drain following two key criteria:

• The trees are planted back from the top of bank, (the exact distance is determined by tree type and local conditions).

- The trees are planted with adequate space to provide future maintenance access for the drain. Grouping of planted trees is encouraged given that the spacing of the trees and the arrangement permits future maintenance. This is accomplished by providing an angled approach along the tree edge line to the drain and increasing the tree plant density only as the distance from the drain increases.
- Individual hardwood trees may be allowed every 25m. Trees of any type shall not be planted within 6m of an existing drain (solid tile, wrap joints) or 4.5m from existing open drain.
- In certain circumstances where an owner owns property on both sides of the open drain, upon consultation with the Drainage Superintendent, a windbreak may be permitted on one side. On existing drains where windbreaks exist, costs due to trucking material will be the direct responsibility of the owner and not the upstream ratepayers.
- Replacement trees will be selected from a list of available preferred species at the time of construction for owners eligible for replacements to select their preferred species. Species will be from the identified list of approved Carolinian species typical for the Region. Owners can select any location for the planting of replacement trees excepting within the work zone.

## 4.2.2 Spoil Material

All spoils and spoil handling practices will comply with applicable legislation including O. Reg. 406/19: ON-SITE AND EXCESS SOIL MANAGEMENT filed December 4, 2019 under Environmental Protection Act, R.S.O. 1990, c. E.19

Where specified, excavated spoil material shall be disposed of and levelled a minimum of 2.5 m from the top of bank to ensure that sediment does not re-enter the drain. Spoil placed next to the drain shall be spread to permit access across the berm area and shall be placed to a maximum height of 0.6m. Spoil excavated along existing travelled road allowances, and on private property where requested, shall be disposed of by the Contractor off site. The cost of spoil trucked from the property shall be borne by the benefiting property owner.

Spoil shall be disposed of as noted in the description of the proposed work. Generally, the spoil will be disposed of adjacent to the drain unless otherwise specified. Should any property owner require that all or a portion of the spoil be trucked away from their property, the cost of trucking spoil shall be assessed totally to the property owner requesting same and will not form part of the total cost of the drainage system. The cost of trucking away spoil from any future maintenance work will be assessed directly to the property owner requesting the same. Vegetation debris from the drain is preferred to be arranged adjacent to the drain to decay but will be removed from the property or disposed of in accordance with agreement of the property owner at the owner's cost.

With respect to the reaches of drain that are within travelled Municipal road allowances, the spoil will be trucked away during both the initial construction and any future maintenance work where there is no opportunity to dispose of the material on site should the road allowance be the working side. Access channels shall be provided through the levelled spoil material at every location where existing drainage outlets are visible and/or identified during construction by the Drainage Superintendent. The invert of the access channels shall be consistent with the drain cross-section at that location.

Spoil excavated from the drain shall be levelled in a manner that is suitable for cultivation of crops where crops were previously cultivated. Where the drain is adjacent to a grassed area maintained by the owner, the spoil shall be levelled and reseeded with grass so that the area is restored to a like or better condition than prior to construction.

#### 4.2.2.1 Contaminated Spoils

Where soils are known to be contaminated but have been assessed to pose no human health risk, on site spreading adjacent to the drain will be the practice and acknowledge that the soils are not to be 'moved' off the property.

Where soils are to be removed from the property, then a sample will be collected and analyzed for contamination prior to the commencement of removal. Where that sample is shown to be contaminated and disposal of the soil will require disposal at a registered facility in compliance with O. Reg. 406/19, the owner will be responsible for the costs to dispose of the contaminated soil from their property.

Once a contaminated sample is returned, the owner will be given the opportunity to retain the soil on site instead of trucking for disposal.

#### 4.2.3 Sediment Control Basins

The addition of sedimentation basins to the Port Colborne Drain in three locations is to assist with controlling sediment during maintenance and re-grading to the identified design grade line. Post – Construction these basins remain and continue to provide sedimentation control during precipitation events.

Sediment basins are to be constructed at the locations and to the specifications indicated on the drawings. The Contractor will maintain these sediment basins during construction, as directed by the Engineer and/or their designate. The basins are considered to be part of the Municipal Drain and will be maintained in future by the Municipality at the expense of all upstream land and roads owners herein assessed as shown on the attached assessment schedule. Properly maintained sediment basins reduce the incidents of drain maintenance clean out and therefore reduce overall maintenance costs for property owners. The basins will be inspected annually for an assessment of sediment depth and sediment removed where that depth exceeds half the constructed depth of the basin. The inspection schedule may be adjusted after some experience with the sediment basins within the watershed.

#### 4.2.4 Revegetation

Drain banks and exposed soil areas disturbed during the maintenance of the drain are to be seeded as quickly as possible by the Contractor to reduce the risk of soil erosion. The Contractor will seed spoil areas after leveling and shall seed channels at the same time. The Contractor will schedule levelling to reduce the time of bare soil, but where the duration of leveling exceeds 2 weeks, then channels will be seeded immediately after channel maintenance. Seeding should take place in a manner that optimizes seed germination and establishment of vegetation prior to mid October and after late April.

40 kg/ha

Seed mixture used shall be applied at a rate of 40 kg/ha in the following proportions:Creeping red fescue20 kg50%Perennial rye grass8 kg20%Birdsfoot trefoil12 kg30%

100%

Where working zone adjacent to the drain is grass and this is affected by construction, this area shall be reseeded with a suitable grass mix to restore to a like or better condition.

#### 4.2.5 Private Drain Connections

Where private connections are made to the Municipal Drain, the connections are to be compliant with the City of Port Colborne's standards connection designs. This includes the following connection types:

- Open channel connection minimal allowance for grade and freeboard.
- Surface water flows rip rap rock requirements for reducing or amending sites of potential or evident erosion.
- Tile drain connections use of PE pipe to connect to a receiving channel.
- Berm and Orifice Flow Control connections designed to control runoff to specified rates of flow.

Private connections are not part of the drain but owned and the responsibility of the landowner for construction and maintenance. Where a deficiency is identified by the Drainage Superintendent or Engineer, the landowner is to make good the connection. Deficiencies can be eroded connections, blocked connections or poor connections and the landowner can accept to have work done by the City on their behalf to make good the connection based on a 50/50 cost sharing basis. Where the City identifies a deficiency and the repairs are not made by the landowner by the next cycle of drain maintenance, the City can make the required repairs and 100% of the cost will be assessed to the landowner.

## 4.3 Future Maintenance and Repair Provisions

Total

The Drainage Act, Chapter D.17, Sections 74 through 84 governs future maintenance, improvement and repair to any Drainage Works constructed under a By-Law passed under this Act, or any predecessor of this Act.

Upon completion of this report and the works described in the Engineer's Report, the City of Port Colborne will be responsible for future maintenance of the drain with the costs of future maintenance assessed to the upstream lands and roads using the Assessment Schedule in Appendix B, and pro-rating the assessment based on the actual cost using the Outlet Liability Assessment – Section 23. Special Assessment shall not apply to maintenance work. Special Benefit or Special Assessment, Section 24 or Section 26, shall not apply to maintenance work except where maintenance works are related to culvert/bridge replacement or upgrades.

# 4.4 Construction Summary

The following table provides a list of construction activities by property starting from the outlet and proceeding upstream.

	From			
Property / Owner	STA	To STA	Work Description	Access & Disposal
271104000408700 SCHLENGER USZER	-0-112.7	-0-007.5		Access from Friendship Trail. A 10m Workzone is on the North and east side of the Drain. This Workzone is presumed to already exist from past reports.
271104000699500 PORT COLBORNE CITY	-0-007.5	0+012.5		Work from both sides where required.
271104000408715 PORT COLBORNE CITY	0+012.5	0+053.4		10m Workzone east side
271104000408700 SCHLENGER USZER	0+053.4	0+403.6		10m Workzone east side
271104000408800 SCHLENGER USZER	0+403.6	0+422		10m Workzone east side
271104000409000 HILL KERRY	0+422	0+477		10m Workzone east side
271104000408900 ANNETT SYLVIA	0+477	0+485.7		10m Workzone east side
ROW - Killaly St East City of Port Colborne	0+485.7	0+514.1		
271104000412700 VALE CANADA LIMITED	0+514.1	1+056.4		10m Workzone east side
	1+020	1+055	Construct Sediment Basin PC- SB03 at 1+020	Excess soil disposal is adjacent to the basin for 10m of Workzone on the south side.
ROW - Snider Rd. City of Port Colborne	1+056.4	1+249.6		10m Workzone
271104000412700 VALE CANADA LIMITED	1+249.6	1+376.8		10m Workzone east side
271104000410900 POWELL BRADLEY KENNETH	1+376.8	1+528.4		10m Workzone east side
271104000410800 VAN RUYVEN JOSEF NICOLAAS	1+528.4	1+657.5	Includes a CSPA Culvert crossing, if required.	10m Workzone east side
271104000410710 KONC JOHN ANDREW	1+657.5	1+758.3	Includes a CSPA Culvert crossing, if required.	10m Workzone east side
271104000410000 VALE CANADA LIMITED	1+758.3	1+924.9		10m Workzone east side
Highway#3 ROW MTO	1+924.9	1+958		

Table 1 Port Colborne Drain Construction Summary

	From			
Property / Owner	STA	To STA	Work Description	Access & Disposal
271104000411500	1+958	2+555	commencing at 2+300, clear	10m Workzone north and west
PORT COLBORNE			and re-grade to design grade	side
QUARRIES INC			line and spread spoil on bank.	Spread spoil adjacent to drain.
			Construct Sediment Basin PC-	
			SB02 at 2+402	
Babion Rd. ROW	2+555	2+575		
271104000315600	2+575	2+923.6		10m Workzone east side
PORT COLBORNE				
QUARRIES INC				
271104000315800	2+923.6	3+330.8	Construct new drain starting at	10m Workzone east side
PORT COLBORNE			3+079 to 3+330 and remove	
QUARRIES LIMIT			existing 500mm PVC culvert.	
			Construct Sediment Basin, PC-	
			SB01 @ 3+300. Spread spoil on	
			adjacent east bank.	
ROW-Babion Rd and	3+330.8	3+368	Move PC-CS-07 Culvert from	Work within existing ROW
Second Concession			West side of Babion Rd. to	
			East side of Babion Rd. at the	
			indicated grade.	
			Excavate PC-CS-06 600mm	
			HDPE culvert and re-lay in the	
			same trench at design grade to	
			drain from West to East.	

Works in italics are optional and costs are not included or assessed in this report.

## Port Colborne Branch Drain #1

The following table provides a list of construction activities by property starting from the outlet and proceeding upstream.

	From			
Property / Owner	STA	To STA	Work Description	Access & Disposal
271104000410800	0+000	0+224.7	Clear tree vegetation from top of	Work zone is the east side.
Van Ruyven Josef Nicolaas			bank to top of bank and re-grade	
			the bottom of the drain to the	
			design grade line. Re-establish the	
			drain bottom width.	
271104000410710	0+000	0+224.7	Clear tree vegetation from top of	Access from East side and
Konc John Andrew			bank to top of bank and re-grade	dispose of spoils adjacent to the
			the bottom of the drain to the	drain. Spread to match existing
			design grade line. Re-establish the	field.
			drain bottom width.	
MTO Highway #3	0+224.7	0+259.6	No work planned through the MTO	
			Right of Way.	
271104000411500	0+259.6	0+512.7	Spot clean up where required as	Work from east side 10m
PORT COLBORNE			determined by field inspection.	Workzone
QUARRIES INC				
271104000411000	0+512.7	0+570.6	No work planned.	10m east side workzone
HELLINGA JACK SIMON				
274404000444500	0.570.6	0.010.1		
2/1104000411500	0+570.6	0+818.4	200m - Brush and excavate to	Work from north side 10m
PORTCOLBORNE			extend and re-grade to Snider Rd.	Workzone
QUARRIES INC			ROW	

#### Table 2 Port Colborne Branch Drain Construction Summary

# 5 Drainage Works Financing

## 5.1 Cost of Works

As required by the Drainage Act, Chapter D.17, Section 59(1), Council may call a meeting if the contract price exceeds 133 percent of the estimated construction costs.

## 5.1.1 Admin & Engineering Costs

Administration costs identified with the Port Colborne Drain are included for the interest payable over the 20 year period of the debenture along with a debenture fee. This total fee is allocated to the Port Colborne Drain on a percentage basis calculated by the total area of each drain. (See Table 3)

There are three engineering costs related to the works for the Port Colborne Drain. These costs are from three separate engineering companies who have worked to prepare the report.

Wiebe Engineering was first hired to prepare the report. Wiebe was paid \$92,511.44 for work completed on the Wignell, Michener and Port Colborne Drains and a survey fee of \$8,342.93 was paid to a survey firm. A portion of this fee, allocated by area of the drain, is charged to the Port Colborne Drain. (See Table 3 Drain Area Ratios)

Amec Foster Wheeler (formerly Amec and now Wood Plc) was appointed to conclude the report after Wiebe Engineering. They prepared a draft of the report, invoiced and were paid \$67,147.23 but they did not finalize the report and ceased to work on the project.

These costs have been allocated to the respective drains using a drain area ratio as per the following table.

Drain	Area, Ha	Area Ratio
Michener Drain Area	135	12%
Port Colborne Drain Area	327.8	30%
Wignell Drain Area	634.4	57%
Total:	1097.2	

#### Table 3 Drain Area Ratios

The result is a cost allocation from past works to Port Colborne Drain for the portion of administration and engineering fees as follows.

Administration (Debenture) (interest + fees) \$35,893.21	Wiebe \$92,511.44 + \$8,342.93	Amec \$67,147.23		
\$10,723.47	\$30,131.30	\$20,060.94		

Table 4 Past Admin and Engineer Costs

The fees for EWA Engineering Inc. are recorded for the fees in the preparation of each individual report and detailed in Appendix B. For Port Colborne the EWA Engineering fee is \$ 116,969. The Engineering fee includes CAD services provided by the City of Port Colborne in the amounts of \$11,483.16 and \$8798.00. The total Administration and Engineering fee including estimates for engineering effort remaining for construction oversight as \$3,500 and is assessed against the Port Colborne Drain for a total Administration and Engineering cost of \$201,666.26.

## 5.1.2 Capital Construction Cost

The estimated cost of construction is shown in the following table.

Estimated Cost of Construction	
Port Colborne Branch #1 – new outlet and grade improvement to Snider Rd.	\$10,340.
Port Colborne Drain – Extending to Second Concession Rd. on East Side of Babion, including culverts.	\$33,332.
Port Colborne General Construction Costs	\$8,279.
Port Colborne Contingency	\$12,458.
Total - Estimated Cost of Construction	\$64,409.

#### Table 5 Port Colborne Estimated Cost of Construction

## 5.1.3 Previous Works Completed

Additional to this estimate of construction cost is the cost for work already completed.

#### 5.1.3.1 Construction Already Completed

There are two distinct areas of construction that were already completed and they are as follows:

- 1. Drain adjacent to and downstream of the Babion Rd. Crossing by Rankin Construction. The cost of the cleaning fee is included in past costs and added to the cost table as \$26,050.
- 2. Additional to this work was construction of a re-aligned portion and regrading of the Friendship Trail to MTO Highway #3.
  - a. Re-grading and clearing to design grade from STA 0+010 to 1+500
  - b. Drain channel re-alignment from STA 1+500 to 1+860 including stone protection on outside channel bends.
  - c. Fording # 1 providing private property access.
  - d. Fording #2 providing private property access.

Additional work included two constructed wetlands which were externally funded and are not part of the drain.

	Table 6	Previous	Construction	Costs
--	---------	----------	--------------	-------

Previous Construction Costs	
Channel maintenance by Rankin Construction - 2+580 to 3+045	\$ 26,050.00
Channel Re-Alignment - 1+660 to 1+860	\$ 5,550.00
Channel Re-Grading and Clearing - 0+010 to 1+660	\$ 14,234.69
NPCA Grant funded portion of the works	\$ 546.41
Fording #1; ARN = 410710 - 1+740 to 1+750 (grant)	\$ 0.00
Fording #2; ARN = 410800 - 1+630 to 1+640 (grant)	\$ 0.00
Total Previous Construction:	\$46,381.10

# 5.2 Maintenance & Program Costs

Included in the estimated cost of construction are allocations for costs related to drain maintenance works including vegetation removal and re-grading.

## 5.3 Principles of Assessment

The following are general and specific principles used to assess costs according to the Regulations formed under the Drainage Act using our understanding of the Act and seeking the most fair methods to share costs to rate payers within the Port Colborne Drain part of the Wignell Drain Watershed.

1. Assessments are a method to calculate a contributing property's share of drainage works, hereafter referred to as a Drain.

2. The Drain is defined by a fixed point of commencement that traverses to a fixed Outlet, which may be a receiver or another Drain.

3. A property contributes to a drainage work if any portion of the property contributes a runoff flow directly or indirectly to the Drain.

4. A Drain is any constructed or existing natural method of conveyance or stormwater management function that moves or controls water from one point of collection to a discharge point, an Outlet.

5. The use of a property; farming, residential, or vacant does not define benefit of the Drain. The benefit of a Drain is realized among all properties with runoff to the Drain.

6. An excess or additional benefit is realized for any property or group of properties for which a higher standard of drainage service is required for the specific use of a property for which a higher value is realized.

As an example, where a market garden farm requires additional pumping for either irrigation or reducing the water surface in the drain, then the additional costs for those works to provide a higher level of service are borne by the benefitting lands.

7. Similarly, where a property or group of properties is provided with a lower standard of drainage service or where such property or properties provides a stormwater management function within the drainage works of the Drain, the value of the lower service or function is determined at a rate commensurate with the benefit to the drain.

As an example, where a property converts a portion of their lands (or the entire property) to a wetland or other stormwater management feature that reduces the peak flow of the runoff, thereby reducing or enhancing the capacity of the Drain to improve drainage and reduce flooding, then a commensurate benefit is realized to the volume of water removed from the runoff hydrograph.

Where the volume of detained runoff is small relative to the capacity of the drain, this contribution is deemed to be negligible. Where the volume detained is below 1% of the total runoff volume for the Drain, there is no real benefit realized for an individual Stormwater Management Feature.

8. The capacity of the Drain is determined based on a hydrologic model forecast of precipitation event based runoff. Therefore each property realizes a drain benefit based on the proportion of predicted runoff for their property. Predicted runoff is a product of the following attributes, which are determined for each property:

- a. Area contributing to runoff;
- b. Land use as it relates to runoff;
- c. Land topography;
- d. Proportion of hard surfaces vs soft surfaces as they relate to infiltration; and
- e. Stormwater management features specially built to reduce the rate of runoff.

9. A benefit is realized for a property that causes a physical change in the Drain works to serve a particular use or surface water benefit to the property. An example of this is a culvert, which provides access to a property across a drain.

10. A benefit/assessment is realized for Municipal, Regional or Provincial lands held as Rights of Way that cause or require additional infrastructure, effort or costs related to the Drain. (Section 26)

11. Where a cost to the drain is realized through effort during construction or otherwise for the protection of flora, fauna or quantity or quality of stormwater runoff, this cost is born proportionally amongst all watershed contributing owners at the same proposal rate as established for Drain Maintenance.

12. For the Port Colborne Drainage works being considered, a Drain already exists and the proposed assessment is to recognize a service or benefit that already exists and is being confirmed to exist through the creation of the report and assessment schedule. Section 31 allowances for existing channels are not considered for allowance granted by Assessment schedule in this report.

13. Utilities that require additional works, changes in design or protection during construction, those costs are borne by the owner of the utility.

While efforts within the drain design and assessment have been made to address water quality as well as quantity, there are limits within the Drainage Act to incorporate these features. The assessment tables are proposed for using those regulations within the Drainage Act to address stormwater management features as recognized works as part of the Drain.

#### **Benefit (Section 22)**

This Assessment is based on lands, roads, buildings, utilities or other structures that are increased in value or are more easily maintained as a result of the construction, improvement, maintenance or repair of a drainage works may be assessed for benefit. Section 23 benefits specifically require the creation of increased value through the creation of a new or additional drainage systems including natural drainage systems such as wetlands. The Port Colborne Drain work consists of maintenance and drain improvements within existing flow paths.

The Drain improvements are not a new service of additional drainage but maintenance of the existing system. The re-alignments completed do not create new drainage with the possibility of enhanced service level but merely address the current decreased function by restoring a functioning drainage system.

The Drain works has no Benefit Assessment proposed on the main channel of the Port Colborne Drain or for the proposed Branch Drain #1.

#### **Outlet Liability (Section 23)**

This is the primary basis for the assessment of the maintenance and drain works. Assessment is based on each individual property's contributing runoff. This is determined from the area flowing to the drain and from the runoff factor C. The runoff factor C is the Rational Method for predicting peak runoff and does not predict volume of runoff (note special benefit used for Site Specific SWM facilities).

The C factor for assessing property runoff is selected based on the property zoning. Where a property is not currently farmed but is zoned for farming, then a C factor is selected based on the potential use of the property. C factors are not adjusted for variations in Residential properties. Residential properties with or without buildings are assigned the same C factor. Thus, the C factor is not a current prediction of runoff for an individual property but a Factor to assess the potential runoff based on the property's potential use in the present and in the future. The attached Table will be used for the determination of C Factor values used in the Runoff Outlet Factor assessment.

PropCode	CATEGORY	DESCRIPTION	C-Factor Low	C-Factor High
100	LAND	Vacant residential land not on water		
105	LAND	Vacant commercial land	10	25
110	LAND	Vacant residential/recreational land on water		
200	FARM	Farm property without any buildings/structures		
201	FARM	Farm with residence - with or without secondary structures; no		
		farm outbuildings	20	55
210	FARM	Farm without residence - with secondary structures; with farm outbuildings		

Table 7 Land Use and C Factors

PropCode	CATEGORY	DESCRIPTION	C-Factor Low	C-Factor High
211	FARM	Farm with residence - with or without secondary structures; with farm outbuildings		
221	FARM	A Farm with residence - with commercial/industrial operation		
228	FARM	Farm with gravel pit	12	50
230	FARM	Intensive farm operation - without residence	20	50
231	FARM	Intensive farm operation - with residence	20	50
234	FARM	Large scale poultry operation	20	55
244	FARM	Managed forest property, residence not on water	20	30
260	FARM	Vacant residential/commercial/ industrial land owned by a non- farmer with a portion being farmed	20	55
261	FARM	Land owned by a non-farmer improved with a non-farm residence with a portion being farmed	20	55
301	<b>RESIDENTIAL</b> Single family detached (not on water)			
302	RESIDENTIAL	More than one structure used for residential purposes with at least one of the structures occupied permanently		
303	RESIDENTIAL	Residence with a commercial unit		
313	RESIDENTIAL	Single family detached on water year round residence		
322	RESIDENTIAL	Semi-detached residence with both units under one ownership two		
_		residential homes sharing a common center wall.	15	40
332	RESIDENTIAL	Typically a Duplex residential structure with two self-contained units.		
334	RESIDENTIAL	Residential property with four self-contained units		
383	RESIDENTIAL	Bed and breakfast establishment		
391	RESIDENTIAL	Seasonal/recreational dwelling - first tier on water		
392	RESIDENTIAL	Seasonal/recreational dwelling - second tier to water		
405	COMMERCIAL	Office use converted from house		
410	COMMERCIAL	Retail - one storey, generally under 10,000 s.f.		
421	COMMERCIAL	Specialty automotive shop/auto repair/ collision service/car or truck wash	20	65
441	COMMERCIAL	Tavern/public house/small hotel		
490	COMMERCIAL	Golf course	12	35
510	INDUSTRIAL	Heavy manufacturing (non-automotive)		
518	INDUSTRIAL	Smelter/ore processing	1	
520	INDUSTRIAL	Standard industrial properties not specifically identified by other industrial Property Codes		85
590	INDUSTRIAL	Water treatment/filtration/water towers/pumping station	*	*
593	INDUSTRIAL	Gravel pit, quarry, sand pit	*	*
597	INDUSTRIAL	Railway right-of-way	40	65
598	INDUSTRIAL	Railway buildings and lands described as assessable in the Assessment Act		
605	INSTITUTIONAL	School (elementary or secondary, including private)	35	50
702	SPECIAL PURPOSE	Cemetery	35	65
710	SPECIAL PURPOSE	Recreational sport club - non commercial (excludes golf clubs and ski resorts)	35	85
715	SPECIAL PURPOSE	Racetrack - auto	45	85
735	SPECIAL	Assembly hall, community hall	30	85
	ROW	Single lane Municipal Roadway	75	95
	ROW	unopened road allowance	65	85
	ROW	Regional or MTO	90	98

\* C factor values are situationally assigned based on land use.

The following drain features are part of the whole system and are paid for through the outlet assessment:

• Channel Clearing and Re-grading

Sediment Basins

In addition to assessed costs considered for special benefits, there is also recognition for stormwater management facilities within the watershed that reduce the peak flow used to determine the outlet assessment. These facilities that may already exist in the watershed and are recognized as having a benefit in the reduction of peak flow by determining the available volume is greater than the 24 hour peak flow volume predicted for the 1:100 year design storm.

- Site Specific Stormwater Management (SWM) Facilities
  - Wetlands,
  - Ponds, (natural and stormwater)
- Natural occurring features
  - Kettle lakes, and
  - $\circ$  Bog lands.
- Artificial runoff capture; such as Quarry lands or other features that collect runoff but do not outlet it to the Drain during the peak flow of the event.

 Table 8 Section 23 Runoff Factor Determination - QRF Ratio

				Runoff Factor					
Area	Soil Type	Gradient	Land Factor	'C'	QRF	SWM	SWMF	QRF-SWMF	QRF Ratio
Ha									
2.176	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% C	OMMERCIAL	17	2.41	0	(	2.41	0.1760
	Drained - Brunisolic Gray Brown Luvisol								
1.201	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% R	ESIDENTIAL	15	1.18	0	0	1.18	0.0857
	Drained - Brunisolic Gray Brown Luvisol								
1.084	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% R	OW - paved 2 lane	85	6.01	0	(	6.01	0.4382
	Drained - Brunisolic Gray Brown Luvisol								
0.848	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% R	ESIDENTIAL	15	0.83	0	(	0.83	0.0605
	Drained - Brunisolic Gray Brown Luvisol								
0.729	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% R	ESIDENTIAL	15	0.71	0	(	0.71	0.0521
	Drained - Brunisolic Gray Brown Luvisol								
0.560	Bookton (BOK2) - 40to100 cm sandy textures over lacustrine silty clay - Well	0.20% R	ESIDENTIAL	15	0.55	0	(	0.55	0.0400
	Drained - Brunisolic Gray Brown Luvisol								
0.517	NM - Sandy well drained	0.20% L	AND	12	0.41	0	(	0.41	0.0295

QRF is a predicted runoff factor based on the following variables:

- Area, Ha each property's connected area
- Runoff Factor 'C' Coefficient of Runoff of generally accepted values
  - Soil Type from Niagara Soil Report
  - Gradient General Value from NPCA contours
  - o Land Factor reflects the impact of landuse on Runoff

QRF =0.0028\* Runoff Factor 'C' \* Avg Intensity mm/hr \* Area, Ha

QRF-SWMF is the adjusted Runoff Factor used to represent the impact of owner implemented stormwater management facilities.

- SWM is the reduction achieved by the stormwater management facility as determined by the Drainage Engineer / Drainage Superintendent.
- SWMF is the reduction in QRF to be applied.
- QRF-SWMF = QRF SWMF

QRF Ratio is QRF-SWMF divided by the Sum of all QRF-SWMF for each cost allocated area. The QRF Ratio is the value for each property contribution to the outlet liability cost as a portion of all other contributors.

QRF-SWMF and QRF Ratio is to be used for all future Maintenance assessments.

For the quarry lands, the 'C' factor is a weighted adjustment to recognize the connected / disconnected relationship of the lands. With respect to the fact that the quarry property is not directly connected and the quarry relies on pumping to maintain a working area without water, the assessment is to be ½ of the industrial factor typically accepted and ½ of the farm values accepted; (85 and 35). The adjusted quarry property 'C' factor is to be exactly the average between 85 and 35, which will be 60 and that this will apply to all properties currently being quarried.

#### **Special Benefit (Section 24)**

The following are assessed costs considered special benefits:

- Culverts,
- Fordings,
- Closed Conduit conveyance (piped flow)
- Channel re-alignment for property use, such as quarry expansion.

The cost of a culvert is assessed against the property owner based on the incremental cost of the drain. A new culvert is paid for by the owner less the cost of drain construction on a per metre basis. The drain per metre construction cost will be estimated for the report but the actual cost will be used to calculate the final value.

Culvert construction costs are shared between the landowner and the rest of the watershed on a 50/50 split basis. Construction costs are based on the City's typical design standard. Additional costs, headwalls, etc. are at the owners cost unless required by the Engineer to meet requirements.

The report to council identified as 2013-1 was found in signed and submitted form, which was approved by council and dated January 14, 2013. This report documents an agreement was made by Port Colborne Quarries to pay for the cost of construction and engineering a drain on the east side of Babion road to 2nd Concession Rd. as compensation for the abandonment of W-2, W-2a.

The assessment has been revised to show the following changes:

a) The forecasted work, (construction) to extend the drain to the Second Concession Rd. on the east side be allocated to the PC Quarry as per the report to council 2013-1 in the amount of \$\$11,952.50 construction cost along with a portion of the administration for a total of \$49,376.31

b) That the re-laying of the culverts at Babion Rd. and Second Concession Rd. be 50% allocated to the City of Port Colborne and 50% to the Port Colborne Quarry as responsible and beneficiary parties.

#### **Special Assessment (Section 26)**

There are special assessments, as recognized under the Act, for public (not private) roads and utilities that have or require additional costs to the drainage system.

In addition to the projected assessments for Right of Way lands as determined by the outlet assessment, any other costs for road crossings or protection of utilities during construction are assessed to the road owner or utility owner. In the case of Port Colborne Drain, some of the existing Road culverts are to be changed and additional costs are planned or identified. The two new culverts providing road crossings
proposed for the Second Concession Rd. are other examples of Section 26 assessments that apply to Port Colborne Drain.

Also included are costs related to impacted utilities such as Enbridge. These costs are additional effort during construction to protect or meet site supervision requirements by the utility. Also included are costs to move infrastructure, if required by site conditions. Actual costs will be assigned to the project as this is merely an estimate of costs during design.

### 5.3.1 Allowances:

1. Where a drain assessment schedule already exists and a prior maintenance and assessment schedule is known to exist, then a Schedule 29 allowance is accepted and recognized through a past report and schedule unless it can be shown otherwise.

2. Where a drain is re-aligned to a new path, then a Section 29 allowance for land taken is recognized. This can be amended by the restoration of any lands to the same owner by the same re-alignment. Thus, a net allowance can be recognized where that is shown to be the case.

3. Where previously no drain was recognized but already existed as a flow path, then a Section 31 allowance can be realized along with a one time creation of a current and future easement for drain maintenance activities as a Section 29 allowance. This is used in the creation of branch drains.

4. All property valuations are based on the same basic valuation, as per the Schedule of Costs. This single valuation is based on the agricultural land value in the Region of Niagara.

5. Any tree or feature planted within a drainage works right of access for maintenance is not eligible for compensation in any form. Trees within the work zone are eligible for the 2 for 1 tree replacement program.

### **Section 29 Allowance**

(One time payment for land taken)

Where a drain already exists and has had maintenance in the past, then a work zone is assumed to already exist and a one time payment for the work zone easement has been made in the past. No further payment for a work zone or easement is deemed to be required based on the pre-existing work zone regardless of whether that is known to exist or shown to exist in an explicit reference in a previous Engineer's report.

Where a drain re-alignment or a branch drain is proposed, then a Section 29 allowance is determined. The determination is based on a 10m work zone running parallel to one side of the drain commencing at the Top of Bank. The side from which work is done is determined by the Drainage Engineer and shown on the Plans for Construction. In the case of a close conduit the work zone can be reduced to a 5m zone or a 10m zone with 5m on each side. The value is based on a single value of land figure as shown in the Schedule of Costs and because the access is intermittent with the owner retaining ownership and access / use of the land for farming or otherwise, then a factor in the assessment value of land is applied. Since the work

zone is likely to be occupied on a 10 year cycle for maintenance a 1/10 factor is to be applied using the land purchase value.

Where a buffer is established that restricts use of the land adjacent to the drain in favour of permanent vegetation, then a full payment for land taken based on the value established is made. For a buffer, a registered easement on title is recommended.

### **Section 30 Allowance**

(Payment for damages during construction)

This allowance is to compensate landowners for economic damages due to construction and recognizes two types of injury. Immediate loss of crop as a result of working corridor for construction and longer-term damage to crops as a result of spoil spreading.

An allowance is made where work on the drain, such as construction or maintenance, damages crops which can not be restored. Compensation in the form of an allowance does not apply to grass or any other ornamental feature that is restored to similar condition as existed pre-construction for the tree canopy program. Compensation is paid for the work zone width multiplied by the length affected at the rate of \$4,300 per Hectare.

For any trees removed for construction that have a greater diameter than 150mm at breast height, (DBH) a compensation program of replacement saplings is proposed. Where a tree is removed and 2 trees of a variety native to the area and available through the canopy program are planted outside the work zone as compensation, then no award for damage is made.

A damage allowance for fences can be paid where the fence is not restored. In any of the planned work for the Drain, fences are to be restored to a like or better condition and no allowance for payment is planned.

### Section 31 Allowance

(Incorporate a Private Drain)

This type of allowance is to credit the construction effort of a private drain once the private drain is incorporated into a municipal Drain.

The value of the private drain is dependent on condition and contribution to the function of the Drain. For valuation purposes, the cost to construct a similar channel would be made based on the Schedule of Prices. The cost to maintain it would be subtracted.

This does not apply within the Port Colborne Drain watershed.

# Section 32 Allowance

(Insufficient Outlet)

This provides compensation to affect owners for whom lands are not sufficiently drained by the service level provided by the Drain or where lands are discharged into instead of having a sufficient outlet.

There are no known occurrences of this within the Port Colborne Drain.

### Section 33 Allowance

(Loss of Access)

Where a re-aligned Drain crosses property and cuts off access, an allowance can be granted. There is one known such occurrence, property 410900 has a portion that is naturally severed by the crossing of the drain. It is assumed that this historical severance would have a loss of access payment made at the time of the severance and is not required to be recognized by this report.

# 5.3.2 General Instructions to Property Owners, Road Authorities and Public Utilities

The principles of the Drainage Act are:

- Drainage is a collective good that benefits all landowners. However, drainage does not have to benefit all landowners equally.
- All landowners cooperatively fund the drainage works proposed. There is no direct financial government role in the drainage works other than administrative.
- Landowners are assessed a financial share of the cost for the drainage works based on their respective drainage benefit.
- All drainage costs are born by landowners including allowances.
- Drainage is provided on the basis of an identified service level for a specified size of storm. The standard storm, 1 in 5 year frequency, for basic open channel design is 68.9mm over 24 hours. A storm of a larger size or intensity may cause flooding. Tile placed in the bottom of an open channel is provided for drainage and not conveyance capacity.

For more details, refer to the Wignell Watershed Hydrology and Hydraulics Report.

A best effort has been made to compose a fair and reasonable assessment of costs to each portion of the contributing lands.

### 5.3.3 Grants

Owners of qualifying agricultural land are presently eligible for a grant of up to onethird of the cost of their assessment from the Ontario Ministry of Agriculture and Food. This grant will be applied for by the City of Port Colborne, and applied to the property owners' assessment at the time of final billing. The Port Colborne Assessment Schedule indicates lands that, based on information provided by the municipality, qualify for the agricultural land use grant. The final determination of eligibility is the decision of the Ontario Ministry of Agriculture and Food. To be eligible for a grant, the property owner must have a Farm Property Class Tax Rate or in combination with the Managed Forest Tax Incentive Program or the Conservation Land Tax Incentive Program for the lands to be drained by the Drain. For additional information on the Agricultural Drainage Infrastructure Program refer to the OMAFRA website at www.omafra.gov.on.ca.

### 5.4 Port Colborne Drain Improvements & Maintenance

Added to the cost of maintenance is the full engineering and administration costs less any costs directly assigned to specific Section 22, Section 24 benefit assessments.

With the Runoff Ratio, there is a Stormwater Management Facility reduction in Section 23 that can be applied for those properties that can demonstrate a runoff amendment structure that reduces peak flow contributions to the drain subject to evaluation and confirmation by the Drainage Superintendent and the Engineer.

For the purposes of the submission of the report, no SWMF assessments are recognized and the individual property owners can make a request for assessment and this will be recognized by the Engineer on project completion.

A cycle of review and update of the SWMF assessments is planned to update and address private property runoff improvements made by homeowners. At present this cycle is set to once every 5 years but this will be reviewed and adjusted by the City of Port Colborne and can be triggered at any point using a Section 76 assessment change process.

### 5.4.1 Drain Improvement to Second Concession

The re-alignment of the former Wignell W1 and W2 did not appear to be constructed to Second Concession. This report provides the design and report information to complete that work and achieve a full replacement of the original drain pathway around the quarry. The City of Port Colborne had constructed the roadside ditches down the ROW's to help provide some drainage.

As part of this work, a sediment basin is proposed to 'treat' runoff from the farmland upland of the Babion Rd. and Second Concession Rd. intersection culvert crossings.

### 5.4.2 Drain Crossings

There are no new drain crossing planned; however, the two crossings located at Babion Rd. and Second Concession Rd. are to be changed in grade and/or flow direction. The costs for this work is to be borne by the Municipality.

These re-worked crossings are proposed to pass the former flows crossing Second Concession Rd. and passing into the now quarry lands to the East and crossing Babion Rd. first then Second Concession Rd. and connecting to the extended Drain along the east side of Babion.

### 5.4.3 Port Colborne Branch #1 Drain Improvement

The majority of the Port Colborne Branch Drain #1 is functioning well but the portion that provides drainage to Snider Rd. is no longer functioning as intended. A

removal of the vegetation growth is required along with a re-grading of the channel to connect and serve the roadside swale.

The existing drain outlet, identified in past reports as W1, will be maintained in service including the MTO culvert crossing Highway #3.

### 5.4.4 Sediment Basins

There are three sediment basins planned for construction. Each is located adjacent to a road right of way to provide access for future maintenance.

The cost of constructing sediment basins is shared among upstream landowners through a Section 23 assessment including assessed cost for ROW runoff.

### 5.4.5 2016 Grading and Re-alignment

The City conducted work on the drain to re-grade the channel from station 0+007, North of the Friendship Trail to station 1+928, South of Highway #3. This included some rock removal.

The resulting graded works is shown on the Profile drawings; P1, P2 as an As Constructed drawing record.

A re-alignment of the drain starting at 1+650 to 1+860 was constructed. There were two fordings constructed through this area to provide farm crossings. Each is to be treated in a similar manner to a culvert and the costs shared between the watershed and the landowner on a 50/50 basis.

Two wetlands were constructed on private property using grants. These wetlands are not part of the Municipal Drain and remain with the landowners for future maintenance.

### 5.5 Allowance and Assessment Schedules

The Assessment calculation Tables are included in Appendix B. The following sections provide a summary reporting of those calculations.

### 5.5.1 Drain Allowances

### 5.5.1.1 Port Colborne Drain

The improvement of the Port Colborne Drain using Section 78 is to make specific changes in the drain and assign the cost for the same using an updated schedule and to achieve enhanced stormwater management functions.

The channel is presumed to have an allowance under Section 29 for land taken as well as a work zone allowance for future access. The original land required for the drain is recognized by previous report and an assumed work zone of 30ft (9.14m) already exists. An additional 1m work zone, (0.76m) to be added to the 9.14m existing work zone is declined.

A section 30 allowance is recognized for the damage to crops during construction and is paid at the rate of \$4,300 per hectare applied to the 10m work zone.

An allowance paid to the property for the re-alignment is made under Section 29 for land taken on the re-location of the drain path. The other properties are not recognized on the basis of a like for like move of the drain. No other allowances are recognized for the maintenance of this existing drain.

Drain	Section 29	Section 30	Section 31	Section 32	Section 33
Port Colborne	\$939.00	\$0.00	\$0.00	\$0.00	\$0.00
			Sub-Te	otal of Allowances:	\$939.00

### Table 9 Port Colborne Allowances

Additional to these costs will be Administration and Engineering Costs related to the design.

### 5.5.1.2 Port Colborne Branch Drain #1

As discussed previously, this drain already existed and is presumed to have been a Municipal Drain previously. All required land is presumed to have been previously assessed for both land taken for the drain and for access for maintenance, which is a 10m work zone.

Table 10	Port	Colb	orne	Bran	ch #1	Allov	vanc	es	

Drain	Section 29	Section 30	Section 31	Section 32	Section 33
Port Colborne	\$0.00	\$277.62	\$.00	\$0.00	\$0.00
Branch #1					
			Sub-To	otal of Allowances:	\$277.62

### 5.5.2 Port Colborne Assessment Schedules

The assessment tables show the resulting assessment schedules for the past construction works and the proposed construction works based on the calculations performed and included in Appendix B. Past costs are presented by summary reports in Appendix C.

Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara

Section 22: Assessed Benefit Section 23 Outlet Benefit / Outlet Liability Section 24 Special Benefit

						Assessment				
	Owner	Legal Text	Roll No	Area, Ha	Benefit	Outlet Liability	Special	Total	Allowance	Net
	City of Port Colborne - Lands Asses	HUMBERSTONE CON 1 PT LOTS 24	271102000718000	1 642	\$0	\$1 131 24	\$0.00	\$1 131.24	\$0.00	\$1 131 24
	McLean William Richard Samue	CON 1 PT TWP LOT 23	271102001311300	0.095	\$0 \$0	\$36.40	\$0.00	\$36.40	\$0.00	\$36.40
	Tomiuck Jonas	CON 1 PT TWP LOT 23	271102001311400	0.191	\$0	\$72.91	\$0.00	\$72.91	\$0.00	\$72.91
	Scott Gregory George	CON 1 PT TWP LOT 23	271102001311500	0.190	\$0	\$72.87	\$0.00	\$72.87	\$0.00	\$72.87
	Vale Canada Limited	CON 2 PT LOT 24	271102001312000	0.534	\$0 ¢0	\$490.89	\$0.00	\$490.89	\$0.00	\$490.89
	Port Colborne Quarries Inc Phillips Richard Gordon	CON 2 PT LOTS 19 AND 20 RP CON 2 PT LOT 20 RP 59R-1546	271104000315600	30.868	\$0 \$0	\$16,540.13 \$34.03	\$0.00	\$16,540.13	\$0.00 \$0.00	\$16,540.13 \$34.03
	Port Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315800	35.112	\$0	\$32,253.45	\$49,376.31	\$81,629.76	\$0.00	\$81,629.76
	Schlenger Uszer	CON 1 PT LOT 23	271104000408700	0.583	\$0	\$267.91	\$0.00	\$267.91	\$0.00	\$267.91
	Schlenger Uszer	CON 1 PT LOT 23	271104000408700	6.726	\$0	\$3,603.91	\$0.00	\$3,603.91	\$0.00	\$3,603.91
	City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715	2.431	\$0	\$1,302.79	\$0.00	\$1,302.79	\$0.00	\$1,302.79
	Schlenger Uszer	CON 1 PT LOT 23	271104000408800	0.373	\$0	\$182.59	\$0.00	\$182.59	\$0.00	\$182.59
	Coccagna Anthony	CON 1 PT LOT 23	271104000408900	0.631	\$0 ¢0	\$241.63	\$0.00	\$241.63	\$0.00 \$0.00	\$241.63
	Ostric Milan	CON 1 PT LOT 23 RP 5985797	271104000409000	0.465	\$0 \$0	\$246.04	\$0.00	\$248.04	\$0.00	\$248.04
	1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200	0.779	\$0	\$417.15	\$0.00	\$417.15	\$0.00	\$417.15
	Favero Lidia	CON 1 PT LOT 23	271104000409300	0.202	\$0	\$77.28	\$0.00	\$77.28	\$0.00	\$77.28
	Ed Christensen Roofing Limited	CON 1 PT LOT 23	271104000409400	0.190	\$0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Sauder William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500	0.190	\$0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Stenson Ian John	CON 1 PT LOT 23	271104000409600	0.190	\$0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Polverari Giuseppe	CON 1 PT LOT 23	271104000409700	0.190	\$0 ¢0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000409800	4.106	\$0 \$256	\$1,571.35	\$0.00	\$1,5/1.35	\$0.00 \$030.00	\$1,571.35
	Huffman John Wayne	CON 2 PT LOT 21	271104000410400	0.071	\$250	\$27.06	\$0.00	\$27.06	\$0.00	\$27.06
	Young Tammy Lynn	CON 2 PT LOT 21	271104000410500	0.107	\$0	\$40.84	\$0.00	\$40.84	\$0.00	\$40.84
	Vollick Ronald Christopher	CON 2 PT LOT 21	271104000410600	0.159	\$0	\$60.86	\$0.00	\$60.86	\$0.00	\$60.86
	Citrigno Angela	CON 2 PT LOT 21	271104000410700	0.168	\$0	\$64.11	\$0.00	\$64.11	\$0.00	\$64.11
	Stark Raymond	CON 2 PT LOT 21 RP 59R4333	271104000410705	1.936	\$0	\$740.95	\$0.00	\$740.95	\$0.00	\$740.95
-	Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	2.899	\$508	\$1,553.35	\$4,754.52	\$6,815.87	\$0.00	\$6,815.87
۴	Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	4.199	\$0 ¢0	\$2,249.94	\$0.00 ¢0.00	\$2,249.94	\$0.00	\$2,249.94
F	Powell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711	\$0	\$4.132.09	\$0.00	\$4.132.09	\$0.00	\$4.132.09
	Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411	\$0	\$2,070.99	\$0.00	\$2,070.99	\$0.00	\$2,070.99
	Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202	\$0	\$460.02	\$0.00	\$460.02	\$0.00	\$460.02
	Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	271104000411205	1.208	\$0	\$462.47	\$0.00	\$462.47	\$0.00	\$462.47
	Scace Wesley	CON 2 PT LOT 21	271104000411300	0.067	\$0	\$25.57	\$0.00	\$25.57	\$0.00	\$25.57
	Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	73.170	\$0 ¢0	\$67,213.24	\$0.00	\$67,213.24	\$0.00	\$67,213.24
	Parsons David Scott	CON 2 PT LOT 22	271104000411600	0.418	\$0 ¢0	\$159.99	\$0.00 ¢0.00	\$159.99	\$0.00	\$159.99
	Yanni Bill	CON 2 PT LOT 22	271104000411900	0.205	\$0 \$0	\$159.99	\$0.00	\$159.99	\$0.00	\$159.99
	Fitzgerald Shawn Patrick	HUMBERSTONE CON 2 PT LOT 22	271104000412000	0.209	\$0	\$80.07	\$0.00	\$80.07	\$0.00	\$80.07
	Orlowski Jeffrey	CON 2 PT LOT 22 RP 59R4884	271104000412100	0.209	\$0	\$80.03	\$0.00	\$80.03	\$0.00	\$80.03
	Moes Frank Allan	HUMBERSTONE CON 2 PT LOT 22	271104000412200	0.357	\$0	\$136.60	\$0.00	\$136.60	\$0.00	\$136.60
	Boda Terry Joseph	CON 2 PT LOT 22	271104000412400	0.186	\$0	\$71.11	\$0.00	\$71.11	\$0.00	\$71.11
F	Elite Capital P.C Developments Inc	CON 2 PT LOT 22	271104000412600	4.110	\$0	\$1,887.83	\$0.00	\$1,887.83	\$0.00	\$1,887.83
	Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	10.153	\$0 \$0	\$4,662.97	\$0.00 \$0.00	\$4,662.97	\$0.00 \$0.00	\$4,662.97
	Vale Canada Limited	CON 2 PT LOT 23	271104000412700	0.363	\$0 \$0	\$166.86	\$0.00	\$166.86	\$0.00	\$166.86
	NCDSB	CON 2 PT LOT 23	271104000412900	5.947	\$0	\$2,731.46	\$0.00	\$2,731.46	\$0.00	\$2,731.46
	Dyson Patrick James	CON 2 PT LOT 23	271104000413000	0.176	\$0	\$67.32	\$0.00	\$67.32	\$0.00	\$67.32
	Dyson Mary Lynn	CON 2 PT LOT 23	271104000413100	0.182	\$0	\$83.36	\$0.00	\$83.36	\$0.00	\$83.36
	Hortobagyi Zoltan	CON 2 PT LOT 23	271104000413200	0.186	\$0	\$71.11	\$0.00	\$71.11	\$0.00	\$71.11
	Wakunick Deborah Ivy	CON 2 PT LOT 24	271104000413300	0.085	\$0 ¢0	\$32.69	\$0.00	\$32.69	\$0.00	\$32.69
	Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 CON 2 PT LOT 23 PT LOT 24 RP	271104000413400	7.409	\$0 \$0	\$310.95	\$0.00 \$0.00	\$316.95	\$0.00	\$310.95
	Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410	10.115	\$0	\$5,420.20	\$0.00	\$5,420.20	\$0.00	\$5,420.20
	Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435	0.631	\$0	\$338.06	\$0.00	\$338.06	\$0.00	\$338.06
	Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.326	\$0	\$3,055.58	\$0.00	\$3,055.58	\$0.00	\$3,055.58
	Vale Canada Limited	CON 2 PT LOT 24	271104000414120	0.928	\$0	\$497.42	\$0.00	\$497.42	\$0.00	\$497.42
-	2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291	\$0 ¢0	\$494.12	\$0.00	\$494.12	\$0.00	\$494.12
F	Kozeli Stif	CON 3 PT LOT 20	271104000506500	0.222	\$0 \$0	\$84.85	\$0.00 \$0.00	\$84.85	\$0.00	\$84.85
F	Orsetto Aldo	CON 3 PT LOT 20	271104000506700	4.228	\$0	\$1.941.71	\$0.00	\$1.941.71	\$0.00	\$1.941.71
	Currie Michael Bruce	CON 3 PT LOT 20	271104000506702	0.085	\$0	\$32.65	\$0.00	\$32.65	\$0.00	\$32.65
F	Fijavz David	CON 3 PT LOT 20	271104000506703	0.334	\$0	\$127.68	\$0.00	\$127.68	\$0.00	\$127.68
	Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0.212	\$0	\$80.95	\$0.00	\$80.95	\$0.00	\$80.95
_	Michaud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800	0.271	\$0	\$103.57	\$0.00	\$103.57	\$0.00	\$103.57
-	Henderson David Marshall	CON 3 PT LOT 20	271104000506801	11.011	\$0 ¢0	\$5,899.99	\$0.00	\$5,899.99	\$0.00	\$5,899.99
r	Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400	3.050	\$0 \$0	\$1,634,53	\$0.00	\$1.634.53	\$0.00	\$1,634.53
	Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500	1.238	\$0	\$473.99	\$0.00	\$473.99	\$0.00	\$473.99
F	Cooper Collin James Lee	CON 3 S PT LOT 21 S PT LOT	271104000508100	7.613	\$0	\$4,079.57	\$0.00	\$4,079.57	\$0.00	\$4,079.57
F	Henderson Drew David	CON 3 PT LOT 22	271104000508301	1.055	\$0	\$565.26	\$0.00	\$565.26	\$0.00	\$565.26
	Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388	\$0	\$148.39	\$0.00	\$148.39	\$0.00	\$148.39
	Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346	\$0 ¢0	\$132.54	\$0.00	\$132.54	\$0.00	\$132.54
	Stofan John	CON 3 PT LOT 23	271104000509300	0.082	\$0 ¢0	\$31.50 ¢6.39	\$0.00 ¢0.00	\$31.50	\$0.00	\$31.50 ¢6.39
	Johnson Raymond Francis Jr	CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208	\$0 \$0	\$82.95	\$0.00	\$82.95	\$0.00	\$82.95
	Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202	0.417	\$0	\$159.64	\$0.00	\$159.64	\$0.00	\$159.64
	Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204	0.605	\$0	\$231.64	\$0.00	\$231.64	\$0.00	\$231.64
	Pilkey Dean Lloyd	CON 3 PT LOT 23 PLAN	271104000510206	0.597	\$0	\$228.61	\$0.00	\$228.61	\$0.00	\$228.61
F	Schneider Darryl Frederick	CON 3 PT LOT 23	271104000510801	2.252	\$0	\$861.82	\$0.00	\$861.82	\$0.00	\$861.82
	Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103	\$0 ¢0	\$39.35	\$0.00	\$39.35	\$0.00	\$39.35
	lerreberry Jack	CON 3 PT LOT 24	271104000511000	0.144	\$0 ¢0	\$55.19	\$0.00	\$55.19	\$0.00	\$55.19
	Moore Linda Ann	CON 3 PT LOT 24	271104000511300	0.347	50 \$0	\$132.93 \$37.79	\$0.00 \$0.00	\$132.93	\$0.00 \$0.00	\$132.93 \$37 78
	Moore Linda Ann	CON 3 PT LOT 24	271104000511500	0.029	\$0	\$11.02	\$0.00	\$11.02	\$0.00	\$11.02
	Medvic Peter James	CON 3 PT LOT 24	271104000511600	0.356	\$0	\$136.07	\$0.00	\$136.07	\$0.00	\$136.07
	McIntyre Shelly	CON 3 PT LOT 24	271104000511700	0.191	\$0	\$73.14	\$0.00	\$73.14	\$0.00	\$73.14
	City of Port Colborne	59R11175 PART 1 59R11176	271104000699500	0.630	\$0	\$337.42	\$0.00	\$337.42	\$0.00	\$337.42
				311.038	S763.50	S200.383.61	\$54.453.36	S255.600.47	\$939.00	S254.661.47

					Assessment				
Owner	Legal Text	Roll No	Area, Ha	Benefit	Outlet Liability	Special	Total	Allowance	Net
Roads									
City of Port Colborne	Snider Rd. N of Second Concession	ROW							
			0.071		\$2,645.71	\$0.00	\$2,645.71		
City of Port Colborne	Killaly St E east of Snider	ROW	0.176		\$1,402.11	\$0.00	\$1,402.11		
City of Port Colborne	Snider Rd portion south of Killaly St E	ROW							
			0.353		\$2,301.92	\$0.00	\$2,301.92		
City of Port Colborne	Second Concession Rd. E of Babion	ROW							
			0.596		\$92.99	\$0.00	\$92.99		
City of Port Colborne	Killaly St East W of Snider Rd	ROW	0.920		\$774.67	\$0.00	\$774.67		
City of Port Colborne	Chippawa Road	ROW	1.016		\$3,003.07	\$0.00	\$3,003.07		
City of Port Colborne	Second Concession W of Snider Rd.	ROW							
			1.221		\$684.07	\$0.00	\$684.07		
City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW	1.432		\$1,863.77	\$0.00	\$1,863.77		
City of Port Colborne	Second Concession from Snider to	ROW							
	Babion		1.645		\$432.90	\$0.00	\$432.90		
City of Port Colborne	Snider Rd. from Hwy 3 to Second	ROW							
	Conc		2.005		\$1,172.14	\$0.00	\$1,172.14		
City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW							
			2 022		6220 42	60.00	6220 42		
City of Dent Cally and	Debies Del from Univ 2 to Consul	0.004	2.033		\$229.42	\$0.00	\$229.42		
City of Port Colborne	Babion Rd. from Hwy 3 to Second	ROW							
	Concess		2.308		\$2,140.84	\$0.00	\$2,140.84		
						_	\$16,743.60		
MTO	Highway #3	ROW	3.281		\$4,269.49	\$0.00	\$4,269.49		
			17.058		\$21,013.09	\$0.00	\$21,013.09		

Section 26 - Special Asse	ssments	
City of Port Colborne	Extend drain along Babion Rd. to Second Concession. Re-lay culverts at Second Concession	
	Rd.	\$10,585.80
MINISTRY OF TRANSPORTA ONTARIO	TION	\$6,196.57
Utilities - Enbridge	No conflicts assessed during design	\$0.00
Utilities - Other	No conflicts assessed during design	\$0.00 \$16,782.37
Port Colborne Drain		
Notes:	Total Assessed:	\$293,395.92

1. The above lands marked "F" are currently classified as agricultural according to the OMAFRA and are

therefore entitled to a 1/3 grant.

2. Section 21 of the Drainage Act, RSO 1990 requires that assessments be shown for each parcel of land and

road affected. The affected parcels of land are identified using the roll number received from the City. For

convenience only, the owners' names are shown by the last revised assessment roll.

The value of the assessments identified in this schedule are estimates only, and should not be considered final.

### Port Colborne Branch #1 Municipal Drain City of Port Colborne

Regional Municipality of Niagara

Section 22: Assessed Benefit Section 23 Outlet Benefit / Outlet Liability Section 24 Special Benefit

### Roll No **Outlet Liability** Special Total Allowance Legal Text Area. Ha Benefit Net Owner City of Port Colborne - Lands Assessed CON 2 PT LOT 22 RP 59R4801 271104000410710 Konc John Andrew 0.10 \$0 \$37.53 \$0.00 \$37.53 \$277.62 -\$240.09 Van Ruyven Josef Nicolaas CON 2 PT LOT 22 RP 59R4801 271104000410800 1.08 \$0 \$0 \$253.63 \$0.00 \$253.63 \$0.00 \$253.63 CON 2 PT LOT 22 271104000411000 \$781.67 \$0.00 \$781.67 \$0.00 Hellinga Jack Simon \$781.67 5.24 Port Colborne Quarries Inc CON 2 PT LOT 21 PT LOT 22 RP 271104000411500 2.758 \$0 \$0 \$645.49 \$0.00 \$645.49 \$0.00 \$645.49 CON 2 PT LOT 22 271104000411900 \$35.74 \$35.74 Yanni Bill 0.41 \$0.00 \$0.00 \$35.74 Port Colborne Quarries Inc HUMBERSTONE CON 2 PT LOTS 23 271104000414000 3.308 \$0 \$1,161.44 \$0.00 \$1,161.44 \$0.00 \$1,161.44 11.731 \$0.00 \$2,915.50 \$0.00 \$2.915.50 \$277.62 \$2.624.34 Roads City of Port Colborne Snider Rd. from Hwy 3 to Second Conc ROW 1 53 \$0 \$0 \$806.38 \$0.00 \$806.38 City of Port Colborne Second Concession from Snider to Bab ROW \$22.20 \$0.00 \$22.20 0.02 City of Port Colborne Second Concession W of Snider Rd. ROW 0.501 \$0 \$509.62 \$0.00 \$509.62 \$1.338.20 мто Highway #3 \$539.05 \$0.00 ROW 0.48 \$0 \$539.05 2.534 \$0.00 \$1,877.25 \$0.00 \$1,877.25 14.265 Section 26 - Special Assessments City of Port Colborne Assessed special benefit for improving Snider road outlet. \$7,412.32 Regional Municipality of Niagara \$0.00 No works proposed MINISTRY OF TRANSPORTATION ONTARIO \$7,525.20 No conflicts assessed during design Utilities - Enbridge \$0.00 Utilities - Other No conflicts assessed during design \$0.00 \$14,937.53 Port Colborne Branch #1 Drain

Assess

 Total Assessed:
 \$19,730.27

 Notes:
 1. The above lands marked "F" are currently classified as agricultural according to the OMAFRA and are therefore entitled to a 1/3 grant.
 2. Section 21 of the Drainage Act, RSO 1990 requires that assessments be shown for each parcel of land and road affected. The affected parcels of land are identified using the roll number received from the City. For convenience only, the owners' names are shown by the last revised assessment roll.
 3. The value of the assessments identified in this schedule are estimates only, and should not be considered final.

### 5.5.3 Port Colborne Drain Maintenance Schedules

The maintenance schedules for use with future maintenance work conducted in each of the Drain catchments.

From the Port Colborne Outlet to the upstream limit of the Drain at the Friendship Trail, STA 0-112.7 to 0+010 basic drain maintenance is required as the Drainage Superintendent determines.

From 0+010 to 1+928, was maintained by the City of Port Colborne in 2016 including work to re-align the channel from 1+650 to 1+860.

Added to the cost of maintenance is the full engineering and administration costs less any costs directly assigned to specific Section 22, and Section 24 benefit assessments.

With the Runoff Ratio, there is a Stormwater Management Facility reduction in Section 23 that can be applied for those properties that can demonstrate a stormwater management facility (SMWF) on property that reduces peak flow contributions to the drain subject to evaluation and confirmation by the Drainage Superintendent and the Engineer.

For the purposes of the submission of the report, no SWMF assessments are recognized and the individual property owners can make a request for assessment and this will be recognized by the Engineer on project completion.

### 5.5.3.1 Port Colborne Drain Maintenance Schedule

The following is the Maintenance Assessment table for assigning future maintenance costs using Section 23, refer to Appendix B for the calculations.

### Table 13 Port Colborne Drain Maintenance Assessment Schedule

### **Port Colborne Drain**

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio
Vale Canada Limited	HUMBERSTONE CON 1 PT LOTS 24	271102000718000	1.642	45	4.82	0.0051
McLean William Richard Samue	CON 1 PT TWP LOT 23	271102001311300	0.095	25	0.16	0.0002
Tomiuck Jonas	CON 1 PT TWP LOT 23	271102001311400	0.191	25	0.31	0.0003
Scott Gregory George	CON 1 PT TWP LOT 23	271102001311500	0.190	25	0.31	0.0003
Vale Canada Limited	CON 2 PT LOT 24	271102001312000	0.534	60	2.09	0.0022
Port Colborne Quarries Inc	CON 2 PT LOTS 19 AND 20 RP	271104000315600	30.868	35	70.48	0.0747
Phillips Richard Gordon	CON 2 PT LOT 20 RP 59R-1546	271104000315702	0.089	25	0.14	0.0002
Port Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315800	35.112	60	137.44	0.1457
Schlenger Uszer	CON 1 PT LOT 23	271104000408700	0.583	30	1.14	0.0012
Schlenger Uszer	CON 1 PT LOT 23	271104000408700	6.726	35	15.36	0.0163
City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715	2.431	35	5.55	0.0059
Schlenger Uszer	CON 1 PT LOT 23	271104000408800	0.373	32	0.78	0.0008
Coccagna Anthony	CON 1 PT LOT 23	271104000408900	0.631	25	1.03	0.0011
1346618 Ontario Ltd	CON 1 PT LOT 23	271104000409000	0.463	35	1.06	0.0011
Ostric Milan	CON 1 PT LOT 23 RP 59R5797	271104000409100	0.201	25	0.33	0.0003
1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200	0.779	35	1.78	0.0019
Favero Lidia	CON 1 PT LOT 23	271104000409300	0.202	25	0.33	0.0003
Ed Christensen Roofing	CON 1 PT LOT 23	271104000409400	0.190	25	0.31	0.0003
Sauder William Edward	HUMBERSTONE CON 1 PT LOT	271104000409500	0.190	25	0.31	0.0003
Stenson Ian John	CON 1 PT LOT 23	271104000409600	0.190	25	0.31	0.0003
Polverari Giuseppe	CON 1 PT LOT 23	271104000409700	0.190	25	0.31	0.0003
Vale Canada Limited	CON 1 PT LOT 23	271104000409800	4.106	25	6.70	0.0071
Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000410000	4.963	35	11.33	0.0120
Huffman John Wayne	CON 2 PT LOT 21	271104000410400	0.071	25	0.12	0.0001
Young Tammy Lynn	CON 2 PT LOT 21	271104000410500	0.107	25	0.17	0.0002
Vollick Ronald Christopher	CON 2 PT LOT 21	271104000410600	0.159	25	0.26	0.0003
Citrigno Angela	CON 2 PT LOT 21	271104000410700	0.168	25	0.27	0.0003
Stark Raymond	CON 2 PT LOT 21 RP 59R4333	271104000410705	1.936	25	3.16	0.0033
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	2.899	35	6.62	0.0070
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	4.199	35	9.59	0.0102
Stewart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810	0.407	25	0.66	0.0007
Powell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711	35	17.61	0.0187
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411	25	8.83	0.0094
Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202	25	1.96	0.0021

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio
Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	271104000411205	1.208	25	1.97	0.0021
Scace Wesley	CON 2 PT LOT 21	271104000411300	0.067	25	0.11	0.0001
Port Colborne Quarries	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	73.170	60	286.42	0.3036
Parsons David Scott	CON 2 PT LOT 22	271104000411600	0.418	25	0.68	0.0007
Leavere Larry Allan	CON 2 PT LOT 22	271104000411700	0.209	25	0.34	0.0004
Thomas     Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418	25	0.68	0.0007
Fitzgerald Shawn	HUMBERSTONE CON 2 PT LOT	271104000412000	0.209	25	0.34	0.0004
Orlowski Jeffrey	CON 2 PT LOT 22 RP 59R4884	271104000412100	0.209	25	0.34	0.0004
Moes Frank Allan	HUMBERSTONE CON 2 PT LOT	271104000412200	0.357	25	0.58	0.0006
Boda Terry Joseph	CON 2 PT LOT 22	271104000412400	0.186	25	0.30	0.0003
Elite Capital P.C	CON 2 PT LOT 22	271104000412600	4.110	30	8.04	0.0085
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	10.153	30	19.87	0.0211
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	22.189	30	43.43	0.0460
Vale Canada Limited	CON 2 PT LOT 23	271104000412800	0.363	30	0.71	0.0008
NCDSB	CON 2 PT LOT 23	271104000412900	5.947	30	11.64	0.0123
Dyson Patrick James	CON 2 PT LOT 23	271104000413000	0.176	25	0.29	0.0003
Dyson Mary Lynn	CON 2 PT LOT 23	271104000413100	0.182	30	0.36	0.0004
Hortobagyi Zoltan	CON 2 PT LOT 23	271104000413200	0.186	25	0.30	0.0003
Wakunick Deborah Ivy	CON 2 PT LOT 24	271104000413300	0.085	25	0.14	0.0001
Wells Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413400	0.828	25	1.35	0.0014
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401	7.409	25	12.08	0.0128
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410	10.115	35	23.10	0.0245
Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435	0.631	35	1.44	0.0015
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.326	60	13.02	0.0138
Vale Canada Limited	CON 2 PT LOT 24	271104000414120	0.928	35	2.12	0.0022
2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291	25	2.11	0.0022
Koch Olga	CON 3 LOT 19CPT	271104000506500	0.222	25	0.36	0.0004
Kozelj Stif	CON 3 PT LOT 20	271104000506600	0.079	25	0.13	0.0001
Orsetto Aldo	CON 3 PT LOT 20	271104000506700	4.228	30	8.27	0.0088
Currie Michael Bruce	CON 3 PT LOT 20	271104000506702	0.085	25	0.14	0.0001
Fijavz David	CON 3 PT LOT 20	271104000506703	0.334	25	0.54	0.0006
Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0.212	25	0.34	0.0004
Michaud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800	0.271	25	0.44	0.0005
Henderson David Marshall	CON 3 PT LOT 20	271104000506801	11.011	35	25.14	0.0266
Babion Gail J	HUMBERSTONE CON 3 PT LOT	271104000506900	15.252	35	34.83	0.0369
Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400	3.050	35	6.97	0.0074
Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500	1.238	25	2.02	0.0021
Cooper Collin James Lee	CON 3 S PT LOT 21 S PT LOT	271104000508100	7.613	35	17.38	0.0184

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio
Henderson Drew David	CON 3 PT LOT 22	271104000508301	1.055	35	2.41	0.0026
Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388	25	0.63	0.0007
Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346	25	0.56	0.0006
Joseph Grandilli	CON 3 PT LOT 23	271104000509300	0.082	25	0.13	0.0001
Stefan John	CON 3 PT LOT 23	271104000509400	0.016	25	0.03	0.0000
Johnson Raymond Francis Ir	CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208	26	0.35	0.0004
Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202	0.417	25	0.68	0.0007
Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204	0.605	25	0.99	0.0010
Pilkey Dean Lloyd	CON 3 PT LOT 23 PLAN	271104000510206	0.597	25	0.97	0.0010
Schneider Darryl	CON 3 PT LOT 23	271104000510801	2.252	25	3.67	0.0039
Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103	25	0.17	0.0002
Terreberry Jack	CON 3 PT LOT 24	271104000511000	0.144	25	0.24	0.0002
Jacak Dominik	CON 3 PT LOT 24	271104000511300	0.347	25	0.57	0.0006
Moore Linda Ann	CON 3 PT LOT 24	271104000511400	0.099	25	0.16	0.0002
Moore Linda Ann	CON 3 PT LOT 24	271104000511500	0.029	25	0.05	0.0000
Medvic Peter James	CON 3 PT LOT 24	271104000511600	0.356	25	0.58	0.0006
McIntyre Shelly	CON 3 PT LOT 24	271104000511700	0.191	25	0.31	0.0003
City of Port Colborne	59R11175 PART 1 59R11176	271104000699500	0.630	35	1.44	0.0015
			311.038			
Roads						
City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW	2.033	85	11.27	0.0120
City of Port Colborne	Second Concession W of Snider	ROW	1.221	75	5.97	0.0063
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW	2.005	75	9.81	0.0104
City of Port Colborne	Snider Rd. N of Second	ROW	0.071	85	0.40	0.0004
City of Port Colborne	Second Concession Rd. E of Babion	ROW	0.595	85	3.30	0.0035
City of Port Colborne	Babion Rd. from Hwy 3 to Second	ROW	2.308	85	12.80	0.0136
City of Port Colborne	Chippawa Road	ROW	0.559	80	2.92	0.0031
City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW	1.432	85	7.94	0.0084
City of Port Colborne	Snider Rd protion south of Killaly	ROW	0.353	80	1.84	0.0020
City of Port Colborne	Killaly St East W of Snider Rd	ROW	0.901	85	4.99	0.0053
City of Port Colborne	Killaly St E east of Snider	ROW	0.176	85	0.98	0.0010
City of Port Colborne	Second Concession from Snider to Babion	ROW	1.645	85	9.12	0.0097
МТО	Highway #3	ROW	3.281	85	18.19	0.0193
			16.581			
			327.619		943.45	1.00

### 5.5.3.2 Port Colborne Branch Drain #1 Maintenance Schedule

The Maintenance Assessment table is for assigning current and future maintenance costs using Section 23, refer to Appendix B for the calculations.

### Table 14 Port Colborne Branch Drain #1 Maintenance Schedule

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio
City of Port Colborne - La	ands Assessed					
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	0.107	30	0.21	0.0078
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	1.084	20	1.41	0.0529
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	2.226	30	4.36	0.1631
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	2.758	20	3.60	0.1347
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.102	30	0.20	0.0075
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.308	30	6.47	0.2423
Sub-Total (Lands)			9.585			
Roads						
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW	1.531	45	4.50	0.1683
City of Port Colborne	Second Concession from Snider to Babion	ROW	0.022	86	0.12	0.0046
City of Port Colborne	Second Concession W of Snider Rd.	ROW	0.501	87	2.84	0.1063
МТО	Highway #3	ROW	0.480	96	3.01	0.1125
Sub-Total (Roads)			2.534			
Total Assessments for Cit	y of Port Colborne:		12.118		26.72	1.00

## 6 Port Colborne Drain Report Conclusions

This report has identified a series of drain improvements that include drain maintenance to ensure suitable channel design flows are achieved. The drain improvements have been developed through plan and profile drawings, and includes the results of works already undertaken by the City.

The following is a summary description of the planned improvements:

- 1. Extension of the drain along the East side of Babion Rd. from the Quarry crossing to Second Concession Rd. for 254m.
- 2. Re-laying the two culverts at the intersection of Babion Rd. and Second Concession Rd.
- 3. Construction of a new outlet for the Port Colborne Branch #1 Drain to reach the Port Colborne Drain along the North side of Highway #3.
- 4. Maintenance of the Port Colborne Branch Drain #1 to the Snider Rd. ROW.
- 5. Construction of 3 sediment basins along the Drain.

Previous Work completed by others is also being assessed.

1. Work already completed for the Port Colborne Drain involving vegetation removal and re-grading to design grade line from 0+010 to 1+928.

Construction of these works is to be recognized as a Section 29 allowance for land access, which has been assumed to already be in place for the Port Colborne Drain and Port Colborne Branch #1. Damages for construction are not expected except as the adjacent lands are to be restored to an equal or better condition.

Assessment for the Drain is based on Section 23 with special benefit assessed for new drain crossings (fordings) and for the cost of channel re-alignment. An NPCA Grant under the Wetland Habitat Restoration Program in the amount of \$11,520.67 was applied to this work.

Damages for construction, Section 30 allowances, are implemented for economic harm for crop damage from construction work impacts for farming properties only. All other construction impacts are to be restored to an equal or better condition.

The proposed new sediment basins are a Section 23 outlet liability benefit along with the overall construction costs and are shared across the watershed on a prorated basis.

This report and the proposed improvements are based on instructions from the City of Port Colborne and the local landowners within the Port Colborne Drain catchment. The cost of these improvements are shared across all areas that contribute runoff to the Drain by way of allowances and assessments consistent with the Drainage Act of Ontario.

Appendices

# Appendix A: Plans, Profiles

























<u>ABREVATIONS USED:</u>	CEMENT OF • BD - SEDIMENT BASIN BOTTOM DEPTH (FROM GRADE LINE • DI CENIMENT DARINI LENITLU	H: • BOD – BEGINNING OF DRAIN	BW - BOTTOM WIDTH OF CHANNEL	<ul> <li>CL – CENTRELINE OF ROAD, CHANNEL</li> </ul>	CLCK - CENTRELINE OF CREEK OR CHANNEL	5D) • D – DEPTH	• D/S – DOWNSTREAM	ERIALS AND • E - EASTING	RENT • FOD - FND OF DRAN	ONTAINED ON EY _ FY _ FY EVICEND	NTIAL OR	DO AN SE DRAWINGS • LB - LEFT BANK, LOOKING UPSTREAM	WHICH MAY	• OTHERWISE	• PK PKUPOSED • PR - PICHT PANK LOOKING LIPSTREAM	AND • RH - RIFELF HEIGHT	HALL BE THE • ROW - RIGHT OF WAY	SB – SEDIMENT BASIN	<ul> <li>SS - SIDE SLOPE; RUN(m)/RISE, WHERE RISE=1m</li> </ul>	T/B - TOP OF BANK	IT LIMITED TO . T/C - TOP OF CONCRETE	I EADANICES	CLANANCES • TW - TOP WIDTH OF CHANNEL	L BE THE • TYP - TYPICAL	- U/S - UPSTREAM • W7 - WORK ZONE		OPSD REFERENCED DETAILS:	WING MAJOR • OPSD 219.200	• UPSU 219.22U • OPSD 222050	OPSD 400.020	• 0PSD 403.010		<ul> <li>OPSD 803.010</li> </ul>	ECISLATION. BY		(CE)	¢K		PORT COLBORNE	MUNICIPAL DRAIN	CONSTRUCTION NOTE:			THS PAGE IS FORMATTED FOR PRINTING ON AN ARCH D SIZE PAGE	314mm er and 214mm er and
GENERAL NOTES:	THE CITY SHALL ARRANGE A PRE-CONSTRUCTION MEETING PRIOR TO THE COMMENC CONSTRUCTION.	ALL CONSTRUCTION MATERIALS AND METHODOLOGIES SHALL BE IN ACCORDANCE WIT	<ul> <li>SPECIAL PROVISIONS – SUPPLEMENTARY GENERAL CONDITIONS (SPSGC)</li> </ul>	<ul> <li>SPECIAL PROVISIONS – SUPPLEMENTARY CONTRACT ITEMS (SPSCI)</li> </ul>	<ul> <li>NIAGARA PENINSULA STANDARD CONTRACT DOCUMENTS (NPSCD)</li> </ul>	- ONTARIO PROVINCIAL STANDARDS FOR ROADS & PUBLIC WORKS (OPSS & OPS	AND ANY OTHER APPLICABLE STANDARDS THAT MAY APPLY.	IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT THESE MAT METHODOLOGIES ARE STRICTLY ADHERED TO.	THE CITY OF PORT COLBORNE AND STAFF DISCLAIMS ANY LIABILITY AS TO THE CUF	ACCURACY OF THE DRAWINGS PROVIDED. IN USING THE INFORMATION SHOWN OR CO	THESE DRAWINGS, THE USER ACREES IMPLUTED AND EXPLORED THAT THE CITL OF COLBORNE AND STAFF SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUE	OTHER DAMAGES ARISING FOR THE USE OF SUCH INFORMATION. THE USER SHALL IN-FILED VERIFICATION OF THE INFORMATION SHOWN ON OR CONTAINED WITHIN THE	IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO OBTAIN ANY APPROVALS	BE REQUIRED PRIOR TO THE COMMENCEMENT OF CONSTRUCTION UNLESS DIRECTED BY THE CONTRACT ADMINISTRATOR	DIMENSIONING SHALL GOVERN OVER SCALED DIMENSIONS.	ANY WORKS COMPLETED IN SET-BACK AREAS, AND DISCHARGE TO CREEKS, STREAM	WATERCOURSES MAY BE SUBJECT TO FEDERAL AND PROVINCIAL APPROVALS. IT SH RESPONSIBILITY OF THE CONTRACTOR TO ORTAIN SLICH APPROVALS PRIOR TO THE	COMMENCEMENT OF CONSTRUCTION IF REQUIRED FOR THE PROJECT.		PUBLIC UTILITIES:	THE CONTRACTOR SHALL NOTE THAT PUBLIC UTILITIES SHALL INCLUDE BUT ARE NOT	ITE FOLLOWING, TILUNG, GAG, BELL, CABLE AND FIBAE OFTIC. It will be the perdonsibility of the contractor to ortain the necessary (	FROM SAID PUBLIC UTILITIES WHICH MAY BE IN DIRECT CONFLICT WITH THIS PROJECT	ANY WORK REQUIRING EITHER RELOCATION/LOWERING OF SAID PUBLIC UTILITY SHAL	RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE UTILITY, AND ANY WORKS W REQUIRED TO BE COMPLETE PRIOR TO THE INSTALLATION OF THE WORK.	FUVIEDNMENTAL COMPLIANCE.	LIVINGUIAL COMPLATION CONTINUES	THE CONTRACTOR STALL PREPARE AN ENVIRONMENTAL MANAGEMENT PLAN (EMP) P COMMENCEMENT OF CONSTRUCTION ACTIVITIES. THE EMP WILL ADDRESS THE FOLLOV	SUBJECT AREAS:	• THEE DEVIETION & DEMONSION (SAP - DITTEDUIT)	<ul> <li>INCLUDING WINEWOVE (MN = DOLLENNOL)</li> <li>INFLATION M INTEGRATION INTEGRATION OF AND AND AND AND AND AND AND AND AND AND</li></ul>	<ul> <li>MINIMIZE AND/OK MILIGATION MEASURES FOR CONSTRUCTION IMPACTS ON SPECT SPECIES HABITAT INCLUDING STOPPING CONSTRUCTION PROCEDURES.</li> </ul>	AGENCY CONTACTS - IDENTIFY RESOURCES & CONTACT INFO.	THE CONTRACTOR IS RESPONSIBLE FOR COMPLYING WITH SPECIES AT RISK (SAR) LAW. YOU MUST IMMEDIATELY:	AVOID DRAINAGE WORK DURING REPRODUCTION AND REARING SEASONS	. PREVENT A SPECIES FROM ENTERING THE WORK AREA (E.C. PUTTING UP A FEN	<ul> <li>GIVE THE SPECIES ADEQUATE TIME TO LEAVE THE AREA, BEFORE STARTING WOR</li> </ul>	· GET ADVICE/HELP BEFORE YOU MOVE IT	<ul> <li>PROTECT AREAS THAT ARE IMPORTANT TO THE SPECIES (E.G. SPAWNING AREAS)</li> </ul>	<ul> <li>CONTROL EROSION AND SEDIMENT</li> </ul>	<ul> <li>STABILIZE WATER BANKS IN AFFECTED AREAS</li> </ul>	TURTLES: - Voli cannot deduce the amount of wated in a rean of oitcu where a	HIBERNATING. NEDOCE THE AMOONT OF WALLY IN A DIVIN ON DITCH A		
CITY OF PORT COLBORNE DRAINAGE CONTACTS:	APPOINTED DRAINAGE ENGINEER:	MR. PAUL C. MARSH, P.ENG.	ewa engineering inc. 84 Main Street. Unionville. On L3R 2e7	PCMARSH@EWAENG.COM	647.400.2824	DRAINAGE SUPERINTENDENT: AI ANA VANDFR VEFN	DRAINAGE SUPERINTENDENT	1 KILLALY STREET WEST, PORT COLBORNE, ONTARIO L3K 6H1	IEL: 905-835-2901 EXI. 291 AI ANA.VANDFRVFFN@PORTCOLBORNF.CA	DEPARTMENT OF FISHERIES AND OCEANS	867 LAKESHORE RD	BURLINGTON ON L7S 1A1	IELEPHONE: 905-336-4999 EMAIL: INFO@DFO-MPO.GC.CA	MINISTRY OF NATURAL RESOURCES AND FORESTRY	ELIZABETH REIMER	ADMINISTRATION BUILDING 4890 VICTORIA AVE N	VINELAND STATION, ON LOR 2E0	905-562-4147	NIAGARA PARKS CONSERVATION AUTHORITY, NPCA NIPECTOP WATERSHED MANACEMENT	UIRECTUR, WATERSHEU MANAGEMENT NIAGARA PENINSTILA CONSFEVATION ALTHORITY	250 THOROLD ROAD WEST, 3RD FLOOR	WELLAND, ON, L3C 3W2	P: 905-788-5135 EXI. 229 F: 905-788-1121	WWW.NPCA.CA																					

Appendices

Appendix B:

Cost Estimates &

**Assessment Tables** 

Port Colborne Municipal Drain city of Port Colbome Regional Municipality of Nagara Rection 78 Works under the Municipal Drainage Act.

PC Drain Summary

Cublome Data tannal Rotal California Rotal California Protocolonne Controllario Protocolonne Contr	Cover bage	
Concorrection     533.332.0       Financial Contruction     532.78.2       Previous Contruction     533.20.0       Previous Contruction     533.23.20       Previous Contre Previous Contruction		
Entended card of commonion     \$31,312.00       Periodiante Cardina Commonion     \$31,320.00       Periodiante Cardina Commonion     \$32,323       Periodiante Cardina Commonion     \$32,332       Periodiante Cardina Commonion     \$32,332       Periodiante Cardina Commonion     \$32,332       Periodiante Cardina Commonion     \$32,332       Protociante Cardina Commonion     \$32,332       Protociante Cardina Cardina Commonion     \$32,332       Protociante Cardina Cardina Cardina Cardina Construction     \$55,000       Protociante Cardina Cardi	rt Loiborne Drain	
Pert Calonie Dani, Ret Calonie Carlin, Pert Calonie Conferency.     \$313.20 5.278.50       Pret Calonie Conferency.     \$3.78.50       Pret Calonie Conferency.     \$5.404.60       Pret Calonie Conferency.     \$5.404.60       Pret Calonie Conferency.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Particular Labora.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Pret Calonie Contraction.     \$5.203.00       Particular Cast.     \$5.004.00       Administration     \$5.004.00       Administration     \$5.004.00       Part Calonie Cont.     \$5.004.00       Part Calonie Cont.     \$5.004.00       Part Calonie Cont.     \$5.004.00       Part Calonie Cont.     \$5.007.55.1       Pa	Estimated Cost of Construction	
Prot Colone Green Contruction Costs         33,23,23         32,33,23         32,33,23         32,33,23         32,33,23         32,33,23         32,33,23         32,33,23         34,000,10         32,33,23         35,000,10         32,33,23         35,000,10         36,000,10	Port Colborne Drain	\$33,332.00
Protectionneerony         53,000.8           Previous Contingency         Total: Estimated Cara of Construction         53,000.8           Previous Contractions         54,000.8         55,000.8           Previous Contractions         55,000.8         55,000.8           Previous Contractions         55,000.8         55,000.8           Previous Contractions         55,000.8         55,000.8           Previous Transmission         55,000.8         55,000.8           Previous Transmission         55,000.8         55,000.8           Previous Transmission         14,000.9         50,000.8           Previous Transmission         14,000.9         50,000.8           Administration         53,000.8         50,000.8           Administration         50,000.8         50,000.8 <t< td=""><td>Port Colborne General Construction Costs</td><td>\$8,278.52</td></t<>	Port Colborne General Construction Costs	\$8,278.52
Transact Contraction         Total Estimated Carl of Construction         55,004.0           Provide a Contraction         55,004.0         55,004.0           Prot Colonic Contraction         55,004.0         50,004.0           Administration         1044. Previous Contraction         50,014.2           Administration         50,014.2	Port Colbarne Contingency	\$12,458.10
Previous contracticas Previous Contracticas Previous Contracticas Previous Previous Previo	Total - Estimated Cost of Construction	\$54,06
Prot Cabone Cabone Multimentary IN Splits Contruction - 53,50,000         53,50,000           Prot Cabone Cabone Mercanity - 1-600 1:1-860         53,50,000           Prot Cabone Cabone Mercanity - 0-00 1:1-860         53,50,000           Prot Cabone Cabone Mercanity - 0-00 1:1-800         53,50,000           Prot Cabone Cabone Mercanity - 0-00 1:1-800         50,000           From Cabone Cabone Mercanity - 0-00 1:1-800         50,000           Readings 1, MH = 41000 - 1-700 0:1-700         50,000           Administration         10ail - Previou Construction         56,334.00           Administration Cash Mications         10ail - Previou Construction         55,334.00           Administration Cash Mications         10ail - Administration Post Cabone Bab         510,333.40           Administration Cash Mications         10ail - Administration Post Cabone Bab         512,333.40           Administration Cash Mications         10ail - Administration Post Cabone Bab         512,333.40           Data Advoncet         10ail - Administration Post Cabone Bab         512,333.40         512,533.40           Data Advoncet         10ail - Advoncet Cabone Bab         512,533.40         512,533.40           Data Advoncet         10ail - Advoncet Cabone Bab         512,533.40         513,533.40           Data Advoncet         10ain Advoncet         533,533.40         <	Previous Construction	
Per Colore Dame Re-Manuer - 1-600 1: 1460         \$5,2000         \$5,2000           Per Colore Dame Re-Manuer - 1-600 1: 1460         \$5,2000         \$5,000           Fording 1: AM - 41070 - 1-7/00 1: 17/00         \$5,000         \$5,000           Fording 1: AM - 41070 - 1-7/00         \$1,000         \$5,000           Mombinitarian         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 2: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 1-7/00         \$5,000         \$5,000           University 3: AM - 41070 - 41070         \$5,000         \$5,000           University 3: AM	Port Colborne Channel Maintenance (not Re-alignment) by Rankin Construction -	\$26,050.00
Part Calonne Re-Small Clearing - 0x010 Ib 1400         54,334.69           Reading 1, 3NH - 41070 - 17/30 0b 1490         500           Reading 1, 3NH - 41070 - 17/30 0b 1490         500           Reading 1, 3NH - 41070 - 17/30 0b 1490         500           Reading 1, 3NH - 41070 - 17/30 0b 1490         500           Reading 1, 3NH - 41070 - 17/30 0b 1490         500           Administration Cash Wile 4 (1970 - 14520 b 1460         510,342.4           Administration Cash Micrations         510,342.4           Administration Cash Micrations         510,342.4           Administration Cash Micrations         510,342.4           Administration Cash Micrations         5112.66           Part Calonne Dain P.         7041 - Administration Port Calonne Dain           Dain Adwances         512,553.61           Part Calonne Dain         513,553.61           Part Calonne Dain         513,553.61           Part Calonne Dain         533,553.61<	Port Colborne Channel Re-Alignment - 1+660 to 1+860	\$5,550.00
Fording 12, MN = 41020: -14700         17020         9.000           Annihitarian         1003: -14500         1003: -14500         9.000           Annihitarian         1003: -14500         9.000         56,534.6           Annihitarian         519,342.7         56,534.6           Annihitarian         510,734.7         59,595.6           Part Colorne Dam         70ai         512,555           Dai         Annihitarian         512,555           Part Colorne Dam         70ai         512,555           Dai         Annihitarian         512,555           Part Colorne Dam         70ai         512,555           Annihitarian         70ai         512,555           Part Colorne Dam         70ai         70ai           Part Colorne Dam         70ai         70ai <td>Port Colborne Channel Re-Grading and Clearing - 0+010 to 1+500</td> <td>\$14,234.69</td>	Port Colborne Channel Re-Grading and Clearing - 0+010 to 1+500	\$14,234.69
Fording R2, ARN = 411300: 11460         545,3448           Administration         500,342.78         545,3448           Administration Cost / Hocketor         510,342.78         545,348           Administration Fouri Costoner Bank         711.2.68         511,2.65           Part Colsoner Dain PL         7644. Administration Port Colsoner Dain         512,553.61           Dain Allowances         512,553.61         512,553.61           Delin Allowance         7644. Administration Port Colsoner Dain         512,553.61           Delin Allowance         7644. Administration Port Colsoner Dain         512,553.61           Period Dain         7644. Administration Port Colsoner Dain         513,553.61           Priod Colsoner Dain         7644. Administration Port Colsoner Dain         513,553.61           Priod Colsoner Dain         7644. Administration Port Colsoner Dain         513,553.61	Fording #1; ARN = 410710 - 1+740 to 1+750	\$0.00
Total: Previous Construction         56,534.0           Administration:         5190,427.8         5190,427.8           Entering:         510,734.7         510,734.7           Administration:         510,734.7         510,734.7           Administration:         510,734.7         510,734.7           Administration:         510,734.7         510,734.6           Peri Cobore Dain         10ai. Administration of the coloreme Dain         512,555.6           Data: Administration:         70ai. Administration of the coloreme Dain         512,555.6           Onto: Administration:         70ai. Administration of the coloreme Dain         512,555.6           Onto: Administration:         70ai. Administration of the coloreme Dain         512,555.6           Onto: Administration:         70ai. Administration of the coloreme Dain         512,555.6           Onto: Administration:         70ai. Administration of the coloreme Dain         512,555.6           Administration:         70ai. Administration of the coloreme Dain         512,555.6           Administration:         70ai. Administration of the coloreme Dain         512,555.6           Administration:         70ai. Administration of the coloreme Dain         5123,555.6	Fording #2; ARN = 410800 - 1+630 to 1+640	\$0.00
Administration Administration Cast Allocations Administration Cast Allocations Administration Cost Informer Pert Costonne Brank Pro- Pert Costonne Drain P1 Data Administration Port Coltonne Drain Pert Costonne Drain P1 Pert Costonne Drain P1 P1 P1 P1 P1 P1 P1 P1 P1 P1	Total - Previous Construction	\$45,83
Engineering 50,394,278	Administration	
Aministration Cast Allocations 5203.45 and 5203.45 and 5203.45 and 5203.45 and 5203.45 and 5203.45 and 520 and 5203.46 and 520 and 5203.46 and 520 and 5203.46 and 520 and 5203.46 and 520	Engineering	\$190,942.78
Ammiditation Cots allocated per Darin area Ammiditation Cots allocated per Darin area Ammiditation Cots allocated per Darin area For Concome Baunio Teoral - Ammiditation Port Collocane Darin Ford - Ammiditation Port Collocane Darin Dari Colocare Darin Forderated Total Darin Conto S233,05,55,55,55,55,55,55,55,55,55,55,55,55,	Administration Cost Allocations	\$10,723.47
Administration could and are to thin read Pert Collorme Drain P1 Pert Collorme Drain Deal Administration Pert Collorme Drain Deal Administration Pert Collorme Drain Pert Collorme Drain Foreceated Teal Drain Costs Foreceated Teal Drain Costs 2393.02 2393.0	I	\$201,666.26
Pert Colloure Banch Dain #1 Pert Colloure Dain Total - Administration Pert Colloure Dain S193,553.61 S103,553.61 S	Administration Costs allocated per Drain area	
Pert Collorne Drain Tetal - Administration Port Collorne Drain 513,053.01 519,553.6 Drain Alexanues 593.00 519,553.6 Pert Collorne Drain Forecasted Tetal Drain Costs 539,395.01 5393.05	Port Colborne Branch Drain #1	\$9,112.65
Dail Allowaters     Total - Administration Port Collorme Drain     \$135,553.6       Dail Allowaters     \$135,510     \$135,00       Ever Collorme Drain     \$338,00     \$395,00       For Collorme Drain     \$338,00     \$395,00	Port Colborne Drain	\$192,553.61
Dulin Allowances 5938.00 5939.00 5939.00 5939.00 5939.00 5939.00 5939.00 5939.00 5939.00 For Coltorne Drain Carts 5739.395.00 5039.00 503	Total - Administration Port Colborne Drain	\$192,55
Perf Coltonne Drain \$398.00 \$398.00 \$398.00 \$398.00 \$398.00 \$398.00 \$399.00 \$399.00 \$399.00 \$309.00 \$309.00 \$309.00 \$309.00 \$309.00 \$300.00 \$3	Drain Allowances	
593a.0 Foreated Toal Drin Cots 2393_395.3	Port Colborne Drain	\$939.00
Forecasted Total Drain Costs \$299,395.9		\$93
Forecasted Total Drain Costs \$293,395.9		
	Forecasted Total Drain Costs	\$293,39

\$16,782.37		Total - Special Assessments (Section 26)
	\$16,782.37	Total: Port Colborne Drain
	\$6,196.57	MINISTRY OF TRANSPORTATION ONTARIO
	\$10,585.80	City of Port Colborne
		Special Assessments (Section 26)
\$54,453.36		Total - Special Benefit Assessment (Section 24)
	\$54,453.36	Port Colborne Drain
		Special Benefit Assessment (Section 24)
\$221,396.70		Total - Outlet Liability Assessment (Section 23)
	\$221,396.70	Road Right of Way Lands
		Private Lands
		Outlet Liability Assessment (Section 23)
\$763.50		Total - Benefit Assessment (Section 22)
	\$763.50	Private Lands
		Benefit Assessment (Section 22)
		Assessment Schedule
76.000,0070		FOR CLASSED TO BE

\$313,126.19		Paul C. Marsh, P.Eng.
\$19,730.27		
\$14,937.53	99	Total: Section 2
	\$7,525.20	MINISTRY OF TRANSPORTATION ONTARIO
	\$7,412.32	City of Port Colborne
		Special Assessments (Section 26)
	\$0.00	Special Benefit Assessment (Section 24)
\$4,792.74		
	\$1,877.25	Road Right of Way Lands
	\$2,915.50	Private Lands
		Outlet Liability Assessment (Section 23)
	\$0.00	Benefit Assessment (Section 22)
191001/070		
	\$277.62	Drain Allowances
	\$9,112.65	Administration
	\$0.00	Previous Construction
	\$10,340.00	Estimated Cost of Construction
		it colocine branch Urain #1







EWA Engineering Inc.

Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara

Section 22: Assessed Benefit Section 23 Outlet Benefit / Outlet Liability Section 24 Special Benefit

						Assessment				
	Owner	Legal Text	Roll No	Area, Ha	Benefit	Outlet Liability	Special	Total	Allowance	Net
	City of Port Colborne - Lands Asses	HUMBERSTONE CON 1 PT LOTS 24	271102000718000	1 642	\$0	\$1 131 24	\$0.00	\$1 131.24	\$0.00	\$1 131 24
	McLean William Richard Samue	CON 1 PT TWP LOT 23	271102000710000	0.095	\$0 \$0	\$36.40	\$0.00	\$36.40	\$0.00	\$36.40
	Tomiuck Jonas	CON 1 PT TWP LOT 23	271102001311400	0.191	\$0	\$72.91	\$0.00	\$72.91	\$0.00	\$72.91
	Scott Gregory George	CON 1 PT TWP LOT 23	271102001311500	0.190	\$0	\$72.87	\$0.00	\$72.87	\$0.00	\$72.87
	Vale Canada Limited	CON 2 PT LOT 24	271102001312000	0.534	\$0 ¢0	\$490.89	\$0.00	\$490.89	\$0.00	\$490.89
	Port Colborne Quarries Inc Phillips Richard Gordon	CON 2 PT LOTS 19 AND 20 RP CON 2 PT LOT 20 RP 59R-1546	271104000315600	30.868	\$0 \$0	\$16,540.13 \$34.03	\$0.00	\$16,540.13	\$0.00 \$0.00	\$16,540.13 \$34.03
	Port Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315800	35.112	\$0	\$32,253.45	\$49,376.31	\$81,629.76	\$0.00	\$81,629.76
	Schlenger Uszer	CON 1 PT LOT 23	271104000408700	0.583	\$0	\$267.91	\$0.00	\$267.91	\$0.00	\$267.91
	Schlenger Uszer	CON 1 PT LOT 23	271104000408700	6.726	\$0	\$3,603.91	\$0.00	\$3,603.91	\$0.00	\$3,603.91
	City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715	2.431	\$0	\$1,302.79	\$0.00	\$1,302.79	\$0.00	\$1,302.79
	Schlenger Uszer	CON 1 PT LOT 23	271104000408800	0.373	\$0	\$182.59	\$0.00	\$182.59	\$0.00	\$182.59
	Coccagna Anthony	CON 1 PT LOT 23	271104000408900	0.631	\$0 ¢0	\$241.63	\$0.00	\$241.63	\$0.00	\$241.63
	Ostric Milan	CON 1 PT LOT 23 RP 59R5797	271104000409000	0.403	\$0 \$0	\$76.93	\$0.00	\$76.93	\$0.00	\$76.93
	1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200	0.779	\$0	\$417.15	\$0.00	\$417.15	\$0.00	\$417.15
	Favero Lidia	CON 1 PT LOT 23	271104000409300	0.202	\$0	\$77.28	\$0.00	\$77.28	\$0.00	\$77.28
	Ed Christensen Roofing Limited	CON 1 PT LOT 23	271104000409400	0.190	\$0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Sauder William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500	0.190	\$0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Stenson lan John	CON 1 PT LOT 23	271104000409600	0.190	\$0 ¢0	\$72.80	\$0.00	\$72.80	\$0.00	\$72.80
	Vale Canada Limited	CON 1 PT LOT 23	271104000409700	0.190	\$0 \$0	\$72.80 \$1 571 35	\$0.00 \$0.00	\$72.80	\$0.00 \$0.00	\$72.80
	Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000410000	4.963	\$256	\$2,659.17	\$322.53	\$3.237.19	\$939.00	\$2.298.19
	Huffman John Wayne	CON 2 PT LOT 21	271104000410400	0.071	\$0	\$27.06	\$0.00	\$27.06	\$0.00	\$27.06
	Young Tammy Lynn	CON 2 PT LOT 21	271104000410500	0.107	\$0	\$40.84	\$0.00	\$40.84	\$0.00	\$40.84
	Vollick Ronald Christopher	CON 2 PT LOT 21	271104000410600	0.159	\$0	\$60.86	\$0.00	\$60.86	\$0.00	\$60.86
	Citrigno Angela	CON 2 PT LOT 21	271104000410700	0.168	\$0	\$64.11	\$0.00	\$64.11	\$0.00	\$64.11
	Stark Raymond	CON 2 PT LOT 22 RP 59R4333	271104000410705	1.936	\$0 ¢E09	\$/40.95	\$0.00 ¢4 754 52	\$740.95	\$0.00	\$740.95 ¢6 915 97
F	Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410710	4.199	\$508	\$2,249.94	\$4,734.32	\$2,249.94	\$0.00	\$2,249.94
	Stewart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810	0.407	\$0	\$155.62	\$0.00	\$155.62	\$0.00	\$155.62
F	Powell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711	\$0	\$4,132.09	\$0.00	\$4,132.09	\$0.00	\$4,132.09
	Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411	\$0	\$2,070.99	\$0.00	\$2,070.99	\$0.00	\$2,070.99
	Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202	\$0	\$460.02	\$0.00	\$460.02	\$0.00	\$460.02
	Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	271104000411205	1.208	\$0 ¢0	\$462.47	\$0.00	\$462.47	\$0.00	\$462.47
	Scace wesley Port Colborne Quarries Inc	CON 2 PT LOT 21 CON 2 PT LOT 21 PT LOT 22 RP	271104000411300	73 170	\$0 \$0	\$25.57 \$67 213 24	\$0.00	\$25.57	\$0.00 \$0.00	\$25.57 \$67 213 24
	Parsons David Scott	CON 2 PT LOT 22	271104000411600	0.418	\$0	\$159.99	\$0.00	\$159.99	\$0.00	\$159.99
	Leavere Larry Allan Thomas	CON 2 PT LOT 22	271104000411700	0.209	\$0	\$80.03	\$0.00	\$80.03	\$0.00	\$80.03
	Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418	\$0	\$159.99	\$0.00	\$159.99	\$0.00	\$159.99
	Fitzgerald Shawn Patrick	HUMBERSTONE CON 2 PT LOT 22	271104000412000	0.209	\$0	\$80.07	\$0.00	\$80.07	\$0.00	\$80.07
	Orlowski Jeffrey	CON 2 PT LOT 22 RP 59R4884	271104000412100	0.209	\$0	\$80.03	\$0.00	\$80.03	\$0.00	\$80.03
	Moes Frank Allan Boda Terpy Joseph	HUMBERSTONE CON 2 PT LOT 22	271104000412200	0.357	\$0 \$0	\$136.60	\$0.00 \$0.00	\$136.60	\$0.00 \$0.00	\$136.60
F	Elite Capital P.C Developments Inc.	CON 2 PT 1 OT 22	271104000412400	4.110	\$0	\$1.887.83	\$0.00	\$1.887.83	\$0.00	\$1.887.83
	Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	10.153	\$0	\$4,662.97	\$0.00	\$4,662.97	\$0.00	\$4,662.97
	Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	22.189	\$0	\$10,191.10	\$0.00	\$10,191.10	\$0.00	\$10,191.10
	Vale Canada Limited	CON 2 PT LOT 23	271104000412800	0.363	\$0	\$166.86	\$0.00	\$166.86	\$0.00	\$166.86
	NCDSB	CON 2 PT LOT 23	271104000412900	5.947	\$0	\$2,731.46	\$0.00	\$2,731.46	\$0.00	\$2,731.46
	Dyson Patrick James	CON 2 PT LOT 23	271104000413000	0.176	\$0 ¢0	\$67.32	\$0.00	\$67.32	\$0.00	\$67.32
	Hortobagyi Zoltan	CON 2 PT LOT 23	271104000413100	0.182	\$0 \$0	\$71.11	\$0.00	\$71.11	\$0.00	\$05.50
	Wakunick Deborah Ivy	CON 2 PT LOT 24	271104000413300	0.085	\$0	\$32.69	\$0.00	\$32.69	\$0.00	\$32.69
	Wells Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413400	0.828	\$0	\$316.95	\$0.00	\$316.95	\$0.00	\$316.95
	Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401	7.409	\$0	\$2,835.90	\$0.00	\$2,835.90	\$0.00	\$2,835.90
	Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410	10.115	\$0	\$5,420.20	\$0.00	\$5,420.20	\$0.00	\$5,420.20
	Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435	0.631	\$0 ¢0	\$338.06	\$0.00	\$338.06	\$0.00	\$338.06
	Vale Canada Limited	CON 2 PT 1 OT 24	271104000414000	0.928	\$0 \$0	\$497.42	\$0.00	\$497.42	\$0.00	\$497.42
	2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291	\$0	\$494.12	\$0.00	\$494.12	\$0.00	\$494.12
F	Koch Olga	CON 3 LOT 19CPT	271104000506500	0.222	\$0	\$84.85	\$0.00	\$84.85	\$0.00	\$84.85
	Kozelj Stif	CON 3 PT LOT 20	271104000506600	0.079	\$0	\$30.31	\$0.00	\$30.31	\$0.00	\$30.31
F	Orsetto Aldo	CON 3 PT LOT 20	271104000506700	4.228	\$0 ¢0	\$1,941.71	\$0.00	\$1,941.71	\$0.00	\$1,941.71
F	Fijavz David	CON 3 PT LOT 20	271104000506702	0.085	\$0 \$0	\$127.68	\$0.00	\$127.68	\$0.00	\$32.03
	Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0.212	\$0	\$80.95	\$0.00	\$80.95	\$0.00	\$80.95
	Michaud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800	0.271	\$0	\$103.57	\$0.00	\$103.57	\$0.00	\$103.57
F	Henderson David Marshall	CON 3 PT LOT 20	271104000506801	11.011	\$0	\$5,899.99	\$0.00	\$5,899.99	\$0.00	\$5,899.99
F	Babion Gail J	HUMBERSTONE CON 3 PT LOT 21	271104000506900	15.252	\$0	\$8,172.54	\$0.00	\$8,172.54	\$0.00	\$8,172.54
	Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400	3.050	\$0	\$1,634.53	\$0.00	\$1,634.53	\$0.00	\$1,634.53
	Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500	1.238	\$0 ¢0	\$4/3.99	\$0.00	\$4/3.99	\$0.00	\$473.99
F	Henderson Drew David	CON 3 PT LOT 22	271104000508301	1.055	\$0	\$565.26	\$0.00	\$565.26	\$0.00	\$565.26
	Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388	\$0	\$148.39	\$0.00	\$148.39	\$0.00	\$148.39
	Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346	\$0	\$132.54	\$0.00	\$132.54	\$0.00	\$132.54
	Joseph Grandilli	CON 3 PT LOT 23	271104000509300	0.082	\$0	\$31.50	\$0.00	\$31.50	\$0.00	\$31.50
	Stefan John	CON 3 PT LOT 23	271104000509400	0.016	\$0	\$6.28	\$0.00	\$6.28	\$0.00	\$6.28
	Johnson Raymond Francis Jr	CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208	\$0 ¢0	\$82.95	\$0.00	\$82.95	\$0.00 \$0.00	\$82.95
	Saxon Ronald Josenh	CON 3 PT LOT 23 PLAN	271104000510202	0.417	\$0 \$0	\$139.64	\$0.00	\$139.64	\$0.00	\$159.64
	Pilkey Dean Llovd	CON 3 PT LOT 23 PLAN	271104000510206	0.597	\$0	\$228.61	\$0.00	\$228.61	\$0.00	\$228.61
F	Schneider Darryl Frederick	CON 3 PT LOT 23	271104000510801	2.252	\$0	\$861.82	\$0.00	\$861.82	\$0.00	\$861.82
	Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103	\$0	\$39.35	\$0.00	\$39.35	\$0.00	\$39.35
	Terreberry Jack	CON 3 PT LOT 24	271104000511000	0.144	\$0	\$55.19	\$0.00	\$55.19	\$0.00	\$55.19
	Jacak Dominik	CON 3 PT LOT 24	271104000511300	0.347	\$0	\$132.93	\$0.00	\$132.93	\$0.00	\$132.93
	Moore Linda Ann	CON 3 PT LOT 24	271104000511400	0.099	50 ¢n	\$37.78 \$11.00	\$0.00 \$0.00	\$37.78	\$0.00 \$0.00	\$37.78 \$11.00
	Medvic Peter James	CON 3 PT LOT 24	271104000511600	0.356	\$0	\$136.07	\$0.00	\$136.07	\$0.00	\$136.07
	McIntyre Shelly	CON 3 PT LOT 24	271104000511700	0.191	\$0	\$73.14	\$0.00	\$73.14	\$0.00	\$73.14
	City of Port Colborne	59R11175 PART 1 59R11176	271104000699500	0.630	\$0	\$337.42	\$0.00	\$337.42	\$0.00	\$337.42
			-	311.038	\$763.50	\$200.383.61	\$54 453 36	\$255 600 47	\$939.00	\$254 661 47

					Assessment				
Owner	Legal Text	Roll No	Area, Ha	Benefit	Outlet Liability	Special	Total	Allowance	Net
Roads									
City of Port Colborne	Snider Rd. N of Second Concession	ROW							
			0.071		\$2,645.71	\$0.00	\$2,645.71		
City of Port Colborne	Killaly St E east of Snider	ROW	0.176		\$1,402.11	\$0.00	\$1,402.11		
City of Port Colborne	Snider Rd portion south of Killaly St E	ROW							
			0.353		\$2,301.92	\$0.00	\$2,301.92		
City of Port Colborne	Second Concession Rd. E of Babion	ROW							
			0.596		\$92.99	\$0.00	\$92.99		
City of Port Colborne	Killaly St East W of Snider Rd	ROW	0.920		\$774.67	\$0.00	\$774.67		
City of Port Colborne	Chippawa Road	ROW	1.016		\$3,003.07	\$0.00	\$3,003.07		
City of Port Colborne	Second Concession W of Snider Rd.	ROW							
			1.221		\$684.07	\$0.00	\$684.07		
City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW	1.432		\$1,863.77	\$0.00	\$1,863.77		
City of Port Colborne	Second Concession from Snider to	ROW							
	Babion		1.645		\$432.90	\$0.00	\$432.90		
City of Port Colborne	Snider Rd. from Hwy 3 to Second	ROW							
	Conc		2.005		\$1,172.14	\$0.00	\$1,172.14		
City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW							
			2 0 2 2		6220 42	60.00	6220 42		
City of Dent Cally and	Debles Del from Univ 2 to Consul	0.004	2.033		\$229.42	\$0.00	\$229.42		
City of Port Colborne	Babion Rd. from Hwy 3 to Second	ROW							
	Concess		2.308		\$2,140.84	\$0.00	\$2,140.84		
						-	\$16,743.60		
MTO	Highway #3	ROW	3.281		\$4,269.49	\$0.00	\$4,269.49		
			17.058		\$21,013.09	\$0.00	\$21,013.09		

Section 26 - Special Asse	ssments	
City of Port Colborne	Extend drain along Babion Rd. to Second Concession. Re-lay culverts at Second Concession	
	Rd.	\$10,585.80
MINISTRY OF TRANSPORTA ONTARIO	TION	\$6,196.57
Utilities - Enbridge	No conflicts assessed during design	\$0.00
Utilities - Other	No conflicts assessed during design	\$0.00 \$16,782.37
Port Colborne Drain		
Notes:	Total Assessed:	\$293,395.92

1. The above lands marked "F" are currently classified as agricultural according to the OMAFRA and are

therefore entitled to a 1/3 grant.

2. Section 21 of the Drainage Act, RSO 1990 requires that assessments be shown for each parcel of land and

road affected. The affected parcels of land are identified using the roll number received from the City. For

convenience only, the owners' names are shown by the last revised assessment roll.

The value of the assessments identified in this schedule are estimates only, and should not be considered final.

### Port Colborne Branch #1 Municipal Drain City of Port Colborne

Regional Municipality of Niagara

Section 22: Assessed Benefit Section 23 Outlet Benefit / Outlet Liability Section 24 Special Benefit

### Roll No **Outlet Liability** Special Total Allowance Legal Text Area. Ha Benefit Net Owner City of Port Colborne - Lands Assessed CON 2 PT LOT 22 RP 59R4801 271104000410710 Konc John Andrew 0.10 \$0 \$37.53 \$0.00 \$37.53 \$277.62 -\$240.09 Van Ruyven Josef Nicolaas CON 2 PT LOT 22 RP 59R4801 271104000410800 1.08 \$0 \$0 \$253.63 \$0.00 \$253.63 \$0.00 \$253.63 CON 2 PT LOT 22 271104000411000 \$781.67 \$0.00 \$781.67 \$0.00 Hellinga Jack Simon \$781.67 5.24 Port Colborne Quarries Inc CON 2 PT LOT 21 PT LOT 22 RP 271104000411500 2.758 \$0 \$0 \$645.49 \$0.00 \$645.49 \$0.00 \$645.49 CON 2 PT LOT 22 271104000411900 \$35.74 \$35.74 Yanni Bill 0.41 \$0.00 \$0.00 \$35.74 Port Colborne Quarries Inc HUMBERSTONE CON 2 PT LOTS 23 271104000414000 3.308 \$0 \$1,161.44 \$0.00 \$1,161.44 \$0.00 \$1,161.44 11.731 \$0.00 \$2,915.50 \$0.00 \$2.915.50 \$277.62 \$2.624.34 Roads City of Port Colborne Snider Rd. from Hwy 3 to Second Conc ROW 1 53 \$0 \$0 \$806.38 \$0.00 \$806.38 City of Port Colborne Second Concession from Snider to Bab ROW \$22.20 \$0.00 \$22.20 0.02 City of Port Colborne Second Concession W of Snider Rd. ROW 0.501 \$0 \$509.62 \$0.00 \$509.62 \$1.338.20 мто Highway #3 \$539.05 \$0.00 ROW 0.48 \$0 \$539.05 2.534 \$0.00 \$1,877.25 \$0.00 \$1,877.25 14.265 Section 26 - Special Assessments City of Port Colborne Assessed special benefit for improving Snider road outlet. \$7,412.32 Regional Municipality of Niagara \$0.00 No works proposed MINISTRY OF TRANSPORTATION ONTARIO \$7,525.20 No conflicts assessed during design Utilities - Enbridge \$0.00 Utilities - Other No conflicts assessed during design \$0.00 \$14,937.53 Port Colborne Branch #1 Drain

Assess

Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara

# Proposed Construction - Cost Estimate

Port Colb	orne Branch #1					Linear, Each or Lump Sum						
Cost ID:	Drain	From STA	To STA	Work	Description	Cost Type	Length	\$/m	Qnty	/each	¢	Notes
PC1-01	Port Colborne Branch Drain	000+0	0+227	Clear and re-grade to design grade to outlet	Work from West Side. Spread spoil material adjacent to bank.	linear	227	\$20.00			\$4,540.00	
	#1.			from MTO culvert crossing								
°C1-00	MTO	0+227	0+255	Existing Drain Crossing CS-100 CSPA 1070	No work required.						\$0.00	
				crossing Highway #3								
PC1-02	Port Colborne Branch Drain	0+255	0+627	Spot maintenance as required		linear	372	\$5.00			\$1,860.00	
	#1.											
PC1-03	Port Colborne Branch Drain	0+627	0+824	Clear and re-grade to design grade from		linear	197	\$20.00			\$3,940.00	
	#1.			culvert quarry outlet to Snider Road ROW.								
PC1-04	Port Colborne Branch Drain			ROW North South Grading by others,							\$0.00	Excluded from Drain. Work to be
	#1.			(CofPC)								completed for ROW by CofPC.

SubTotal for: Port Colborne Branch #1 \$10,340.00

Bort Colb	orno Ornin					Linear, Each or							
Cost ID:	Drain	From ST/	A To ST	4 Work	Description	Cost Type	Length	\$/m	Qnty	/each	ş	Notes	_
PC-00	Port Colborne Drain		3364.5	<ul> <li>Regrade the North Side of Second Concession Rd. Ditch to drain to the East into the re-laid culvert crossing Babion Rd.</li> </ul>	This work is not part of the drain and excluded from the cost estimate. Work is the responsibility of the City of Port Colborne as part of the road funding program.		388				\$0.00	Excluded from Drain. Work to be completed for ROW by CofPC.	
PC-01	Port Colborne Drain	3+364.5	3+350	Re-lay existing 600mm HDPE double wall culvert lower and to drain to the East.		Each	14.5		<u>∽</u>	2,500.00	\$2,500.00		
PC-02	Port Colborne Drain	3+350	3+331	Re-locate existing 750mm HDPE double wall culvert to the East side of Babion Road, crossing Second Concession Rd. and outletting to East Side Drain Channel.	Road is to be closed to re-lay culvert in both directions. Restore road to original condition or better. Includes re-grading of open channel between culverts.	linear & each	ν	\$ 25.00	रू त	; 2,500.00	\$2,625.00		
PC-03	Port Colborne Drain	3+303	3+318	Construct Sediment Basin PC-SB01 at STA 3+300 as per Design and GD-10.	Remove material and dispose by spreading on existing berm. Sediment Basin constructed prior to commencing work upstream.	Area, m2	10	\$ 75.00	77.5	40.00	\$3,850.00		
PC-04	Port Colborne Drain	3+080	3+331	Construct Open Channel as per Design.	Spoil removed and spread on berm.		254	\$ 35.00			\$8,890.00		
PC-05	Port Colborne Drain	2+595	2+960	Existing PVC Pipe to be removed.	Remove and dispose.				1	500.00	\$500.00		

2022-07-12

EWA Engineering Inc.

Cost Estimate

_												
	\$9,117.00				\$1,500.00	\$1,350.00				\$3,000.00		
	40.00				1,500.00	40.00						
	\$ 8.991				1 \$	FALSE \$						
	\$ 75.00					\$ 75.00				\$ 15.00		
	15					18				200		
	Area, m2					Area, m2						
	Remove material and dispose by spreading adjacent to the	drain.	Sediment Basin constructed prior to commencing work	upstream.	Protect bank from erosion south of Highway 3 crossing	Remove material and dispose by spreading adjacent to the	drain.	Sediment Basin constructed prior to commencing work	upstream.			
	Construct Sediment Basin PC-SB02 at STA	2+400 as per Design and GD-10.			Additional Erosion Protection	Construct Sediment Basin PC-SB03 at STA	1+020 as per Design and GD-10.			Clear vegetation from Drain Channel &	Construct Channel as per Design	
		2			A	0	-			2+500 C	0	
										2+300		
	Port Colborne Drain				Port Colborne Drain	Port Colborne Drain				Port Colborne Drain		
	PC-08				PC-09	PC-10				PC-11		

SubTotal for: Cost ID: \$33,332.00

Linear, Each or

Construc	ction Mgmt Port Colborne D	rain				Lump Sum						
Cost ID:	Drain	From STA	To STA	Work	Description	Cost Type	Length	\$/m	Qnty	/each	Ş	Notes
	Port Colborne Drain			Bonding							\$1,310.16	
	Port Colborne Drain			Environmental Management - Compliance	Preparation of Environmental Management Plan - Exclusions	Lump Sum					\$2,500.00	Program budget - actual cost will vary
				with legislative requirements	for SAR incidents that require on site expertise.							
	Port Colborne Drain			Erosion Control During construction -		Lump Sum					\$3,500.00	Program budget - actual cost will vary
				including conversion of sediment ponds to								
				permanent drain features								
	Port Colborne Drain			Construction Management	Traffic Control, Layout, and all compliance items for						\$1,528.52	Budget
			-		submission on construction startup.							
	Port Colborne Drain			Tree Replacement Program	Where private trees are removed for the drain and in lieu of				15	50	\$750.00	Program budget - actual cost will vary
					compensation a 3 for 1 tree planting program is available for							
					owners.							

SubTotal for: Construction Mgmt Port Colborne Drain \$8,278.52

SubTotal for: Port Colborne Drain 551,950.52 Contigency Allowance, (20%) \$12,458.10 Cost of Construction: \$64,408.62

# Previous Costs - Works Already Completed Updated January 10, 2022 based on cost report from City of Port Colborne

_								
\$/m	\$ 56.02	\$ 27.48	\$ 9.55					
Length	465	202	1490					
				1	I			I
Date Completed	27-Mar-17	2016	2016			2016	2016	
Notes		filling in Drain - \$ 3,995.00 Erosion protection - \$1,555.00	Total cost to drain is net HST (\$19,784.69)	- actual cost of engineering anaysis not reported.	(see Cost Report in Appendix C)	Two crossings - \$1,410.00 paid by grant - see Cost report	Two crossings - \$1,410.00 paid by grant - see Cost report	
ş	\$26,050.00	\$5,550.00	\$14,234.69		5546.41	\$0.00	\$0.00	\$46,381.10
Description		Construct new alignment based on existing topography	establish lower grade line	After considerable negotiations/discussions with MTO and a hydraulic modelling service (53.000.00), outing the flows through their most easterly culvert crossing along with the requisite south of Hwy # 3 realignment, became the preferred or accepted option.	summarily, the total cost of construction came to 342,091.37 funding HST net (see enclosed involcing), of which the City received S17,120.657 including HST net from he NPCA's Wethand Habitat Restoration Program, leaving a balance of S31,170.70 including HST net to be funded chrough the Region's WaterSmart Program.	provides access to back of farm crossing new alignment	provides access to back of farm crossing new alignment	
Work	Port Colborne Channel Maintenance (not Re- alignment) by Rankin Construction	Port Colborne Channel Re-Alignment	Port Colborne Channel Re-Grading and Clearing		NPCA Wetland Habitat Restoration Program 19	Fording #1; ARN = 410710 F	Fording #2; ARN = 410800	
To STA	3+045	1+860	1+500			1+750	1+640	
From STA	2+580	1+660	0+010			1+740	1+630	
Status		Completed	Completed			Completed	Completed	
Port Colborne	Channel Maintenance - Section 74	Channel Construction by appointment - Section 77	Channel Maintenance - Section 74	Channel Construction by appointment - Section 77	Channel Construction by appointment - Section 77	Channel Construction by appointment - Section 77	Channel Construction by appointment - Section 77	

2
<u>م</u>
8
~
4
ō
5
e
ā

Qnty /each
Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara Updated January 10, 2022 based on 0

ort from City of Port Colborne Adminis

opdated January 10, 2			:	
Administration Co	osts		Area, Ha	Area Katio
		Michener Drain Area	135	12.3%
		Port Colborne Drain Area	327.8	29.9%
		Wignell Drain Area	634.4	57.8%
			1097.2	100.0%
Port Colborne Drain	Costs	Cost Items	Sub-totals, \$	Totals, \$
ADMINISTR	ATION			
	Interim Financing Allowance	Debenture Interest - 20007 to 2017	\$8,911.40	
		Total Amount: \$29,827.92		\$8,911.40
		Debenture Administrative Fee	\$1,812.07	
		Total Fee Amount: \$6,065.29		\$1,812.07
	Legal and Permitting Fees			\$0.00
	Expenses, where applicable			\$0.00
	Applicable Taxes			\$0.00
	Total - ADMINISTRATIO	NO		\$10,723.47
ENGINEERII	NG			
	Preliminary Design and Report			\$0.00
	Survey, Design, Plans, Engineer's Report and Assessment Schedule (Wiebe)*1			
		Survey; (\$8,342.93) portion allocated by area	\$2,492.54	
		Report Preparation; (\$92,511.44) portion allocated	\$27,638.76	
		by area		
	Survey, Design, Plans, Engineer's Report (AMEC)*2	3-561-33229; 2012 to 2014; \$67,147.23	\$20,060.94	
		portion allocated by area		
	Survey, Design, Plans, Engineer's Report and Assessment Schedule (EWA Engineering)			

\*1 Wiebe Engineering was appointed as the Drainage Engineer by Council with an approved budget. The firm declared bankruptcy after having been paid for a portion of the work. This is the amount originaly paid and not allocated.

\$3,500.00 \$190,942.78 \$0.00

\$187,442.78

\$116,969.39 \$11,483.16 \$8,798.00

Design Services CofPC CAD Work - 2020 CofPC CAD Work - 2021

Sub-total: ENGINEERING

Total - ENGINEERING

Tendering, Contract Administration and Construction Inspection (estimated)

TOTAL ADMINISTRATION AND ENGINEERING

Tribunal Costs (not estimated and assumed to be zero)

\$201,666.26

\*2 AMEC was appointed as the Drainage Engineer by Council in 2013, assuming work already completd by Wiebe and with an approved budget. After having been paid for 70% of the work, the company refused to complete the project without additional funds being allocated. The contract was cancelled. This is the fee for service paid for partially completed work on the drain.

Allowances

Indiand Rights of Way _ Work State         Tand and Rights of Way _ Work State         Tand and Rights of Way _ Work State         Tand and Rights of Way _ Work State           Once         Legal Test         Data         D	India dal fights of Way. Workshot         For Existing Printer Incommental Institution Control         India dal fights of Way. Workshot         For Existing Printer Incommental Institution Control           <th colspan="</th> <th></th>														
Image: constrained biase and consecond constrained biase and constrained biase and cons	Image: constant			Land and R	ights of Way Wor	k Zone		Damages		For Existing Private	Drain converted	Insufficient Outlet	Loss of Access		
Inclusion         Legit Tot         Forth         Forth         Forth         Safeting 3/10warre	Incr         Legit Text         Rol No         Area, Ia         Imply To Writh			Section							Section 31		Section 33		
m         dec. (n)         d	m         m	Legal Text Roll No Area	I, Ha Leng	gth Top Width 29		Le	ngth Sectio	in 30 Allowance			Allowance	Section 32 Allowance	Allowance	Total of Allowanc	
w         CON 2FT (17.2 RP 596481)         27110000101070         0.107         0.000         50.00         224.7         0.255         52.752         0         50.00           Mollaks         CON 2FT (17.2 RP 596481)         2711000011000         5.97         0.000         50.00         0.000         50.00	w         Conv 2FT (077 Z RP 594.481)         771 (1300004107)         0.107         0.000         5.076         2.74 (12.2 RP 594.481)         5.010         5.000 <th< th=""><th></th><th>E</th><th>n Area, Ha</th><th>\$</th><th>ş</th><th>m Area, H</th><th>ta \$</th><th>From STN To STN</th><th>Length, m</th><th>ş</th><th>ş</th><th>ş</th><th>ş</th></th<>		E	n Area, Ha	\$	ş	m Area, H	ta \$	From STN To STN	Length, m	ş	ş	ş	ş	
Nicensis         Conv 2F1 (07:2) (07:0)         Conv 2F1 (07:2)         C	NICollist         CON 2 FTC/TZ         Restant         2711000001000         1104         0000         50.	CON 2 PT LOT 22 RP 59R4801 271104000410710	0.107	0.000.0	\$0.00		224.7 0.23	25 \$277.62			\$0.00			\$277	
In         CON 2FT (1712)         CON 2FT (1712) <thcon (1712)<="" 2ft="" th="">         CON 2FT (1712)</thcon>	Interface         Conv PT LOT 22         271 G00001100         5.3.47         0.0000         50.00         50.000	CON 2 PT LOT 22 RP 59R4801 271104000410800	1.084	0.000.0	\$0.00		0.0	00.0\$ 0C			\$0.00			\$	
Infestion         Constraint         Constran	Intention         Cond 271 (071 2) (07	CON 2 PT LOT 22 271104000411000	5.247	0.0000	\$0.00		0.0	00.0\$ 0C		0	\$0.00			\$	
tt         CON 2FT (0712         7710400001160         0.413         0.000         50.00 <td>It         CON 2FT L071 23         271 Jan00011600         0.13         0.0000         50.00</td> <td>CON 2 PT LOT 21 PT LOT 22 RP 271104000411500</td> <td>2.758</td> <td>0.000.0</td> <td>\$0.00</td> <td></td> <td>0.0</td> <td>00:0\$ 0C</td> <td></td> <td>0</td> <td>\$0.00</td> <td></td> <td></td> <td>\$</td>	It         CON 2FT L071 23         271 Jan00011600         0.13         0.0000         50.00	CON 2 PT LOT 21 PT LOT 22 RP 271104000411500	2.758	0.000.0	\$0.00		0.0	00:0\$ 0C		0	\$0.00			\$	
Infomase         Con 2 PT (071 22         271104000411300         0.098         0.000         50.00 <t< td=""><td>Infomuse         CON 2FT L07 22         271 Jan000411200         0.000         50.00         <th< td=""><td>CON 2 PT LOT 22 271104000411600</td><td>0.413</td><td>0.000.0</td><td>\$0.00</td><td></td><td>0.0</td><td>00.0\$ 0C</td><td></td><td></td><td>\$0.00</td><td></td><td></td><td>\$</td></th<></td></t<>	Infomuse         CON 2FT L07 22         271 Jan000411200         0.000         50.00 <th< td=""><td>CON 2 PT LOT 22 271104000411600</td><td>0.413</td><td>0.000.0</td><td>\$0.00</td><td></td><td>0.0</td><td>00.0\$ 0C</td><td></td><td></td><td>\$0.00</td><td></td><td></td><td>\$</td></th<>	CON 2 PT LOT 22 271104000411600	0.413	0.000.0	\$0.00		0.0	00.0\$ 0C			\$0.00			\$	
City 2 In Figure 3         27110400041300         0.418         0.000         50.00         50.00         50.00           CON 2FT (072 RF 59484         2711040041210         0.023         0.000         50.	CON 2 PT (1772         Z7110000011900         0.418         0.0000         50.	CON 2 PT LOT 22 271104000411700	0.098	0.000.0	\$0.00		0.0	00.0\$ 0C			\$0.00			\$	
COL 2FT C/T 2 BF 594484         27110400017100         0.03         0.000         50.00	CON JPT L0T 22 RP 594.884         271/1000011100         0.025         0.000         5,000	CON 2 PT LOT 22 271 1040 0041 1900	0.418	00000	\$0.00		0.0	00:0\$ 00			\$0.00			\$	
arrites Inc. HUMBERSTONE CON 2 PTLOTS 3 27110400414000 3.338 0.000 50.00 50.00 50.00 50.00 50.00 50.00 50.00 1400 50.00 1434 144 144 144 144 144 144 144 144 14	arrise. Inc. HUMBERSTONE CON 2 PT LOTS 23 27104000414000 3.348 0.0000 \$0.00 0.000 \$0.00 0.000 \$0.00 0.000 \$0.00 0.000 000 0.0000 0.000 0.0	CON 2 PT LOT 22 RP 59R4884 271104000412100	0.025	0.0000	\$0.00		0.0	00:0\$ 0C			\$0.00			\$	
me         Shider Rd. from Hwy 3 to Second Conc.         ROW         13.457         0.0000         \$0.00	13.457         13.457 <th 13.457<<="" td=""><td>HUMBERSTONE CON 2 PT LOTS 23 271104000414000</td><td>3.308</td><td>0.0000</td><td>\$0.00</td><td></td><td>0.0</td><td>00.0\$ 0C</td><td></td><td></td><td>\$0.00</td><td></td><td></td><td>\$</td></th>	<td>HUMBERSTONE CON 2 PT LOTS 23 271104000414000</td> <td>3.308</td> <td>0.0000</td> <td>\$0.00</td> <td></td> <td>0.0</td> <td>00.0\$ 0C</td> <td></td> <td></td> <td>\$0.00</td> <td></td> <td></td> <td>\$</td>	HUMBERSTONE CON 2 PT LOTS 23 271104000414000	3.308	0.0000	\$0.00		0.0	00.0\$ 0C			\$0.00			\$
me         Snider Rd. from Hwy 3 to Second Conc. ROW         1.531         0.0000         \$0.00	me         Shider Rd. from Hwy 3to Second Conc. ROW         1.531         0.0000         \$0.00		.3.457												
me Second Concression fram Snider to Babion ROW 0.022 0.000 50.00 0.000 50.00 0.000 50.00 0.000 50.00 me Second Concression Vol Snider full ROW 0.501 0.0000 50.00 0.000 50.00 0.000 50.00 80.00 Hg/hway #3 E34 2.534 0.000 50.00 50	me         Second Concession from Sinder to Bablan ROW         0.022         0.000         \$0.00	Snider Rd. from Hwy 3 to Second Conc ROW	1.531	0.0000	\$0.00		0.0	30.0¢			\$0.00			¢\$	
ne Second Concession Worf Snider Rd ROW 0.501 0.0000 \$0.00 0.000 \$0.00 0.000 \$0.00 Highway #3 ROW 2.334 0.000 \$0.000 \$0.00 0.000 \$0.00 0.000 \$0.00 0.000 \$0.00 0.000 \$0.0000 \$0.000	ne Second corression wof Snider Rd. R. ROW 0.500 0.000 0.000 0.000 0.000 0.000 50.00 0.000 50.00	Second Concession from Snider to Babion ROW	0.022	0.000.0	\$0.00		0.0	00.0\$ OC			\$0.00			\$	
Нермауна ROW 0.480 0.0000 \$0.00 0.000 \$0.00 50.00 50.00	Highway#3 ROW 0.480 0.0000 \$0.00 0.000 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	Second Concession W of Snider Rd. ROW	0.501	0.0000	\$0.00		0.0	00:0\$ 0C			\$0.00			\$	
	2534 2.534	Highway #3 ROW	0.480	0.0000	\$0.00		0.0	00.0\$ 0C			\$0.00			\$	
			2.534												
<b>15,991</b> 50.00 50.00 5277,62 50.00 5	1591 \$0.00 \$0.00 \$27722 \$0.00 \$0.00	1	5.991		\$0.00	\$0.00		\$277.62		•	\$0.00	\$0.00	\$0.00	\$277	

Port Colborne Branch #1			Land and Rights of M	Wav Work Zone	Damages	For Existing Private Drain conver	rted Insufficient Outlet	Loss of Access	
			Section		0	Section 3:	1	Section 33	
Owner	Legal Text	Roll No Area, H	la Length Top Width 29 m Area Ha S	\$	Length Section 30 Allowan m Area. Ha	E Allowance Allowance Street Length. Allowance	e Section 32 Allowance	Allowance	Total of Allowances
Konc John Andrew	CON 2 PT I OT 22 RP 5984801	0.010000001020	107 0 0000 St	, 00 00	7247 0.225 \$27	From SIN TOSIN LETEUR. 1 2	\$0.00	r	\$ \$277.62
Van Ruwen Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800 1.0	0.0000 \$	00.00	0.000	000	\$0.00		\$0.00
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000 5.	247 0.0000 \$4	\$0.00	0.000	000	\$0.00		\$0.00
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500 2.	758 0.0000 \$	\$0.00	0:000 \$(	0 00:	\$0.00		\$0.00
Parsons David Scott	CON 2 PT LOT 22	271104000411600 0.	113 0.0000 50	0.00	0.000	000	\$0.00		\$0.00
Vanori Bill	CON 2 PT LOT 22 CON 3 PT LOT 33	10 000115000501122		0.00			\$0.00		00.0¢
Orlowski leffrev	CON 2 PT LOT 22 RP 59R4884	271104000412100 0.0	0.0000 51	0.00	00000	00	\$0.00		00.0¢
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000 3.	308 0.0000 \$	0.00	0.000	00	\$0.00		\$0.00
		13,	457						
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc ROW	1	531 0.0000 51	00.00	0.000		\$0.00		\$0.00
City of Port Colborne	Second Concession from Snider to Babion ROW		0.0000 \$	00.00	0.000	001	\$0.00		\$0.00
City of Port Colborne	Second Concession W of Snider Rd. ROW	0	501 0.0000 \$	00.00	0.000	000	\$0.00		\$0.00
MIO	Highway #3 ROW	0.2	180 0.0000 51 534	20.00	0:000	loo;	\$0.00		\$0.00
		15.	<b>191</b>	\$0.00 \$0.00	\$277	.62	\$0.00	\$0.00	\$277.62
Port Colborne Drain									
			Land and Rights of M	Nay	Damages	For Existing Private Drain conver	ted Insufficient Outlet	Loss of Access	
Owner	Legal Text	Roll No Area, H	a Length Top Width Section 29 / m Area: Ha 5	Allowance	Length Section 30 Allowan m Area. Ha 5	Section 3: Erom STN To STN Length. m 5	1 e Section 32 Allowance \$	Section 33 Allowance S	Total of Allowances
Vale Canada Limited	HUMBERSTONE CON 1 PT LOTS 24	271102000718000 1.	542		-				\$0.00
McLean William Richard Samue	CON 1 PT TWP LOT 23	271102001311300 0.0	395						\$0.00
Tomiuck Jonas	CON 1 PT TWP LOT 23	271102001311400 0.	191						\$0.00
Scott Gregory George Vale Canada Limited	CON 2 PT I OF 23	0 00GTTET0020TT/Z	130						00.0%
Port Colborne Quarries Inc	CON 2 PT LOTS 19 AND 20 RP	271104000315600 30.	868						\$0.00
Phillips Richard Gordon	CON 2 PT LOT 20 RP 59R-1546	271104000315702 0.0							\$0.00
Port Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315800 35.	112 255.0 3.800 0.0969 \$	,					\$0.00
Schlenger Uszer	CON 1 PT LOT 23	271104000408700 6.	726 0.0 0.000 \$						\$0.00
City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715 2.4	431						\$0.00
Schlenger Uszer	CON 1 PT LOT 23	271104000408800 0.	373						\$0.00
Coccagna Anthony	CON 1 PT LOT 23	20 00000000000000000000000000000000000	031 163						\$0.00
Ostric Milan	CON 1 PT LOT 23 RP 59R5797	271104000409100 0.	201						\$0.00
1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200 0.	779						\$0.00
Favero Lidia	CON 1 PT LOT 23	271104000409300 0.	202						\$0.00
Sauder William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500 0.	190						50.0¢
Stenson lan John	CON 1 PT LOT 23	271104000409600 0.	190						\$0.00
Polverari Giuseppe	CON 1 PT LOT 23	27110400409700 0.	190						\$0.00
Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000410000 42	100.000 3.800 0.0380 \$ 939	00.6	164.4 0.000 \$(	001			00.05
Huffman John Wayne	CON 2 PT LOT 21	271104000410400 0.0	171						\$0.00
Young Tammy Lynn	CON 2 PT LOT 21	271104000410500 0.	107						\$0.00
Vollick Ronald Christopher	CON 2 PT LOT 21	271104000410500 0.	159						\$0.00
Stark Raymond	CON 2 FT LOT 21 CON 2 PT LOT 21 RP 59R4333	2/1104000410700 U. 271104000410705 1.	100						00.05
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710 2.1	399 202.000 0.000 \$		202 0.000 \$(	00'			\$0.00
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800 4.	199						\$0.00
Stewart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810 0.	407						\$0.00
Hellinga Jack Simon	CON 2 PT LOT 22 NF 35N+601	271104000411000 5.	411						\$0.00
Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200 1.	202						\$0.00
Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	271104000411205 11:	208						\$0.00
Scace Wesley Port Colhorne Ouarries Inc	CON 2 PT LOT 21 CON 2 PT LOT 21 PT LOT 22 R.P	2/1104000411500 0.0 271104000411500 73	150						\$0.00
Parsons David Scott	CON 2 PT LOT 22	271104000411600 0.	118						\$0.00
Leavere Larry Allan Thomas	CON 2 PT LOT 22	271104000411700 0.	209						\$0.00
Yanni Bill	CON 2 PT LOT 22	271104000411900 0.	118						\$0.00
Prizgeraru anawn raurch Orlowski Jeffrev	CON 2 PT LOT 22 RP 59R4884	271104000412100 0.	602						\$0.0
í									

2022-07-12

EWA Engineering Inc.

Allowances

			Land and Rights of Way	Damages	For Existing Priv	ate Drain converted	Insufficient Outlet L	oss of Access	
Quiner	Legal Text	Roll No Area Ha	Length Ton Width Section 29 Allowance	Length Section 30 Allowance		Section 31 Allowance	Section 32 Allowance	Section 33 Allowance	Total of Allowances
			m Area, Ha \$ \$	m Area, Ha \$	From STN To STN Length, m	\$	\$	\$	\$
Moes Frank Allan	HUMBERSTONE CON 2 PT LOT 22	271104000412200 0.35	57						\$0.00
Boda Terry Joseph	CON 2 PT LOT 22	271104000412400 0.18	36						\$0.00
Elite Capital P.C Developments I	Inc CON 2 PT LOT 22	271104000412600 4.11	10						\$0.00
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700 10.15	53						\$0.00
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700 22.18	39						\$0.00
Vale Canada Limited	CON 2 PT LOT 23	271104000412800 0.36	33						\$0.00
NCDSB	CON 2 PT LOT 23	271104000412900 5.94	17						\$0.00
Dvson Patrick James	CON 2 PT LOT 23	271104000413000 0.17	16						\$0.00
Dyson Mary Lynn	CON 2 PT LOT 23	27110400413100 0.18							
Unitation of Talkan			20						00.00
Hortobagyi zoltan	CON 2 FT LUT 23	9T/0 002215000501722	0						00.06
Wakunick Deborah Ivy	CON 2 PT LOT 24	2/1104000413300 0.08	55						\$0.00
Wells Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413400 0.82	0.0000 \$ -						\$0.00
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401 7.40	60						\$0.00
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410 10.11	5						\$0.00
Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435 0.63	14 J						\$0.00
Port Celhouro Curvice Inc			20						00.04
		7C'C 0015TH00160TT/7	9						00.06
Vale Canada Limited	CON 2 PT LOT 24	271104000414120 0.92	80						\$0.00
2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400 1.29	10						\$0.00
Koch Olga	CON 3 LOT 19CPT	271104000506500 0.22	22						\$0.00
Kozel i Stif	CON 3 PT LOT 20	271104000506600 0.07	62						\$0.00
Oreatto Aldo	CON 3 DT LOT 30		00						
	CON 3 FT LOT 20	77'F 00/00000000112/2							00.06
Currie Michael Bruce	CON 3 P1 LO1 20	20/90000011/7	55						\$0.00
Fijavz David	CON 3 PT LOT 20	271104000506703 0.33	34						\$0.00
Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710 0.21	12						\$0.00
Michaud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800 0.27	12						\$0.00
Henderson David Marshall	CON 3 PT I OT 20	271104000506801 11 01							
		10-11 TODOOCOODE011/2							00.00
Babion Gail J	HUMBERSIONE CON 3 PI LOI 21	57/T104000006300	22						50.00
Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400 3.05	50						\$0.00
Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500 1.23	38						\$0.00
Cooper Collin James Lee	CON 3 S PT LOT 21 S PT LOT	271104000508100 7.61	13						\$0.00
Henderson Drew David	CON 3 PT LOT 22	271104000508301 1.05	25						\$0.00
Beaulieu George E	CON 3E PT LOT 23	271104000508900 0.38	88						\$0.00
Garner Mark Educard	CON 2 DT LOT 32	011000000000000000000000000000000000000							
									00.00
Joseph Grandilli	CON 3 P1 LO1 23	80.0 00£605000#0117/7	22						20.00
Stefan John	CON 3 PT LOT 23	271104000509400 0.01	-P						\$0.00
Johnson Raymond Francis Jr	CON 3 PT LOT 23 RP 59R10549	271104000510200 0.20	38						\$0.00
Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202 0.41	17						\$0.00
Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204 0.60	05						\$0.00
Dillou Dean Houd	CON 3 DT LOT 33 DI AN	27110A00610206 0.50							
									00.05
Schneider Darryl Frederick	CON 3 P1 LO1 23	5777 I08015000#011/7	24						\$0.00
Zonneveld Bastian	CON 3 PT LOT 24	271104000510900 0.10	33						\$0.00
Terreberry Jack	CON 3 PT LOT 24	271104000511000 0.14	44						\$0.00
lacak Dominik	CON 3 PT I OT 24	271104000511300 0.34	1						\$0.05
Moore Linds Ann	CON 2DT LOT 24	27110ADDR11400 000	00						
	CON 3F1 LOI 24	E0'0 004FTE00040TT/2							00.06
Moore Linda Ann	CUN 3 P1 LU1 24	70.0 005115000#01177							20.00
Medvic Peter James	CON 3 PT LOT 24	271104000511600 0.35	20						\$0.00
McIntyre Shelly	CON 3 PT LOT 24	2/1104000511/00 0.19	16						\$0.00
City of Port Colborne	59R11175 PART 1 59R11176	271104000699500 0.63	30						\$0.00
						-		_	_
		50'TT 5	1 00000 F	- -		Ŷ		-	00.000
Claring Dort Collineans	Condition Bid from Hunt 2 to Millioli 2 to 2	50 F	- ć 00'666 ć	ŕ		•		, ,	00.555
		CD:7							
City of Port Colborne	Second Concession W of Shider Rd. RUW	1.22					-	Jrain Allowance 10	1,216.62
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc ROW	2.00	35						
City of Port Colborne	Snider Rd. N of Second Concession ROW	0.07	12						
City of Port Colborne	Second Concession Rd. E of Babion ROW	0.59	95						
City of Port Colborne	Babion Rd. from Hwy 3 to Second Concess ROW	2.30	38						
City of Port Colborne	Chippawa Road ROW	0.55	20						
City of Port Colborne	Babion Rd. from 2nd to Chippawa ROW	1.43	32						
City of Port Colborne	Snider Rd protion south of Killaly St E ROW	0.35	53						
City of Port Colborne	Killaly St East W of Snider Rd ROW	06:0	11						
City of Port Colborne	Killaly St E east of Snider ROW	0.17	76						
City of Port Colhorne	Second Concession from Snider to Babion BOW	164	1						
MID	Highway #3	86.6							
0		16.58							
		327.61	61						

2022-07-12

EWA Engineering Inc.

Page 9

# Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara

Section 22: Assessed Benefit Benefit assessments are based on the benefit value to each property and are not proportional to watershed areas. Properties alongside or immediately upstream of the proposed drain are typically assessed benefit value. Benefits are one time assessments on changes in drain performance.

				Abutting				
Owner	Legal Text	ARN	Area	Length	E	BENEFIT ASSESSMEN	т	TOTAL BENEFIT
			На		m	DIRECT	ABUT	
City of Port Colborne - Lands Assessed								
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	0.107	224.7				\$0.00
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	1.084	224.7				\$0.00
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.247	57.9				\$0.00
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	2.758	500.9				\$0.00
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418					\$0.00
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.308					\$0.00
Sub-Total (Lands)			12.922					
Roads								
City of Port Colborne	Snider Rd. from Hwy 3 to Second Con	c ROW	1.531					\$0.00
City of Port Colborne	Second Concession from Snider to Ba	b ROW	0.022					\$0.00
City of Port Colborne	Second Concession W of Snider Rd.	ROW	0.501					\$0.00
MTO	Highway #3	ROW	0.480	34.9				\$0.00
Sub-Total (Roads)			2.534					
			15.455					

	Owner	Legal Text	Roll No	Area, Ha	Abuttin	g Length	BENEFIT	ASSESSMENT	TOTAL BENEFIT
City of	Port Colhorne - Lands Assessed					m	DIRECT	ABUT	
Vale	e Canada Limited	HUMBERSTONE CON 1 PT LOTS 24	271102000718000	1.647				ŚO	\$0.00
McL	Lean William Richard Samue	CON 1 PT TWP LOT 23	271102001311300	0.095				\$0	\$0.00
Tom	niuck Jonas	CON 1 PT TWP LOT 23	271102001311400	0.191				\$0	\$0.00
Scot	tt Gregory George	CON 1 PT TWP LOT 23	271102001311500	0.190				\$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 24	271102001312000	0.534				\$0	\$0.00
Port	t Colborne Quarries Inc	CON 2 PT LOTS 19 AND 20 RP	2/1104000315600	30.868				\$0 \$0	\$0.00
Phil	t Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315702	35 112				\$0 \$0	\$0.00
Schl	lenger Uszer	CON 1 PT LOT 23	271104000408700	0.583				\$0	\$0.00
Schl	lenger Uszer	CON 1 PT LOT 23	271104000408700	6.726				\$0	\$0.00
City	of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715	2.431				\$0	\$0.00
Schl	lenger Uszer	CON 1 PT LOT 23	271104000408800	0.373				\$0	\$0.00
Coc	cagna Anthony	CON 1 PT LOT 23	271104000408900	0.631				\$0 \$0	\$0.00
134 Ostr	ric Milan	CON 1 PT LOT 23 CON 1 PT LOT 23 RP 5985797	271104000409000	0.463				\$0 \$0	\$0.00
110	8904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409100	0.201				\$0	\$0.00
Fave	ero Lidia	CON 1 PT LOT 23	271104000409300	0.202				\$0	\$0.00
Ed C	Christensen Roofing Limited	CON 1 PT LOT 23	271104000409400	0.190				\$0	\$0.00
Sau	der William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500	0.190				\$0	\$0.00
Ster	nson lan John	CON 1 PT LOT 23	271104000409600	0.190				\$0	\$0.00
PON	verari Giuseppe Canada Limitod	CON 1 PT LOT 23	271104000409700	0.190				\$U \$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000409800	4.100		102.2		\$256	\$255.50
Huf	fman John Wayne	CON 2 PT LOT 21	271104000410400	0.071		102.12		\$0	\$0.00
You	ng Tammy Lynn	CON 2 PT LOT 21	271104000410500	0.107				\$0	\$0.00
Voll	lick Ronald Christopher	CON 2 PT LOT 21	271104000410600	0.159				\$0	\$0.00
Citri	igno Angela	CON 2 PT LOT 21	271104000410700	0.168				\$0	\$0.00
Star	rk Raymond	CON 2 PT LOT 22 RP 59R4333	2/1104000410/05	1.936		202.2		\$0 \$508	\$0.00
Van	Ruvven losef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410710	2.899		205.2		<sub>506</sub> ۵۷	\$308.00 \$0.00
Stev	wart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810	0.407				\$0	\$0.00
Pow	vell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711				\$0	\$0.00
Hell	linga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411				\$0	\$0.00
Kinz	zie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202				\$0	\$0.00
Piph	her Lynn Mae Maslau	CON 2 PT LOT 21 RP 59R6766	2/1104000411205	1.208				\$0 \$0	\$0.00
Port	t Colborne Quarries Inc	CON 2 PT LOT 21 CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	73.170				\$0 \$0	\$0.00
Pars	sons David Scott	CON 2 PT LOT 22	271104000411600	0.418				\$0	\$0.00
Leav	vere Larry Allan Thomas	CON 2 PT LOT 22	271104000411700	0.209				\$0	\$0.00
Yan	ni Bill	CON 2 PT LOT 22	271104000411900	0.418				\$0	\$0.00
Fitz	gerald Shawn Patrick	HUMBERSTONE CON 2 PT LOT 22	271104000412000	0.209				\$0	\$0.00
Oric	owski Jettrey	CON 2 PT LOT 22 RP 59R4884	2/1104000412100	0.209				\$0 \$0	\$0.00
Bod	la Terry Joseph	CON 2 PT LOT 22	271104000412200	0.186				\$0	\$0.00
Elite	e Capital P.C Developments Inc	CON 2 PT LOT 22	271104000412600	4.110				\$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	10.153				\$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	22.189				\$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 23	271104000412800	0.363				\$0	\$0.00
NCE	JSB on Patrick lames	CON 2 PT LOT 23	2/1104000412900	5.94/				\$0 ¢0	\$0.00
Dys	on Mary Lynn	CON 2 PT LOT 23	271104000413000	0.176				\$0 \$0	\$0.00
Hor	tobagyi Zoltan	CON 2 PT LOT 23	271104000413200	0.186				\$0	\$0.00
Wal	kunick Deborah Ivy	CON 2 PT LOT 24	271104000413300	0.085				\$0	\$0.00
Wel	lls Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413400	0.828				\$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401	7.409				\$0	\$0.00
Vale Vale	e Canada Limited e Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP CON 2 PT LOT 24 RP 59R10047	271104000413410 271104000413435	10.115				\$0 ¢n	\$0.00 \$0.00
Port	t Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.326				\$0 \$0	\$0.00
Vale	e Canada Limited	CON 2 PT LOT 24	271104000414120	0.928				\$0	\$0.00
202	3165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291				\$0	\$0.00
Koc	h Olga	CON 3 LOT 19CPT	271104000506500	0.222				\$0	\$0.00
Koz	elj Stif atta Alda	CON 3 PT LOT 20	271104000506600	0.079				\$0	\$0.00
Orse	etto Aldo rie Michael Bruce	CON 3 PT LOT 20 CON 3 PT LOT 20	271104000506702	4.228 0.0%				\$0 ¢0	\$0.00 \$0.00
Fila	vz David	CON 3 PT LOT 20	271104000506702	0.334				\$0 \$0	\$0.00
Levi	itt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0.212				\$0	\$0.00
Mic	haud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800	0.271				\$0	\$0.00
Hen	derson David Marshall	CON 3 PT LOT 20	271104000506801	11.011				\$0	\$0.00
Bab	ion Gail J	HUMBERSTONE CON 3 PT LOT 21	271104000506900	15.252	I	1		\$0	\$0.00

Stovell David Alan         CON 3 FT LOT 21 598535         271104000507500         1.28         50         50.00           Cooper Gellin ames Lee         CON 3 FT LOT 21 SPT LOT         27110400050810         7.613         60         50.00           Henderson Drew David         CON 3 FT LOT 23         27110400050810         0.388         60         50         50.00           Gamer Mark Edward         CON 3 FT LOT 23         271104000509100         0.346         50         50.00           Stefan John         CON 3 FT LOT 23         271104000509200         0.346         50         50.00           Joseph Grandill         CON 3 FT LOT 23         27110400051020         0.046         50         50.00           Joseph Grandill         CON 3 FT LOT 23 RPS SRID549         27110400051020         0.417         50         50.00           Joseph Grandill         CON 3 FT LOT 23 RPS SRID549         27110400051020         0.417         50         50.00           Stace Rogory Thomas         CON 3 FT LOT 23 RPS SRID549         27110400051020         0.417         50         50.00           Stace Rogory Threader         CON 3 FT LOT 24 RPS SRID549         27110400051020         0.417         50         50.00           Stace Rogory Threader         CON 3 FT LOT 23         2711040005100	Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400	3.050		\$0	\$0.00
Cooper Collin James Lee         CON 3 S PT LOT 21 SPT LOT         271104000508100         7.613         Sol         5.00           Henderson Dreve David         CON 3 E PT LOT 23         271104000508900         0.388         Sol         Sol         500           Gamer Mark Edward         CON 3 PT LOT 23         2711040005099100         0.038         Sol         Sol         500           Gamer Mark Edward         CON 3 PT LOT 23         2711040005099100         0.038         Sol	Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500	1.238		\$0	\$0.00
Henderson Drev David       CON 3 PT LOT 22       271104000508301       1.055       \$0       \$0.00         Gamer Mark Edward       CON 3 PT LOT 23       271104000509300       0.346       \$0       \$0.00         Gamer Mark Edward       CON 3 PT LOT 23       271104000509300       0.346       \$0       \$0.00         Stefan John       CON 3 PT LOT 23       271104000509300       0.016       \$0       \$0       \$0.00         Jonesph Grandill       CON 3 PT LOT 23       271104000510200       0.008       \$0       \$0.00         Jones Raymond Francis Jr       CON 3 PT LOT 23 RP \$9810549       271104000510200       0.041       \$0       \$0.000         Savon Ronald Joseph       CON 3 PT LOT 23 PLAN       271104000510206       0.557       \$0       \$0       \$0.000         Shneider Darryl Frederick       CON 3 PT LOT 23 PLAN       27110400051000       0.144       \$0       \$0.000         Jacak Dominik       CON 3 PT LOT 24       27110400051000       0.144       \$0       \$0.000         Jacak Dominik       CON 3 PT LOT 24       27110400051100       0.44       \$0       \$0.000         Jacak Dominik       CON 3 PT LOT 24       27110400051100       0.44       \$0       \$0.000         Jacak Dominik       CON 3 PT LOT	Cooper Collin James Lee	CON 3 S PT LOT 21 S PT LOT	271104000508100	7.613		\$0	\$0.00
Beauline George F         CON 3 FP ILOT 23         21104000509800         0.38         S0         500           Gamer Mark Edward         CON 3 PT LOT 23         21104000509800         0.082         90         5000           Stefn John         CON 3 PT LOT 23         271104000509800         0.082         90         5000           Stefn John         CON 3 PT LOT 23         27110400051020         0.016         90         5000           Stefn John         CON 3 PT LOT 23 RP 59R10549         27110400051020         0.016         90         50.00           Vance Gregory Thomas         CON 3 PT LOT 23 PP S9R10549         27110400051020         0.017         90         50.00           Schneider Darry Frederick         CON 3 PT LOT 23 PLAN         27110400051020         0.013         90         50.00           Schneider Darry Frederick         CON 3 PT LOT 24         27110400051000         0.103         90         50.00           Jack Dominik         CON 3 PT LOT 24         27110400051100         0.104         90         50.00           Jack Dominik         CON 3 PT LOT 24         27110400051100         0.347         50         50.00           Moore Linda An         CON 3 PT LOT 24         27110400051100         0.347         50         50.00	Henderson Drew David	CON 3 PT LOT 22	271104000508301	1.055		\$0	\$0.00
Gamer Mark Edward         CON 3 FT LOT 23         271104000599100         0.46         Stol         500           Diseph Grandili         CON 3 FT LOT 23         271104000599400         0.016         \$0         \$0         \$0.000           Stefa John         CON 3 FT LOT 23         27110400051020         0.028         \$0         \$0.000           Vance Gregory Thomas         CON 3 FT LOT 23 FP S9R10549         27110400051020         0.041         \$0         \$0.000           Saxon Ronald Joseph         CON 3 FT LOT 23 PP S9R10549         27110400051020         0.0417         \$0         \$0.000           Saxon Ronald Joseph         CON 3 FT LOT 23 PLAN         27110400051020         0.0417         \$0         \$0         \$0.000           Schneider Darryl Frederick         CON 3 FT LOT 24         27110400051000         0.144         \$0         \$0         \$0.000           Jack Dominik         CON 3 FT LOT 24         27110400051100         0.347         \$0         \$0         \$0.000           Moore Linda Ann         CON 3 FT LOT 24         27110400051100         0.347         \$0         \$0         \$0.000           Moore Linda Ann         CON 3 FT LOT 24         271104000511500         0.36         \$0         \$0         \$0.000           City of Port C	Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388		\$0	\$0.00
Joseph Grandili         CON 3 PT LOT 23         271104000509300         0.082          Solo           Stefan John         CON 3 PT LOT 23         271104000509400         0.016          \$0         \$0.00           Johnson Raymond Francis JF         CON 3 PT LOT 23 RP 59810549         271104000510200         0.208          \$0         \$0.00           Saxon Ronald Joseph         CON 3 PT LOT 23 PLAN         271104000510204         0.605          \$0         \$0.000           Schneider Darry Frederick         CON 3 PT LOT 23 PLAN         271104000510206         0.597          \$0         \$0.000           Schneider Darry Frederick         CON 3 PT LOT 24         27110400051000         0.103          \$0         \$0.000           Jacak Dominik         CON 3 PT LOT 24         271104000511000         0.144          \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         271104000511300         0.347          \$0         \$0.000           Medvic Peter James         CON 3 PT LOT 24         271104000511400         0.039          \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         271104000511400         0.366          \$0         \$0.000<	Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346		\$0	\$0.00
Stefan John         CON 3 PT LOT 23         271104000519200         0.016         \$0         \$0.000           Johnson Raymond Francis Jr         CON 3 PT LOT 23 RP 59R10549         271104000510202         0.417         \$0         \$0.000           Saxon Ronald Joseph         CON 3 PT LOT 23 RP 59R10549         271104000510202         0.417         \$0         \$0.000           Saxon Ronald Joseph         CON 3 PT LOT 23 PLAN         271104000510206         0.597         \$0         \$0.000           Schneider Darryl Frederick         CON 3 PT LOT 23 PLAN         27110400051000         0.103         \$0         \$0         \$0.000           Schneider Darryl Frederick         CON 3 PT LOT 24         27110400051100         0.144         \$0         \$0         \$0.000           Jacak Dominik         CON 3 PT LOT 24         27110400051100         0.347         \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         27110400051100         0.347         \$0         \$0.000           Medvic Peter James         CON 3 PT LOT 24         27110400051100         0.029         \$0         \$0.000           Medvic Peter James         CON 3 PT LOT 24         27110400051100         0.029         \$0         \$0.000           City of Port Colborne         Senond Concession RCW <td>Joseph Grandilli</td> <td>CON 3 PT LOT 23</td> <td>271104000509300</td> <td>0.082</td> <td></td> <td>\$0</td> <td>\$0.00</td>	Joseph Grandilli	CON 3 PT LOT 23	271104000509300	0.082		\$0	\$0.00
Johnson Raymond Francis Jr         CON 3 PT LOT 23 RP 59R10549         27110400051020         0.208         500         50.00           Saxon Ronal Joseph         CON 3 PT LOT 23 RP 59R10549         271104000510202         0.417         \$0         \$0.000           Saxon Ronal Joseph         CON 3 PT LOT 23 RP 59R10549         271104000510204         0.605         \$0         \$0.000           Staven Ronal Joseph         CON 3 PT LOT 23 PLAN         271104000510201         2.252         \$0         \$0         \$0.000           Schneider Darry Irecterick         CON 3 PT LOT 24         27110400051000         0.133         \$0         \$0         \$0.000           Lock Dominik         CON 3 PT LOT 24         27110400051100         0.144         \$0         \$0         \$0.000           Lock Dominik         CON 3 PT LOT 24         27110400051100         0.347         \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         27110400051100         0.036         \$0         \$0.000           Medvic Peter James         CON 3 PT LOT 24         27110400051100         0.356         \$0         \$0.000           City of Port Colborne         Split I/5 PART 1 Split 1/76         27110400051100         0.191         \$0         \$0.000         \$0.000           City of	Stefan John	CON 3 PT LOT 23	271104000509400	0.016		\$0	\$0.00
Vance Gregory Thomas         CON 3 PT LOT 23 RP 59R10549         271104000510202         0.417         S0         \$0.00           Saxon Ronald Joseph         CON 3 PT LOT 23 PLAN         271104000510206         0.597         \$0         \$0.00           Schneider Darryl Frederick         CON 3 PT LOT 23 PLAN         271104000510206         0.597         \$0         \$0         \$0.00           Schneider Darryl Frederick         CON 3 PT LOT 24         271104000510900         0.103         \$0         \$0         \$0.00           Terreberry Jack         CON 3 PT LOT 24         271104000511000         0.144         \$0         \$0         \$0.00           Jacak Dominik         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Medvic Peter James         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Kichtyre Shelly         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           City of Port Colborne         Spin1175 PART 1 Spin1176         271104000511500         0.036         \$0         \$0	Johnson Raymond Francis Jr	CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208		\$0	\$0.00
Saxon Ronald Joseph         CON 3 PT LOT 23 PLAN         271104000510204         0.605         \$0         \$0         \$0.00           Pilkey Dean Lloyd         CON 3 PT LOT 23 PLAN         271104000510201         0.257         \$0         \$0         \$0.00           Schneider Darry Irederick         CON 3 PT LOT 24         271104000510801         2.252         \$0         \$50         \$0.00           Conneveld Bastian         CON 3 PT LOT 24         271104000511000         0.14         \$0         \$50         \$50.00           Tereberry Jack         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$50         \$50.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511300         0.037         \$0         \$50         \$50.00           Medvic Peter James         CON 3 PT LOT 24         271104000511500         0.035         \$0         \$50         \$50.00           Medvic Peter James         CON 3 PT LOT 24         271104000511500         0.356         \$50.00         \$50.00           Medvic Peter James         CON 3 PT LOT 24         271104000511700         0.191         \$50         \$50.00         \$50.00           City of Port Colborne         Sndier Rd from Hwy 3 to Killaly St E ROW         2.033         \$50.00         \$50.00 </th <td>Vance Gregory Thomas</td> <td>CON 3 PT LOT 23 RP 59R10549</td> <td>271104000510202</td> <td>0.417</td> <td></td> <td>\$0</td> <td>\$0.00</td>	Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202	0.417		\$0	\$0.00
Pilkey Dean Lloyd         CON 3 PT LOT 23 PLAN         271104000510260         0.597         Image: Constant of the	Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204	0.605		\$0	\$0.00
Schneider Darryl Frederick         CON 3 PT LOT 23         271104000510901         2.252         \$0         \$00         \$0.00           Zonneveld Bastian         CON 3 PT LOT 24         271104000511090         0.103         \$0         \$0         \$0.00           Terreberry Jack         CON 3 PT LOT 24         271104000511000         0.144         \$0         \$0         \$0.00           Jacak Dominik         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511700         0.191         \$0         \$0.00         \$0         \$0         \$0.00         \$0         \$0         \$0.00         \$0.00         \$0         \$0         \$0.00         \$0         \$0         \$0.00         \$0         \$0         \$0.00         \$0         \$0         \$0         \$0         \$0	Pilkey Dean Lloyd	CON 3 PT LOT 23 PLAN	271104000510206	0.597		\$0	\$0.00
Zonneveld Bastian         CON 3 PT LOT 24         271104000510900         0.103         \$0         \$00         \$0.00           Terrebery Jack         CON 3 PT LOT 24         271104000511300         0.144         \$0         \$0         \$0.00           Jack Dominik         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$00<	Schneider Darryl Frederick	CON 3 PT LOT 23	271104000510801	2.252		\$0	\$0.00
Terreberry Jack         CON 3 PT LOT 24         271104000511300         0.144         \$0         \$0.00           Jacak Dominik         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         271104000511400         0.039         \$0         \$0         \$0.000           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.000           Medvic Ptetr James         CON 3 PT LOT 24         271104000511500         0.56         \$0         \$0         \$0         \$0.000           Michtrye Shelly         CON 3 PT LOT 24         271104000511700         0.191         \$0         \$0         \$0.000         \$0         \$0         \$0.00	Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103		\$0	\$0.00
Jacak Dominik         CON 3 PT LOT 24         271104000511300         0.347         \$0         \$00         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511400         0.099         \$0         \$0         \$0.00           Moore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Medvic Peter James         CON 3 PT LOT 24         271104000511600         0.356         \$0         \$0         \$0.000           Michtyre Shelly         CON 3 PT LOT 24         271104000511600         0.356         \$0         \$0         \$0.000           City of Port Colborne         S9R1175 PART 1 59R1176         271104000591700         0.191         \$0 </th <td>Terreberry Jack</td> <td>CON 3 PT LOT 24</td> <td>271104000511000</td> <td>0.144</td> <td></td> <td>\$0</td> <td>\$0.00</td>	Terreberry Jack	CON 3 PT LOT 24	271104000511000	0.144		\$0	\$0.00
Moore Linda Ann         CON 3 PT LOT 24         271104000511400         0.099         \$0         \$0         \$00           Moore Linda Ann         CON 3 PT LOT 24         271104000511400         0.029         \$0         \$0         \$0.000           Medvic Peter James         CON 3 PT LOT 24         271104000511600         0.356         \$0         \$0.000           Michtyre Shelly         CON 3 PT LOT 24         271104000511600         0.191         \$0         \$0         \$0.000           City of Port Colborne         S9R11175 PART 1 59R11176         271104000599500         0.630         \$0         \$0         \$0         \$0.000           City of Port Colborne         Sndier Rd from Hwy 3 to Killaly St E         ROW         2.033         \$0 <td>Jacak Dominik</td> <td>CON 3 PT LOT 24</td> <td>271104000511300</td> <td>0.347</td> <td></td> <td>\$0</td> <td>\$0.00</td>	Jacak Dominik	CON 3 PT LOT 24	271104000511300	0.347		\$0	\$0.00
Noore Linda Ann         CON 3 PT LOT 24         271104000511500         0.029         \$0         \$0         \$0.00           Medvic Peter James         CON 3 PT LOT 24         271104000511500         0.356         \$0         \$0         \$0.00           Michtyre Shelly         CON 3 PT LOT 24         271104000511700         0.191         \$0         \$0         \$0.00           City of Port Colborne         Sp811175 PART 1 59R11176         271104000699500         0.630         \$0         \$0         \$0.00           City of Port Colborne         Sodier Rd from Hwy 3 to Killaly St E         ROW         2.003         \$0         \$0         \$0.00           City of Port Colborne         Second Concession Rd. ROW         1.221         \$0         \$0         \$0.00           City of Port Colborne         Snider Rd. from Hwy 3 to Second Concession ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0.000         \$0.000           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0.000         \$0.000         \$0         \$0.000         \$0.000         \$0.000         \$0.000         \$0         \$0.000         \$0         \$0.000         \$0	Moore Linda Ann	CON 3 PT LOT 24	271104000511400	0.099		\$0	\$0.00
Medvic Peter James         CON 3 PT LOT 24         271104000511600         0.356         \$0         \$0         \$0.00           Michtyre Shelly         CON 3 PT LOT 24         271104000511600         0.191         \$0         \$0         \$0.00           City of Port Colborne         S9R1175 PART 1 59R1176         271104000599500         0.630         \$0         \$0         \$0         \$0.00           City of Port Colborne         Second Concession W of Snider Rd. ROW         2.033         \$0 <t< th=""><td>Moore Linda Ann</td><td>CON 3 PT LOT 24</td><td>271104000511500</td><td>0.029</td><td></td><td>\$0</td><td>\$0.00</td></t<>	Moore Linda Ann	CON 3 PT LOT 24	271104000511500	0.029		\$0	\$0.00
McIntyre Shelly City of Port Colborne         CON 3 PT LOT 24         271104000511700         0.191         \$0         \$00         0.000         0.600 <t< th=""><td>Medvic Peter James</td><td>CON 3 PT LOT 24</td><td>271104000511600</td><td>0.356</td><td></td><td>\$0</td><td>\$0.00</td></t<>	Medvic Peter James	CON 3 PT LOT 24	271104000511600	0.356		\$0	\$0.00
City of Port Colborne         SpR11175 PART 1 59R11176         27110400069500         0.630         \$0         \$0         \$0.00           311.038 <td>McIntyre Shelly</td> <td>CON 3 PT LOT 24</td> <td>271104000511700</td> <td>0.191</td> <td></td> <td>\$0</td> <td>\$0.00</td>	McIntyre Shelly	CON 3 PT LOT 24	271104000511700	0.191		\$0	\$0.00
311.038         331.038         332.00         3	City of Port Colborne	59R11175 PART 1 59R11176	271104000699500	0.630		\$0	\$0.00
City of Port Colborne       Sndier Rd from Hwy 3 to Killaly St E       ROW       2.033 <t< th=""><td></td><td></td><td>-</td><td>311.038</td><td></td><td></td><td></td></t<>			-	311.038			
City of Port Colborne         Sindier Rd from Hwy 3 to Killaly St E         ROW         2.033         \$0         \$0.00           City of Port Colborne         Second Concession W of Snider Rd.         ROW         1.221         \$0         \$0.00           City of Port Colborne         Snider Rd. from Hwy 3 to Scand Conce ROW         2.005         \$0         \$0.00           City of Port Colborne         Snider Rd. from Hwy 3 to Scand Concession ROW         0.001         \$0         \$0.000           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0         \$0.000           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0         \$0.000           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0         \$0.000           City of Port Colborne         Babion Rd. from Hwy 3 to Second Conce ROW         2.308         \$0         \$0.000           City of Port Colborne         Chippawa Road         ROW         0.559         \$0         \$0.000           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         1.432         \$0         \$0.000           City of Port Colborne         Killaly St East Wof Snider Rd         ROW         0.353         \$0 <td< th=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
City of Port Colborne         Second Concession W of Snider Rd. ROW         1.221         \$0         \$0.00           City of Port Colborne         Snider Rd. from Hwy 3 to Second Conc ROW         2.005         \$0         \$0         \$0.00           City of Port Colborne         Snider Rd. I vol Second Concession         ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession         ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession ROW         0.308         \$0         \$0.000           City of Port Colborne         Babion Rd. from Hwy 3 to Second ConceNOW         2.308         \$0         \$0.000           City of Port Colborne         Chippawa Road         ROW         0.595         \$0         \$0         \$0.000           City of Port Colborne         Babion Rd. from 2nd to Chippawa ROW         1.432         \$0         \$0.000         \$0.000           City of Port Colborne         Killaly St East vof Snider Rd         ROW         0.901         \$0         \$0.000         \$0.000         \$0.000         \$0.000         \$0.000         \$0         \$0.000	City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW	2.033		\$0	\$0.00
City of Port Colborne         Snider Rd. from Hwy 3 to Second Conc ROW         2.005         \$0         \$0.00           City of Port Colborne         Snider Rd. N of Second Concession         ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession         ROW         0.071         \$0         \$0         \$0.00           City of Port Colborne         Second Concession ROW         0.595         \$0         \$0         \$0.00           City of Port Colborne         Babion Rd. from Hwy 3 to Second Cont ROW         2.308         \$0         \$0         \$0.00           City of Port Colborne         Chippawa Road         ROW         0.595         \$0         \$0         \$0.00           City of Port Colborne         Chippawa Road         ROW         2.308         \$0         \$0         \$0.00           City of Port Colborne         Shion Rd. from 2nd to Chippawa         ROW         1.432         \$0         \$0.00         \$0.00           City of Port Colborne         Shider Rd protion south of Killaly St E ROW         0.353         \$0         \$0.00         \$0         \$0.00           City of Port Colborne         Killaly St E east of Snider         ROW         0.901         \$0         \$0.00         \$0.00	City of Port Colborne	Second Concession W of Snider Rd.	ROW	1.221		\$0	\$0.00
City of Port Colborne         Snider Rd. N of Second Concession ROW         0.071         \$0         \$0.000           City of Port Colborne         Second Concession ROL & E of Babion ROW         0.995         \$0         \$0         \$0.000           City of Port Colborne         Babion Rd. from Hwy 3 to Second Concession ROW         2.308         \$0         \$0         \$0.000           City of Port Colborne         Chippawa Road         ROW         0.559         \$0         \$0         \$0.000           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         0.559         \$0         \$0         \$0.000           City of Port Colborne         Shider Rd. protion south of Killaly St E ROW         0.353         \$0         \$0         \$0.000           City of Port Colborne         Killaly St E ast of Snider R         ROW         0.901         \$0         \$0.000           City of Port Colborne         Killaly St E east of Snider R         ROW         0.176         \$0         \$0.000           City of Port Colborne         Killaly St E east of Snider R         ROW         0.176         \$0         \$0.000           City of Port Colborne         Killaly St E east of Snider R         ROW         0.176         \$0         \$0.000           City of Port Colborne         Hig	City of Port Colborne	Snider Rd. from Hwy 3 to Second Cor	ic ROW	2.005		\$0	\$0.00
City of Port Colborne         Second Concession Rd. E of Babion         ROW         0.595         \$0         \$0.00           City of Port Colborne         Babion Rd. from Hwy 3 to Second On ROW         2.308         \$0         \$0         \$0.00           City of Port Colborne         Chippawa Road         ROW         0.559         \$0         \$0         \$0.00           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         0.559         \$0         \$0         \$0.00           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         1.432         \$0         \$0.00           City of Port Colborne         Killaly St East Word Snider Rd         ROW         0.901         \$0         \$0.00           City of Port Colborne         Killaly St East word Snider Rd         ROW         0.901         \$0         \$0.00           City of Port Colborne         Killaly St East word Snider Rd         ROW         0.176         \$0         \$0.000           City of Port Colborne         Second Concession from Snider to Bab ROW         1.645         \$0         \$0.000           City of Port Colborne         Highway #3         ROW         3.281         \$0         \$0.000	City of Port Colborne	Snider Rd. N of Second Concession	ROW	0.071		\$0	\$0.00
City of Port Colborne         Babion Rd. from Hwy 3 to Second Con ROW         2.308         \$0         \$0.00           City of Port Colborne         Chippawa Road         ROW         0.559         \$0         \$0         \$0.00           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         0.559         \$0         \$0         \$0.00           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         1.432         \$0         \$0.00           City of Port Colborne         Snider Rd protion south of Killaly St E ROW         0.353         \$0         \$0         \$0.00           City of Port Colborne         Killaly St East W of Snider Rd         ROW         0.901         \$0         \$0.000           City of Port Colborne         Killaly St East of Snider         ROW         0.176         \$0         \$0.000           City of Port Colborne         Killaly St East of Snider R OW         0.176         \$0         \$0.000           City of Port Colborne         Second Concession from Snider to Bab ROW         1.645         \$0         \$0.000           MTO         Highway #3         ROW         3.281         \$0         \$0.000           16.581         Second         \$0         \$0.000         \$0.000         \$0.000 <t< th=""><td>City of Port Colborne</td><td>Second Concession Rd. E of Babion</td><td>ROW</td><td>0.595</td><td></td><td>\$0</td><td>\$0.00</td></t<>	City of Port Colborne	Second Concession Rd. E of Babion	ROW	0.595		\$0	\$0.00
City of Port Colborne         Chippawa Road         ROW         0.559         \$0         \$0.000           City of Port Colborne         Babion Rd. from 2nd to Chippawa         ROW         1.432         \$0         \$0.000           City of Port Colborne         Snider Rd protion south of Killaly St E ROW         0.353         \$0         \$0.000           City of Port Colborne         Killaly St East W of Snider Rd         ROW         0.901         \$0         \$0.000           City of Port Colborne         Killaly St East of Snider Rd         ROW         0.901         \$0         \$0.000           City of Port Colborne         Killaly St E east of Snider Rd         ROW         0.901         \$0         \$0.000           City of Port Colborne         Killaly St E east of Snider RDW         0.176         \$0         \$0.000           City of Port Colborne         Highway #3         ROW         1.645         \$0         \$0.000           MTO         Highway #3         ROW         3.281         \$0         \$0.000           16.581         S0.000         \$0         \$0.000         \$0         \$0.000	City of Port Colborne	Babion Rd. from Hwy 3 to Second Co	ni ROW	2.308		\$0	\$0.00
City of Port Colborne         Babion Rd, from 2nd to Chippawa         ROW         1.432         \$0         \$0.00           City of Port Colborne         Snider Rd protion south of Killaly St E R WOW         0.353         \$0         \$0         \$0.00           City of Port Colborne         Killaly St East word Snider Rd         ROW         0.901         \$0         \$0.00           City of Port Colborne         Killaly St East word Snider Rd         ROW         0.901         \$0         \$0.00           City of Port Colborne         Killaly St East word Snider Rd         ROW         0.176         \$0         \$0.00           City of Port Colborne         Killaly St E east of Snider R         ROW         1.454         \$0         \$0.00           MTO         Highway #3         ROW         1.281         \$0         \$0.00           Interview	City of Port Colborne	Chippawa Road	ROW	0.559		\$0	\$0.00
City of Port Colborne     Snider Rd protion south of Killaly St E ROW     0.353     \$0     \$0     \$0.00       City of Port Colborne     Killaly St East W of Snider Rd     ROW     0.901     \$0     \$0     \$0.00       City of Port Colborne     Killaly St East W of Snider Rd     ROW     0.901     \$0     \$0.000       City of Port Colborne     Killaly St East of Snider     ROW     0.176     \$0     \$0.000       City of Port Colborne     Second Concession from Snider to Bab ROW     1.645     \$0     \$0.000       MTO     Highway #3     ROW     3.281     \$0     \$0.000       In 581	City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW	1.432		\$0	\$0.00
City of Port Colborne     Killaly St East W of Snider Rd     ROW     0.901     \$0     \$0.00       City of Port Colborne     Killaly St East of Snider     ROW     0.176     \$0     \$0.00       City of Port Colborne     Second Concession from Snider to Bab ROW     1.645     \$0     \$0.00       MTO     Highway #3     ROW     3.281     \$0     \$0.00	City of Port Colborne	Snider Rd protion south of Killaly St E	ROW	0.353		\$0	\$0.00
City of Port Colborne         Killaly St E east of Snider         ROW         0.176         \$0         \$0.000           City of Port Colborne         Second Concession from Snider to Bab ROW         1.645         \$0         \$0.000           MTO         Highway #3         ROW         3.281         \$0         \$0.000           16.581          \$0         \$0.000         \$0.000	City of Port Colborne	Killaly St East W of Snider Rd	ROW	0.901		\$0	\$0.00
City of Port Colborne         Second Concession from Snider to Bab ROW         1.645         \$0         \$0.00           MTO         Highway #3         ROW         3.281         \$0         \$0         \$0.00           In the second concession from Snider to Bab ROW           MTO         Highway #3         ROW         3.281         \$0         \$0.00           In the second concession from Snider to Bab ROW	City of Port Colborne	Killaly St E east of Snider	ROW	0.176		\$0	\$0.00
MTO Highway #3 ROW <u>3.281</u> \$0 \$0.00 16.581	City of Port Colborne	Second Concession from Snider to Ba	b ROW	1.645		\$0	\$0.00
16.581	MTO	Highway #3	ROW	3.281		\$0	\$0.00
			-	16.581			

\$ 763.50

#### Section 23 Outlet Benefit / Outlet Liability Port Colborne Branch #1

Port Colborne Branch #1	L						\$4,792.74
Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio	
City of Port Colborne - Lands A	ssessed						
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	0.107	30	0.21	0.0078	\$37.53
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	1.084	20	1.41	0.0529	\$253.63
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	2.226	30	4.36	0.1631	\$781.67
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	2.758	20	3.60	0.1347	\$645.49
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.102	30	0.20	0.0075	\$35.74
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.308	30	6.47	0.2423	\$1,161.44
		Sub-Total (Lands)	9.585				
Roads							
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW	1.531	45	4.50	0.1683	\$806.38
City of Port Colborne	Second Concession from Snider to Babion	ROW	0.022	86	0.12	0.0046	\$22.20
City of Port Colborne	Second Concession W of Snider Rd.	ROW	0.501	87	2.84	0.1063	\$509.62
MTO	Highway #3	ROW	0.480	96	3.01	0.1125	\$539.05
		Sub-Total (Roads)	2.534				
	Total Assessments for City of Port Colborne:		12.118		26.72	1.00	\$4,792.74

#### Port Colborne Drain

\$221,396.70

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio	
Vale Canada Limited	HUMBERSTONE CON 1 PT LOTS 24	271102000718000	1.642	45	4.82	0.0051	\$1,131.24
McLean William Richard Samue	CON 1 PT TWP LOT 23	2/1102001311300	0.095	25	0.16	0.0002	\$36.40
Scott Gregory George	CON 1 PT TWP LOT 23	271102001311400	0.191	25	0.31	0.0003	\$72.91
Vale Canada Limited	CON 2 PT LOT 24	271102001311300	0.130	60	2.09	0.0003	\$490.89
Port Colborne Quarries Inc	CON 2 PT LOTS 19 AND 20 RP	271102001312000	30.868	35	70.48	0.0747	\$16 540 13
Phillips Richard Gordon	CON 2 PT LOT 20 RP 59R-1546	271104000315702	0.089	25	0.14	0.0002	\$34.03
Port Colborne Quarries Inc	CON 2 PT LOT 19 PT LOT 20	271104000315800	35.112	60	137.44	0.1457	\$32.253.45
Schlenger Uszer	CON 1 PT LOT 23	271104000408700	0.583	30	1.14	0.0012	\$267.91
Schlenger Uszer	CON 1 PT LOT 23	271104000408700	6.726	35	15.36	0.0163	\$3,603.91
City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715	2.431	35	5.55	0.0059	\$1,302.79
Schlenger Uszer	CON 1 PT LOT 23	271104000408800	0.373	32	0.78	0.0008	\$182.59
Coccagna Anthony	CON 1 PT LOT 23	271104000408900	0.631	25	1.03	0.0011	\$241.63
1346618 Ontario Ltd	CON 1 PT LOT 23	271104000409000	0.463	35	1.06	0.0011	\$248.04
Ostric Milan	CON 1 PT LOT 23 RP 59R5797	271104000409100	0.201	25	0.33	0.0003	\$76.93
1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200	0.779	35	1.78	0.0019	\$417.15
Favero Lidia	CON 1 PT LOT 23	271104000409300	0.202	25	0.33	0.0003	\$77.28
Ed Christensen Roofing Limited	CON 1 PT LOT 23	271104000409400	0.190	25	0.31	0.0003	\$72.80
Sauder William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500	0.190	25	0.31	0.0003	\$72.80
Stenson ian John Polyerari Giusoppo	CON 1 PT LOT 23	271104000409800	0.190	25	0.31	0.0003	\$72.80
Vale Canada Limited	CON 1 PT LOT 23	271104000409700	4 106	25	6.70	0.0003	\$1 571 35
Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000410000	4.100	35	11 33	0.0120	\$2,659,17
Huffman John Wayne	CON 2 PT LOT 21	271104000410400	0.071	25	0.12	0.0001	\$27.06
Young Tammy Lynn	CON 2 PT LOT 21	271104000410500	0.107	25	0.17	0.0002	\$40.84
Vollick Ronald Christopher	CON 2 PT LOT 21	271104000410600	0.159	25	0.26	0.0003	\$60.86
Citrigno Angela	CON 2 PT LOT 21	271104000410700	0.168	25	0.27	0.0003	\$64.11
Stark Raymond	CON 2 PT LOT 21 RP 59R4333	271104000410705	1.936	25	3.16	0.0033	\$740.95
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	2.899	35	6.62	0.0070	\$1,553.35
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	4.199	35	9.59	0.0102	\$2,249.94
Stewart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810	0.407	25	0.66	0.0007	\$155.62
Powell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711	35	17.61	0.0187	\$4,132.09
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411	25	8.83	0.0094	\$2,070.99
Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202	25	1.96	0.0021	\$460.02
Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	2/1104000411205	1.208	25	1.97	0.0021	\$462.47
Scace wesley	CON 2 PT LOT 21 PT LOT 22 PD	271104000411500	72 170	25	296 42	0.0001	\$25.57
Parsons David Scott	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	0.418	25	200.42	0.3030	\$07,213.24
Leavere Larry Allan Thomas	CON 2 PT LOT 22	271104000411700	0.209	25	0.00	0.0004	\$80.03
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418	25	0.68	0.0007	\$159.99
Fitzgerald Shawn Patrick	HUMBERSTONE CON 2 PT LOT 22	271104000412000	0.209	25	0.34	0.0004	\$80.07
Orlowski Jeffrey	CON 2 PT LOT 22 RP 59R4884	271104000412100	0.209	25	0.34	0.0004	\$80.03
Moes Frank Allan	HUMBERSTONE CON 2 PT LOT 22	271104000412200	0.357	25	0.58	0.0006	\$136.60
Boda Terry Joseph	CON 2 PT LOT 22	271104000412400	0.186	25	0.30	0.0003	\$71.11
Elite Capital P.C Developments Inc	CON 2 PT LOT 22	271104000412600	4.110	30	8.04	0.0085	\$1,887.83
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	10.153	30	19.87	0.0211	\$4,662.97
Vale Canada Limited	CON 2 PT LOT 22 PT LOT 23	271104000412700	22.189	30	43.43	0.0460	\$10,191.10
Vale Canada Limited	CON 2 PT LOT 23	271104000412800	0.363	30	0.71	0.0008	\$166.86
NCDSB	CON 2 PT LOT 23	271104000412900	5.947	30	11.64	0.0123	\$2,731.46
Dyson Patrick James	CON 2 PT LOT 23	271104000413000	0.176	25	0.29	0.0003	\$67.32
Hortohomi Zolton	CON 2 PT LOT 23	271104000413100	0.182	30	0.36	0.0004	\$83.30
Wakunick Deborah luw	CON 2 PT LOT 23	271104000413200	0.180	23	0.30	0.0003	\$71.11
Wells Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413300	0.000	25	1 35	0.0001	\$316.95
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401	7,409	25	12.08	0.0128	\$2,835.90
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410	10.115	35	23.10	0.0245	\$5.420.20
Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435	0.631	35	1.44	0.0015	\$338.06
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.326	60	13.02	0.0138	\$3,055.58
Vale Canada Limited	CON 2 PT LOT 24	271104000414120	0.928	35	2.12	0.0022	\$497.42
2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291	25	2.11	0.0022	\$494.12
Koch Olga	CON 3 LOT 19CPT	271104000506500	0.222	25	0.36	0.0004	\$84.85
Kozelj Stif	CON 3 PT LOT 20	271104000506600	0.079	25	0.13	0.0001	\$30.31
Orsetto Aldo	CON 3 PT LOT 20	271104000506700	4.228	30	8.27	0.0088	\$1,941.71
Currie Michael Bruce	CON 3 PT LOT 20	271104000506702	0.085	25	0.14	0.0001	\$32.65

Section 23

**1.00** \$221,396.70

943.45

Owner	Legal Text	Roll No	Area, Ha	Runoff Factor 'C'	QRF	QRF Ratio	
Fijavz David	CON 3 PT LOT 20	271104000506703	0.334	25	0.54	0.0006	\$127.68
Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0.212	25	0.34	0.0004	\$80.95
Michaud Antonio Abel	CON 3 PT LOT 20 RP 59R8240	271104000506800	0.271	25	0.44	0.0005	\$103.57
Henderson David Marshall	CON 3 PT LOT 20	271104000506801	11.011	35	25.14	0.0266	\$5,899.99
Babion Gail J	HUMBERSTONE CON 3 PT LOT 21	271104000506900	15.252	35	34.83	0.0369	\$8,172.54
Wagner Dan Patrick	CON 3 PT LOT 21	271104000507400	3.050	35	6.97	0.0074	\$1,634.53
Stovell David Alan	CON 3 PT LOT 21 59R8535	271104000507500	1.238	25	2.02	0.0021	\$473.99
Cooper Collin James Lee	CON 3 S PT LOT 21 S PT LOT	271104000508100	7.613	35	17.38	0.0184	\$4,079.57
Henderson Drew David	CON 3 PT LOT 22	271104000508301	1.055	35	2.41	0.0026	\$565.26
Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388	25	0.63	0.0007	\$148.39
Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346	25	0.56	0.0006	\$132.54
Joseph Grandilli	CON 3 PT LOT 23	271104000509300	0.082	25	0.13	0.0001	\$31.50
Stefan John	CON 3 PT LOT 23	271104000509400	0.016	25	0.03	0.0000	\$6.28
Johnson Raymond Francis Jr	CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208	26	0.35	0.0004	\$82.95
Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202	0.417	25	0.68	0.0007	\$159.64
Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204	0.605	25	0.99	0.0010	\$231.64
Pilkey Dean Lloyd	CON 3 PT LOT 23 PLAN	271104000510206	0.597	25	0.97	0.0010	\$228.61
Schneider Darryl Frederick	CON 3 PT LOT 23	271104000510801	2.252	25	3.67	0.0039	\$861.82
Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103	25	0.17	0.0002	\$39.35
Terreberry Jack	CON 3 PT LOT 24	271104000511000	0.144	25	0.24	0.0002	\$55.19
Jacak Dominik	CON 3 PT LOT 24	271104000511300	0.347	25	0.57	0.0006	\$132.93
Moore Linda Ann	CON 3 PT LOT 24	271104000511400	0.099	25	0.16	0.0002	\$37.78
Moore Linda Ann	CON 3 PT LOT 24	271104000511500	0.029	25	0.05	0.0000	\$11.02
Medvic Peter James	CON 3 PT LOT 24	271104000511600	0.356	25	0.58	0.0006	\$136.07
McIntyre Shelly	CON 3 PT LOT 24	271104000511700	0.191	25	0.31	0.0003	\$73.14
City of Port Colborne	59R11175 PART 1 59R11176	271104000699500	0.630	35	1.44	0.0015	\$337.42
		-	311.038				
Roads							
City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW	2.033	85	11.27	0.0120	\$2,645.71
City of Port Colborne	Second Concession W of Snider Rd.	ROW	1.221	75	5.97	0.0063	\$1,402.11
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW	2.005	75	9.81	0.0104	\$2,301.92
City of Port Colborne	Snider Rd. N of Second Concession	ROW	0.071	85	0.40	0.0004	\$92.99
City of Port Colborne	Second Concession Rd. E of Babion	ROW	0.595	85	3.30	0.0035	\$774.67
City of Port Colborne	Babion Rd. from Hwy 3 to Second Concess	ROW	2.308	85	12.80	0.0136	\$3,003.07
City of Port Colborne	Chippawa Road	ROW	0.559	80	2.92	0.0031	\$684.07
City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW	1.432	85	7.94	0.0084	\$1,863.77
City of Port Colborne	Snider Rd protion south of Killaly St E	ROW	0.353	80	1.84	0.0020	\$432.90
City of Port Colborne	Killaly St East W of Snider Rd	ROW	0.901	85	4.99	0.0053	\$1,172.14
City of Port Colborne	Killaly St E east of Snider	ROW	0.176	85	0.98	0.0010	\$229.42
City of Port Colborne	Second Concession from Snider to Babion	ROW	1.645	85	9.12	0.0097	\$2,140.84
MTO	Highway #3	ROW	3.281	85	18.19	0.0193	\$4,269.49
		-	16.581				_

327.619

Page 13

Port Colborne Municipal Drain City of Port Colborne Regional Municipality of Niagara Section 24 Special Benefit

	l
Ħ	I
ę	l
Jar	I
ēB	l
ŗ	l
믕	l
ť	I
2	l

			Len	th Crossing	Channel Works Culvert Works Erosion Control Other Works Construction Sub-Total	Construction Total Bout	ina of Eac 8. Admin	TOTAL Saccial Banadit
Owner	Legal Text	Roll No	Area, Ha	\$/eact	Assessments		ion or Eng & Aamin	I U I AL SPECIAI DENETIL
City of Port Colborne - Lan	ids Assessed				\$0:00	\$0.00		\$0.00
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	0.107		\$0.00	\$0.00		\$0.00
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	1.084		\$0.00	\$0.00		\$0.00
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.247		\$0.00	\$0.00		\$0.00
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	2.758		\$0.00	\$0.00		\$0.00
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418		\$0.00	\$0.00		\$0.00
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.308		\$0.00	\$0.00		\$0:00
		Sub-Total (Lands)	12.922					\$0.00
Roads								
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW	1.531		\$0.00	\$0.00		\$0.00
City of Port Colborne	Second Concession from Snider to Babion	ROW	0.022		\$0.00	\$0.00		\$0.00
City of Port Colborne	Second Concession W of Snider Rd.	ROW	0.501		\$0.00	\$0.00		\$0.00
MTO	Highway #3	ROW	0.480		\$0.00	\$0.00		\$0.00
		Sub-Total (Roads)	2.534					\$0.00
	Total Assessments for City of Port Colborne:		15.455				I	\$0.00

# Port Colborne Drain

			I anoth Croceir	os Channel Works	Culvert Works Frosion Control Other Wor	ks Construction Sub-Total			
Owner	Legal Text	Roll No Area, H	a \$/ee	sch cruzier en construction de la construction de l	Assessments		Construction Total Port	tion of Eng & Admin TO1	AL Special Benefit
Vale Canada Limited	HUMBERSTONE CON 1 PT LOTS 24	271102000718000 1.6	42			\$0.00	\$0.00		\$0.00
McLean William Richard Se	am CON 1 PT TWP LOT 23	271102001311300 0.0	95			\$0.00	\$0.00		\$0.00
Tomiuck Jonas	CON 1 PT TWP LOT 23	271102001311400 0.1	91			\$0.00	\$0.00		\$0.00
Scott Gregory George	CON 1 PT TWP LOT 23	271102001311500 0.1	06			\$0.00	\$0.00		\$0.00
Vale Canada Limited	CON 2 PT LOT 24	271102001312000 0.5	34			\$0.00	\$0.00		\$0.00
Port Colborne Quarries Inc	c CON 2 PT LOTS 19 AND 20 RP	271104000315600 30.8	88			\$0.00	\$0.00		\$0.00
Phillips Richard Gordon	CON 2 PT LOT 20 RP 59R-1546	271104000315702 0.0	68			\$0.00	\$0.00		\$0.00
Port Colborne Quarries Inc	c CON 2 PT LOT 19 PT LOT 20	271104000315800 35.1	12 275	\$11,952.50		\$11,952.50	\$11,952.50	\$37,423.81	\$49,376.31
Schlenger Uszer	CON 1 PT LOT 23	271104000408700 0.5	83 105.6			\$0.00	\$0.00		\$0.00
Schlenger Uszer	CON 1 PT LOT 23	271104000408700 6.7	26 329.1			\$0.00	\$0.00		\$0.00
City of Port Colborne	CON 1 PT LOTS 23, 24 RP	271104000408715 2.4	31 61			\$0.00	\$0.00		\$0.00
Schlenger Uszer	CON 1 PT LOT 23	271104000408800 0.3	73 18.2			\$0.00	\$0.00		\$0.00
Coccagna Anthony	CON 1 PT LOT 23	271104000408900 0.6	31 60.9			\$0.00	\$0.00		\$0.00
1346618 Ontario Ltd	CON 1 PT LOT 23	271104000409000 0.4	53 54.9			\$0.00	\$0.00		\$0.00
Ostric Milan	CON 1 PT LOT 23 RP 59R5797	271104000409100 0.2	01			\$0.00	\$0.00		\$0.00
1108904 Ontario Limited	CON 1 PT LOT 23 PT LOT 24	271104000409200 0.7	79			\$0.00	\$0.00		\$0.00
Favero Lidia	CON 1 PT LOT 23	271104000409300 0.2	02			\$0.00	\$0.00		\$0.00
Ed Christensen Roofing Lin	nit CON 1 PT LOT 23	271104000409400 0.1	06			\$0.00	\$0.00		\$0.00
Sauder William Edward	HUMBERSTONE CON 1 PT LOT 23	271104000409500 0.1	06			\$0.00	\$0.00		\$0.00
Stenson lan John	CON 1 PT LOT 23	271104000409600 0.1	06			\$0.00	\$0.00		\$0.00
Polverari Giuseppe	CON 1 PT LOT 23	271104000409700 0.1	06			\$0.00	\$0.00		\$0.00
Vale Canada Limited	CON 1 PT LOT 23	271104000409800 4.1	90			\$0.00	\$0.00		\$0.00
Vale Canada Limited	CON 2 PT LOT 21 RP59R3588	271104000410000 4.9	63 166.5		\$ 187.50	\$187.50	\$187.50	\$135.03	\$322.53
Huffman John Wayne	CON 2 PT LOT 21	271104000410400 0.0	71		·	\$0.00	\$0.00	τ.	\$0.00
Young Tammy Lynn	CON 2 PT LOT 21	271104000410500 0.1	07			\$0.00	\$0.00		\$0.00
Vollick Ronald Christopher	r CON 2 PT LOT 21	271104000410600 0.1	59			\$0.00	\$0.00		\$0.00
Citrigno Angela	CON 2 PT LOT 21	271104000410700 0.1	68			\$0.00	\$0.00		\$0.00
Stark Raymond	CON 2 PT LOT 21 RP 59R4333	271104000410705 1.9	36			\$0.00	\$0.00		\$0.00

EWA Engineering Inc.

2022-07-12

Section 24

Drain	
ort Colborne	

Port Colborne Drain			Length	Crossing	channel Work	s Culvert Wo	rks Erosion Control Other	Works Construction Sub-Total	Construction	n Total Portion of Eng & Admin To	DTAL Special Benefit
Owner	Legal Text	Koll No	Area, Ha	5/eac	-	As	essments			-	-
Konc John Andrew	CON 2 PT LOT 22 RP 59R4801	271104000410710	2.899	00.8 \$	\$ 2,764.0	3 \$		\$2,764.03	\$2	2,764.03 \$1,990.49	\$4,754.52
Van Ruyven Josef Nicolaas	CON 2 PT LOT 22 RP 59R4801	271104000410800	4.199	.29.1 \$ .		Ş		\$0.00		\$0.00 \$0.00	\$0.00
Stewart Scott James	CON 2 PT LOT 22 RP 59R 5732	271104000410810	0.407					\$0.00		\$0.00	\$0.00
Powell Bradley Kenneth	CON 2 PT LOT 22 RP59R4801	271104000410900	7.711	51.6				\$0.00		\$0.00	\$0.00
Hellinga Jack Simon	CON 2 PT LOT 22	271104000411000	5.411					\$0.00		\$0.00	\$0.00
Kinzie Patricia Helen	CON 2 PT LOT 21 RP 59R6766	271104000411200	1.202					\$0.00		\$0.00	\$0.00
Pipher Lynn Mae	CON 2 PT LOT 21 RP 59R6766	271104000411205	1.208					\$0.00		\$0.00	\$0.00
Scace Wesley	CON 2 PT LOT 21	271104000411300	0.067					\$0.00		\$0.00	\$0.00
Port Colborne Quarries Inc	CON 2 PT LOT 21 PT LOT 22 RP	271104000411500	73.170	597				\$0.00		\$0.00	\$0.00
Parsons David Scott	CON 2 PT LOT 22	271104000411600	0.418					\$0.00		\$0.00	\$0.00
Leavere Larry Allan Thoma	IS CON 2 PT LOT 22	271104000411700	0.209					\$0.00		\$0.00	\$0.00
Yanni Bill	CON 2 PT LOT 22	271104000411900	0.418					\$0.00		\$0.00	\$0.00
Fitzgerald Shawn Patrick	HUMBERSTONE CON 2 PT LOT 22	271104000412000	0.209					\$0.00		\$0.00	\$0.00
Orlowski Jeffrey	CON 2 PT LOT 22 RP 59R4884	271104000412100	0.209					\$0.00		\$0.00	\$0.00
Moes Frank Allan	HUMBERSTONE CON 2 PT LOT 22	271104000412200	0.357					\$0.00		\$0.00	\$0.00
Boda Terry Joseph	CON 2 PT LOT 22	271104000412400	0.186					\$0.00		\$0.00	\$0.00
Elite Capital P.C Developm	en CON 2 PT LOT 22	271104000412600	4.110					\$0.00		\$0.00	\$0.00
Vale Canada Limited	CON 2 DT LOT 22 DT LOT 23	0070100001170	10.153	127						\$0.00	\$0.00
Vale Canada Limited	CON 2 PT LOT 22 FT LOT 23	27110A000412700 27110A000A112700	1 081 00	721				00.05		\$0.00 \$0.00	50.00 \$0.00
Valo Canada Limitod	CON 2 11 COT 22 11 COT 23	2/110400041200	, 25.100	1.21				00.04		\$0.00 \$0.00	\$0.00
	CON 2 FT FUT 23	Z/1104000412800	0.000					00.00		50.00 50.00	
NUCUSE	CON 2 FI LUI 23 CON 2 RELOT 23	Z11040001272	174/0					00.0¢		\$0.00 \$0.60	00.05
Dyson Patrick James	CON 2 F1 LU1 23	Z/1104000415000	0/1.0					50.00		\$0.00 \$0.00	50.00
Dyson Mary Lynn	CON 2 PI LOI 23	2/1104000413100	0.182					\$0.00		\$0.00	\$0.00
Hortobagyi Zoltan	CON 2 PT LOT 23	271104000413200	0.186					\$0.00		\$0.00	\$0.00
Wakunick Deborah Ivy	CON 2 PT LOT 24	271104000413300	0.085					\$0.00		\$0.00	\$0.00
Wells Donna Louise	CON 2 PT LOT 23 PT LOT 24	271104000413400	0.828					\$0.00		\$0.00	\$0.00
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413401	7.409					\$0.00		\$0.00	\$0.00
Vale Canada Limited	CON 2 PT LOT 23 PT LOT 24 RP	271104000413410	10.115					\$0.00		\$0.00	\$0.00
Vale Canada Limited	CON 2 PT LOT 24 RP 59R10047	271104000413435	0.631					\$0.00		\$0.00	\$0.00
Port Colborne Quarries Inc	HUMBERSTONE CON 2 PT LOTS 23	271104000414000	3.326					\$0.00		\$0.00	\$0.00
2023165 Ontario Inc	CON 3 PT LOT 19 PT LOT 20	271104000506400	1.291					\$0.00		\$0.00	\$0.00
Koch Olga	CON 3 LOT 19CPT	271104000506500	0.222					\$0.00		\$0.00	\$0.00
Kozelj Stif	CON 3 PT LOT 20	271104000506600	0.079					\$0.00		\$0.00	\$0.00
Orsetto Aldo	CON 3 PT LOT 20	271104000506700	4.228					\$0.00		\$0.00	\$0.00
Currie Michael Bruce	CON 3 PT LOT 20	271104000506702	0.085					\$0.00		\$0.00	\$0.00
Fijavz David	CON 3 PT LOT 20	271104000506703	0.334					\$0.00		\$0.00	\$0.00
Levitt Corie	CON 3 PT LOT 20 PLAN 59R	271104000506710	0 212					00.05		\$0.00	\$0.00
Michaud Antonio Ahel	CON 3 PT I/OT 20 RP 59R8240	271104000506800	0 271							\$0.00	\$0.00
Henderson David Marshall	CON 3 DT I/OT 20	271104000506801	11 011							20.00	20.05
Rahion Gail I	HIMBERSTONE CON 3 PT LOT 31	271104000506900	15 252					00.05		\$0.00	\$0.00
Wagner Dan Patrick	CON 3 PT I/OT 21	271104000507400	3 050							\$0.00	\$0.00
Stovell David Alan	CON 3 PT I/OT 21 59R8535	271104000507500	1 238					00.05		\$0.00	\$0.00
Conner Collin James Lee	CON 3 S PT I OT 21 S PT I OT	271104000508100	7 613							\$0.00	\$0.00
Henderson Drew David	CON 3 PT IOT 22	271104000508301	1.055					\$0.00		\$0.00	\$0.00
Beaulieu George E	CON 3 E PT LOT 23	271104000508900	0.388					\$0.00		\$0.00	\$0.00
Garner Mark Edward	CON 3 PT LOT 23	271104000509100	0.346					\$0.00		\$0.00	\$0.00
Joseph Grandilli	CON 3 PT LOT 23	271104000509300	0.082					\$0.00		\$0.00	\$0.00
Stefan John	CON 3 PT LOT 23	271104000509400	0.016					\$0.00		\$0.00	\$0.00
Johnson Raymond Francis	Jr CON 3 PT LOT 23 RP 59R10549	271104000510200	0.208					\$0.00		\$0.00	\$0.00
Vance Gregory Thomas	CON 3 PT LOT 23 RP 59R10549	271104000510202	0.417					\$0.00		\$0.00	\$0.00
Saxon Ronald Joseph	CON 3 PT LOT 23 PLAN	271104000510204	0.605					\$0.00		\$0.00	\$0.00
Pilkey Dean Lloyd	CON 3 PT LOT 23 PLAN	271104000510206	0.597					\$0.00		\$0.00	\$0.00
Schneider Darryl Frederick	CON 3 PT LOT 23	271104000510801	2.252					\$0.00		\$0.00	\$0.00
Zonneveld Bastian	CON 3 PT LOT 24	271104000510900	0.103					\$0.00		\$0.00	\$0.00
Terreberry Jack	CON 3 PT LOT 24	271104000511000	0.144					\$0.00		\$0.00	\$0.00
Jacak Dominik	CON 3 PT LOT 24	271104000511300	0.347					\$0.00		\$0.00	\$0.00
Moore Linda Ann	CON 3 PT LOT 24	271104000511400	660.0					\$0.00		\$0.00	\$0.00

EWA Engineering Inc.

2022-07-12

Page 15

¢	Ň
1	
÷	4
3	2
ć	ň

rain
rne D
Colbo
Port (

			Length Crossings	Channel Works Culvert Works Erosion Control Other Works Construction Sub-Total		a start of a	
Owner	Legal Text	Roll No Area, H	a \$/each	Assessments		PORTION OT ENG & AGMIN	ОТАТ эресіаї Белетіт
Moore Linda Ann	CON 3 PT LOT 24	271104000511500 0.02	6	00'0\$	\$0.00		\$0.0
Medvic Peter James	CON 3 PT LOT 24	271104000511600 0.35	6	00:0\$	\$0.00		\$0.0
McIntyre Shelly	CON 3 PT LOT 24	271104000511700 0.15	1	\$0:00	\$0:00		\$0.0
City of Port Colborne	59R11175 PART 1 59R11176	271104000699500 0.63	0 20.7	00'0\$	\$0:00		\$0.0
		310.11	0				
Roads							
City of Port Colborne	Sndier Rd from Hwy 3 to Killaly St E	ROW 2.03		\$0.00	\$0.00		\$0.0
City of Port Colborne	Second Concession W of Snider Rd.	ROW 1.22	1	\$0.00	\$0.00		\$0.0
City of Port Colborne	Snider Rd. from Hwy 3 to Second Conc	ROW 2.00	12	\$0.00	\$0:00		\$0.0
City of Port Colborne	Snider Rd. N of Second Concession	ROW 0.07	1 28.4	\$0.00	\$0.00		\$0.0
City of Port Colborne	Second Concession Rd. E of Babion	ROW 0.55	5	\$0:00	\$0:00		\$0.0
City of Port Colborne	Babion Rd. from Hwy 3 to Second Concess	ROW 2.30		\$0.00	\$0.00		\$0.0
City of Port Colborne	Chippawa Road	ROW 0.55	6	\$0.00	\$0.00		\$0.0
City of Port Colborne	Babion Rd. from 2nd to Chippawa	ROW 1.43	12	\$0.00	\$0.00		\$0.0
City of Port Colborne	Snider Rd protion south of Killaly St E	ROW 0.35	8	\$0.00	\$0.00		\$0.0
City of Port Colborne	Killaly St East W of Snider Rd	ROW 0.90	1	\$0.00	\$0.00		\$0.0
City of Port Colborne	Killaly St E east of Snider	ROW 0.17	9.	\$0.00	\$0.00		\$0.0
City of Port Colborne	Second Concession from Snider to Babion	ROW 1.64	5	\$0.00	\$0.00		\$0.0
MTO	Highway #3	ROW 3.28		\$0.00	\$0.00		\$0.0
		16.58					

54,453.36

ŝ

 $\overline{}$ 

2022-07-12

As per Section 26 of the Drainage Act, the follo	wing costs are to be charged directly to the f	Road Authorities liste	d as SPECIAL ASSESSN	AENTS.						
Agency	ltems	A. Portion of General Construction Costs	B. Channel n Improvement Work	C. Culvert ks Improvement Wor	D. Erosion and s Sediment Control Works	E. Other Improvement Works	Total Constructi Costs	on Portion of Administratic	TO1 on Costs Spe	AL cial Assessment
Port Colborne Branch #1										
City of Port Colborne	Assessed special benefit for improving Snider road outlet.		3.94				-v	.940 Ś	3.472	\$7.412.32
Regional Municipality of Niagara	No works proposed			2			• *	×		\$0.00
MINISTRY OF TRANSPORTATION ONTARIO		÷ -				\$ 4,000	\$	,000 \$	3,525	\$7,525.20
Utilities - Enbridge	No conflicts assessed during design No conflicts assessed during design						ۍ م	<u>ب</u> ہے۔ ا		\$0.00 \$0.00
	0		-		-		•	•		\$14,937.53
Port Colborne Drain										
			_	_						
City of Port Colborne	Extend drain along Babion Bd. to Second									
	Concession.			4				بر د د		
Regional Municipality of Niagara	Re-lay cuiverts at second concession ra. No works proposed			C'7 ¢	2		~ ~ ~	¢ coc' -	\$,U25	00.02 00.02
MINISTRY OF TRANSPORTATION ONTARIO					\$1,500.0	0	\$	,500 \$	4,697	\$6,196.57
Utilities - Enbridge	No conflicts assessed during design						\$	-		\$0.00
Utilities - Other	No conflicts assessed during design						Ş			\$0.00
										¢16 707 37
										10.201,014

Section 26

2022-07-12

Page 17

Appendices

# Appendix C: Past Financing and Cost Reports

# **Drainage Project Cost / Finance Report**

## Port Colborne Drain Maintenance and Past Eligible Costs

### Prepared for review: **December 16, 2021**

The following is a list of items for which there is an expectation that the past cost will be included in the current Drain Report and assessed according to the Drainage Act.

- 1. Port Colborne Drain
- 2. Last known Drainage Reports: CJ Clarke, 1969 / RVA, 1978 / Wiebe Feb 19, 1999 abandonment
- 3. Work completed to re-establish grade line in 2016 and to construct water quality wetlands within the Port Colborne Drain in the Wignell watershed.
- 4. Drainage Costs as follows

Recorded cost	Document reference	Cost to be
		assessed
\$3,000 to \$5,000 \$42,691.37 \$11,520.50 \$31,170.87	<ul> <li>#1 – Water Smart Memo by Henri Bennemeer, undated</li> <li>Additional modelling effort by Amec by request of MTO Cost of Engineering charged to Port Colborne Drain Requires invoice of actual fee amount paid.</li> <li>Under Reg 155/06 Total Cost of Construction</li> <li>NPCA Wetland Habitat Restoration Program Grant</li> <li>Allocated to project pending water smart funding</li> </ul>	\$0.00
\$27,536.96 - \$27,000.00	<ul> <li>#2 – CWWF Funding for Wetlands</li> <li>Cost report composed in handwritten notes by Henri</li> <li>Bennemeer, undated.</li> <li>AMEC and Duggan Invoices are totalled</li> <li>Water Smart Niagara – Funding Water Quality Study</li> <li>Cost of Water Quality Engineering charged to Port Colborne</li> <li>Drain (incl. HST net)</li> </ul>	\$536.96 (\$546.41)
\$177.560.44 \$123,232.84 \$241,254.46	<b>#3 – Cost Summary Table</b> Weibe Engineering Group AMEC Wignell Erosion Works – Rankin Construction	
\$23,624.91 \$42,691.37 - \$23,000.00 - \$11,520.50	Cost charged to Wignell Drain Anthony's Excavating – work on Port Colborne Drain Water Smart Niagara – Funding of channel re-alignment NPCA Wetland Habitat Restoration Program Grant	\$241,254.46
	Construction Cost charged to Port Colborne Drain	See below

# **Drainage Project Cost / Finance Report**

\$11,520.50	#4 - NPCA Grant A/R	
	#5 – Summary of Change Order #12 of Payment Cert. #5 and	
	Inv #7128 & #7129 related to Channel Realignment and	
	Water Quality Features	
\$ 5,300.00	Recorded cost for Snider Rd.	
	– not allocated to Port Colborne Drain and remains with City.	
\$ 1,410.00	Creating drive through crossings	
	Allocated to Port Colborne Drain	\$1,410.00
	(50/50 with landowners incl. HST net)	(\$1,434.82)
\$ 11,450.00	Construction Water Quality Features	
\$ 19,442.50	Construction of Drain Maintenance and Re-alignment	
	Construction Cost charged to Port Colborne Drain	\$19,442.50
	(incl. HST net)	(\$19,784.69)
	Reviewed by:	
	Date:	

- 5. Drainage Act Section that was used for conducting the work or impacted by the work. Section 74 for maintenance work
- The enacting by-law for the work that was constructed. There was no bylaw.
- 7. The intent for assessing the costs at the time the work was undertaken.
  - a. Some costs are to be assessed as a special benefit to the respective landowner on whom the work was completed. As these costs are outlet costs (maintenance) and/or engineering costs for design elements along the drain and/or design for the planned report, they are general costs to the drain as a whole and to be assessed as Section 23 Outlet Liability for each owner to pay a portion of the total.

# An Incentive Program for the Implementation of the Niagara Water Strategy

Invoice Submission for the Wignell/Michener & Beaver Dam Municipal Drains Water Quality Project

# **Contact Information:**

Henri Bennemeer, Project Manager Drainage Superintendent City of Port Colborne Phone: 905-835-2901 ext. 213 henribennemeer@portcolborne.ca

## Invoicing:

Supporting documentation has been provided for the full WaterSmart Funding amount of \$50,000.00 (see attached).

# **Project Completion Report:**

To appreciate the effort going into this project, I would like to provide the following background information so that one might gain some perspective on this project and the potential momentum that is anticipated.

The Wignell/Michener Municipal Drain project began in November of 2001 with the appointment of Wiebe Engineering Group Inc., to prepare a new engineer's report under the Drainage Act R.S.O. 1990, to consolidate several existing engineer's reports into one updated report, in order to improve the City's ability to carry out maintenance on this drainage works. During this process, a special interest group became involved, successfully having water quality considered under this report, in addition to that which was being contemplated. In 2008, some seven years later, after consuming a significant amount of resources, a SWM pond/wetland WQ facility was developed at a preliminary cost in excess of \$1,000,000.00, at a preliminary design cost of over \$40,000.00, ultimately proving to be unacceptable to the agencies & too expensive for the watershed to bear. Around the same time the engineering firm went into receivership, yielding an incomplete engineer's report.

After considerable investigation and collaboration with agencies and special interest groups, namely the Lorraine Bay Water Quality Group (LBWQG), the City appointed AMEC(FW) on July of 2011 to complete the original exercise, including the Beaver Dam Municipal Drain, with an emphasis towards Lake Erie near shore water quality for Lorraine Bay. Both the Wignell/Michener and the Beaver Dam Municipal Drain watersheds have their outlets into Lorraine Bay, hence the need to look at both of these systems collectively. The Lorraine Bay Water Quality Group (LBWQG) is quite anxious to have water quality incorporated and implemented into the design and construction stages of

this municipal drain process and have been quite vocal/involved throughout, since circa 2001. In an effort to determine a more scientific and cost effective approach to the requisite water quality measures for the Wignell/Michener and Beaver Dam Municipal Drains, AMEC(FW) retained the sub-consultant services of Dougan & Associates to conduct a terrestrial investigation/inventory of these drains.

The Dougan & Associates Vegetation Characterization & Restoration Opportunities Report, as titled (see enclosed), provides terrestrial support for the repair and improvement of the Wignell/Michener & Beaver Dam Municipal Drains, assessing the current function of these drains, while providing maintenance recommendations and solutions for the near shore water quality of Lorraine Bay. A comprehensive listing/table of opportunities and constraints for water quality improvement measures along specific reaches of each drain has been provided in this report for subsequent design and implementation. Along with the Dougan & Associates component of the project, at an expenditure of \$27,536.96 including HST net for the final version (see enclosed invoicing), inclusive of edits, there is an additional principle consultant expenditure of approximately \$18,865.00 for an AMEC(FW) Water Quality Assessment Report, which incorporates the work of Dougan & Associates, selecting or prioritizing several water quality feature sites or reaches, providing preliminary cost estimates, totalling approximately \$5,000,000.00.

By August 2015, all the principals to the project had now left this engineering firm, leaving City staff as the only continuity to the project. With that, City staff assumed the lead role in the project, collaborating with the NPCA to collectively develop an attainable implementation plan, utilizing Dougan & Associates study findings and NPCA staff expertise, in an effort to cost effectively implement water quality measures into the Wignell/Michener & Beaver Dam Drain watersheds. The implementation plan involved a process conducted outside of the more formal Drainage Act process in an effort to garner watershed buy-in, to determine the magnitude and actual costs of these features and to source external funding from such sources/programs as the NPCA Wetland Habitat Restoration Program and the Niagara Region's WaterSmart Incentive Program.

Staff determined for the interim, that it was in the best interest of the watershed to see a select number of enhancements to fruition. To that end, candidate sites were selected from the work carried out by Dougan & Associates. Property owners were then approached and asked to host a water quality wetland feature on their property, under the NPCA agreement process. These projects would initially be administered jointly by the City and the NPCA, with funding sources for the cost of construction external to the Drainage Act process. Ultimately, these facilities would be incorporated as part of the municipal drainage works in order to protect them and for the payment of any allowances, all under the report of an engineer under Drainage Act R.S.O. 1990, which will be completed at a later date.

Through the financial assistance of the NPCA's Wetland Habitat Restoration Program, two host sites, referred to as Konc & Van Ruyven (see enclosed), were selected and constructed in late 2015 and completed during the summer of 2016. As it now seems to be the norm, a number of unforeseen permitting requirements arose that delayed the

project well into the following year, along with significant associated cost increases. The first hurdle was that of obtaining MTO approval with respect to alterations to an existing watercourse/Wignell W1 & Wignell W2 Municipal Drains that were located within their purview. After considerable negotiations/discussions with MTO and a hydraulic modelling exercise (\$3,000.00-\$5,000.00), routing the flows through their most easterly culvert crossing along with the requisite south of Hwy # 3 realignment, became the preferred or accepted option.

The other hurdle was that of floodplain regulation, whereby other divisions within NPCA or Regulation 155/06 would not permit any excavated material from the wetland water quality features or the realignment, to be deposited within the floodplain Wignell W1 Municipal drain. After considerable discussion on the merits of the project, the City acquiesced and removed all of the excess material to the nearest fill site (unopened Snider Road allowance) at a considerable expense or increased cost to the overall project. Summarily, the total cost of construction came to \$42,691.37 including HST net (see enclosed invoicing), of which the City received \$11,520.67 including HST net from the NPCA's Wetland Habitat Restoration Program, leaving a balance of \$31,170.70 including HST net to be funded through the Region's WaterSmart Program.

In closing, more sites are planned for 2017, with negotiations underway with a significant property owner in the lower watershed. Staff are currently in consultation with Lindsay Buchanan of the Rural Lambton Stewardship Network and hope to access the Clean Water and Wastewater Fund (CWWF) for that endeavor. We expect much more interest once the aforementioned sites are complete, providing interested host parties with an actual demonstration site. The City appreciates the financial assistance that the WaterSmart Incentive program has provided for both the Dougan Report and the Wetland WQ restoration construction. Without this support the City would not have been able to move forward with such an important initiative. Since water quality enhancement is relatively new for municipal drains, it is imperative that financial assistance be secured, in order to obtain watershed buy in/acceptance.

The attached are a few of the contacts that were made while underway with this project:

Cheriene Vieira Great Lakes Advisor Ministry of the Environment and Climate Change West Central Region, Operations Division 119 King Street West, 12<sup>th</sup> Floor Hamilton, Ontario L8P 4Y7

Lindsay Buchanan Land Stewardship Manager Ontario NativeScape *a division of Rural Lambton Stewardship Network* 6890 Baseline Road Wallaceburg, ON N8A 2K6 519-809-5767

# Lbuchanan.rlsn@gmail.com

Deanna L. Lindblad Restoration Project Lead Niagara Peninsula Conservation Authority 250 Thorold Road, West, 3rd floor, Welland, ON L3C 3W2 905-788-3135 x237 dlindblad@npca.ca

Tim Dick, C.E.T. Director, Drainage, Asset and Waste Management Phone: 519-360-1998 X3310 Email: <u>timd@chatham-kent.ca</u>

Professor Daryl Dwyer PH.D. University of Toledo Ohio Wolfe Hall Suite 1235 2801 West Bancroft St., Mail Stop #604 Toledo, Ohio 43606-3390 419-530-2661 Dayrl.dwyer@utoledo.edu

Wolf Creek/Berger Ditch Corridor Restoration - Maumee Bay http://www.tmacog.org/Environment/Wolf/Wolf Creek Berger Ditch Corridor Restorati on Plan.pdf

### **Financial Report**

See attached spreadsheet.

CWWF funding for wetlands

CLEON WATER JASTEWATER FUUD

AMEL

Doven

1626

GP	127931	9/13/11
GP	12987	10/19/11
后户	131371	11/22/11
68	143512	6/25/12
6P	150412	10/22/12
68	15747	03/27/13
60	16310	08/16/13
68	16 522	10/21/13
68	16616	11/13/13
60	16799	12/19/13
69	16912	01/16/14
68	17514	06/13/14

774 BOH, 844, 694, 943, 9015, 1018 1066, 1129, 1130, 1128, 240

> 32,604,69 - 6,036.00 26,568.69

21	201.45
t	555,50
1	298.50
46	299.07
17,	903.36
۱,	28.280
2	037.50
3	,121_33
21.	024 69
6	036.00

27,060.69 + 1.0176 = 27,536.96

# **Financial Report**

3

(All Figures Inclusive of HST Net)

	Municipal Budget	Expended	Unexpended	Grants
Weibe Engineering Group Inc	\$177,560.44	\$177,560.44	\$0.00	\$0.00
Rankin Construction LTD. Erosion Works	\$241,254.46	\$241,254.46	\$0.00	\$0.00
AMEC(FW)	\$153,800.00	\$123,232.84	\$30,567.16	\$0.00
Wignell Interim Maintenance, Payment Certificate #5, page 7 and CO #1 page 8	\$25,000.00	\$23,624.91	\$1,375.09	\$0.00
Water Quality Items				
Dougan & Associates	\$28,500.00	\$27,536.96	\$963.04	\$27,000.00 (WS)
Anthony's Excavating Central Inc. 2015	\$15,500.00	\$15,360.67	\$139.33 7	\$11,520.50 (NPCA)
Anthony's Excavating Central Inc. 2016	\$23,500.00	\$23,356.46	\$143.54	\$23,000.00 (WS)
Anthony's Excavating Central Inc. 2016 Channel Realignment Payment Certificate #5, page 7 Item 4.7e	\$2,500.00	\$2,244.32	\$255.68	\$.000
Greenside Landscaping & Lawn Service Inc.	\$2,000.00	\$1,729.92	\$270.08	\$0.00
	\$669,614.90	\$635,900.98	\$33,713.92	\$61,520.50

\$42,691.37



4

# **REQUEST FOR** ACCOUNTS RECEIVABLE INVOICE

PORT COLL	BOR NE ACCOUNTS RECEIVABLE INVOICE
DATE:	November 30, 2011
COMPANY NAME:	Niagara Peninsula Conservation Authority
ADDRESS:	250 Thorold Road West, 3rd Floor, Welland, ON L3C 3W2
CONTACT NAME:	Deanna Lindblad
TELEPHONE #	905-788-3135 ext 237
FAX #	905-788-1121

905-788-1121

ITEM / DESCRIPTION	G/L NUMBER	UNIT PRICE	SUB-TOTAL
Wignell Drain Wetland Water Quality 1.76% HST Cost Component	3-560-3322A- >328		15,095.00 265.67
		SUBTOTAL Grant	15,360.67 11,520.50
		Total	11,520.50

Department:

Engineering & Operations

Approved by:

Signature			
Ron Hanson			
Print Name	UNITE STUDIES IN	100 March 100 M	

Konc Property Van Ruyven Property Excavator **Dump Trailer Bull Dozer** Moving topsoil from Wetlands VanRuyven Water Quality Features **Dump Trailers** Bull Dozer Miscellaneous Leveling & Trucking **Dump Trailer Bull Dozer** Excavator Filling in Existing Drain Konc's Excavator Erosion protection on the bend Dump Trailer Dump Trailer **Bull Dozer** Creating drive through crossings Excavator Excavator Dump Trailer **Bull Dozer Creating Snider Road** Summary of Change Order #12 of Payment Certificate #5 and Invoices #7128 & #7129 Related to Channel Realignment & Water Quality Features 20-May 8.5 24-May 10 25-May 10 26-May 5 10 5 ωσω 30-May 31-May 10 20 9.5 80 US 01-Jun ω G 02-Jun 3.5 5 00 5.0 5.0 22.5 **8.5** 8.5 **35.5** 60.0 33.5 8.5 6.0 3.0 3.0 35.5 # \$ 145.00 60 # \$ 105.00 33.5 # \$ 115.00 22.5 8.5 # \$ 145.00 17 # \$ 105.00 8.5 # \$ 115.00 5 # \$ 145.00 10 # \$ 105.00 5 # \$ 115.00 8.5 ωσω \$ 145.00 # \$ 105.00 3 # \$ 145.00 5 # \$ 105.00 3 # \$ 115.00 # \$ 115.00 \$ 105.00 \$ 115.00 \$ 1,232.50 \$ 1,785.00 \$ 977.50 \$ 5,147.50 **\*** \$ 6,300.00 **\$** \$ 3,852.50 \$ 725.00 \$ 1,050.00 \$ 575.00 1.76% \$ 6,700.00 \$ 2,400.00 s s \$ \$ \$ \$ \$ 3,262.50 577.50 977.50 630.00 435.00 345.00 s v S \$ 38,264.30 11,450.00 11,451.52 37,602.50 15,300.00 3,892.50 1,555.00 3,995.00 1,410.00 661.80 15,569,28 3961.01 1582.31 H065,31 1431.82

D

#### **CERTIFICATE**

## TO: Borden Ladner Gervais LLP

IN THE MATTER OF By-law Number 71-2007 (the "**Debenture By-law**") authorizing an issue of instalment debentures of The Regional Municipality of Niagara (the "**Upper-tier Municipality**") in the aggregate principal amount of \$22,809,804.00 - \$845,000.00 of which relates to The Corporation of the City of Port Colborne (the "**Lower-tier Municipality**");

AND IN THE MATTER OF certain authorizing by-laws of the Lower-tier Municipality.

I, Janet Beckett, refer to my declaration declared July <u>5</u><sup>th</sup>, 2007. I hereby certify that all statements contained in such declaration are true and correct as at the date hereof.

DATED at the City of Port Colborne as at the 10th day of July, 2007.

Jant Becker

Janet Beckett, Clerk

# **City of Port Colborne**

DATE: APRIL 23RD, 2007

MOVED BY COUNCILLOR G. BRUNO

#### SECONDED BY COUNCILLOR B. Butters

WHEREAS the Council of the Corporation of the City of Port Colborne passed By-law No. 4988/44/07 Being a By-law to Authorize the Borrowing of the Sum of Seven Hundred and Forty-Five Thousand Dollars (\$745,000) Upon the Issuance of Debentures for Such Purposes, for the construction of Wignell and Michener Municipal Drains;

**WHEREAS** the estimated cost of construction of the Wignell and Michener Municipal Drains amount to \$745,000;

**WHEREAS** it is deemed desirable to issue debentures in the amount of \$745,000 in accordance with the terms of the various authorizing by-laws applicable to such expenditures;

**NOW THEREFORE** be it resolved by the Council of the Corporation of the City of Port Colborne as follows:

**THAT** the City Clerk be and is hereby directed to request the Council of the Regional Municipality of Niagara to issue debentures, on behalf of the said City of Port Colborne in the amount of \$745,000 to finance the construction of the Wignell and Michener Municipal Drains and to be a 10 year debenture;

**AND THAT** the City Clerk and the Treasurer be and they are hereby directed to make available to the said Regional Municipality of Niagara certified copies of all By-laws and Orders of the Ontario Municipal Board applicable and all other information required in this connection, to ensure the issue of the said debentures in the amount of \$745,000. for the construction of the Wignell and Michener Municipal Drains as described in the attached schedule.

<u>Vance Badawey (sgd.)</u> Mayor

CERTIFIED TRUE AND CORRECT COPY CERTIFIED TRUE AND CORRECT COPY CAY Clork Jour Parket

## THE CORPORATION OF THE CITY OF PORT COLBORNE

## BY-LAW NO. 4988/44/07

#### BEING A BY-LAW TO AUTHORIZE THE BORROWING OF THE SUM OF SEVEN HUNDRED AND FORTY-FIVE THOUSAND DOLLARS (\$745,000) UPON THE ISSUANCE OF DEBENTURES FOR SUCH PURPOSES

WHEREAS Section 401(1) of the Municipal Act, 2001, S.O. 2001, c.25, as amended, authorizes the municipality to borrow money or incur a debt for municipal purposes and may issue debentures for the money borrowed or for the debt.

WHEREAS the Council of the Corporation of the City of Port Colborne deemed it desirable to undertake the following Capital Project in 2007 by issuance of debentures:

The construction of the Wignell and Michener Municipal Drains, as approved by Council in the Department of Operational, Planning & Development Services Report No. 2007-25, for the amount of \$745,000.

WHEREAS the Treasurer of the Corporation of the City of Port Colborne has confirmed that the debt repayment limit for the City of Port Colborne has been updated and this project will not cause the Corporation to exceed its limit.

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE CITY OF PORT COLBORNE ENACTS AS FOLLOWS:

1. In this By-law:

"Council" means the Council of the Corporation of the City of Port Colborne. "Corporation" means the Corporation of the City of Port Colborne.

- The Council authorizes and approves the Capital Project, being the construction of the Wignell and Michener Municipal Drains in 2007 for the amount of \$745,000.
- 3. That the cost of the project, namely \$745,000, to be borne by the ratepayers within the Wignell and Michener Municipal Drain Watershed, shall be paid for by the issue and sale of debentures for the amount of \$745,000 over a period of ten (10) years.

4. Any debentures to be issued by the Council of the Regional Municipality of Niagara, with respect to the said project or part thereof, shall bear interest at such rate or rates as shall be determined by the Regional Council.

- 5. The Mayor and Treasurer are hereby authorized on behalf of the Corporation to borrow from any bank, person, firm or corporation from time to time, pending the issue and sale of debentures, any money necessary to meet the expenditures incurred up to the amount of the estimated cost thereof, and the Mayor and Treasurer are hereby authorized to execute a promissory note or notes thereof and the Clerk is hereby authorized to affix the corporate seal thereto.
- 6. The City Clerk of the Corporation is hereby authorized and directed to request the Council of the Regional Municipality of Niagara to borrow money for the purposes hereinbefor set out to a maximum amount of \$745,000 and to issue debentures therefore to the credit of the Regional Corporation and to suggest to the Regional Municipality of Niagara that such debentures shall be payable within ten (10) years.

READ A FIRST, SECOND AND THIRD TIME AND FINALLY PASSED THIS 23rd DAY OF APRIL, 2007.

Vance Badawey MAYOR

aut Berlitt Janet Beckett

CITY CLERK

CITY OF PORT COLBORNE CERTIFIED TRUE AND CORRECT COPY City Chart Beckett 05/01/07



Subject: FINANCING OF THE WIGNELL-MICHENER MUNICIPAL DRAINS

#### **RECOMMENDATION:**

That the Council of the City of Port Colborne approve the works contained in this report for the construction of the Wignell and Michener Municipal Drains.

That the Council of the City of Port Colborne approve the attached resolution to authorize the Regional Municipality of Niagara to issue the debenture in the amount of \$745,000.00 over a period of 10 years for the works related to construction for the Wignell and Michener Drains.

That the Council of the City of Port Colborne authorize the City Clerk and Mayor to sign the appropriate by-law to authorize the issuance of debentures by the Region.

#### Purpose of the Report

The City of Port Colborne has appointed Wiebe Engineering Group to prepare a report for the repair and improvement of the Wignell, Michener M - 1 and the Michener M - 2 Municipal Drains. The estimated cost of the work is \$780,000.00 and Council should consider debenturing the cost of this project as the City cannot finance this amount on behalf of the benefiting landowners within the watershed.

#### Analysis

Council appointed Wiebe Engineering Group on December 21, 2001 to prepare a drainage report for the Wignell and Michener Municipal Drains, under the appropriate sections of *The Drainage Act*, *R.S. O 1990*. The primary reason for the Report was to amalgamate 5 different by-laws for various portions of the Wignell Municipal Drain into one by-law, to confer municipal drain status on a short section connecting two portions of the Wignell Drain, to update the assessment schedules to reflect current land use and watershed boundaries, and to provide for needed repairs and improvements.

The "on-site" meeting for this project was held the evening of January 9, 2002 and was attended by about 90 landowners as well as Councillors Butters and Bodner. Many issues were raised and discussed at the meeting, including a storm water management system to control discharge of sediment and nutrients into Lorraine Bay, the ongoing erosion problem in the muck type soils in the portion of the Wignell Drain located south of the Friendship Trail, and others.

A treatment wetlands / storm water management system was designed, however, the cost was so high that it was decided not to proceed with that as part of the Report. The concept has not been abandoned, we are trying to receive funding for the wetlands through Water Smart Niagara. Concerns were raised about contaminants in the sediment in the bottom of the drain, so soil samples of the drain bottom were taken and tested and the test results indicate that the sediment is within provincial guidelines so the excavated material is safe to spread along the side of the drain.

The existing building housing the pump at Lakeshore Road East must be replaced, the starter on the pump inside the building must be replaced, the controller for the Grindex pump on the north side of the floodgates must be moved to inside the building, "bubblers" must be installed inside the pump wetwell to prevent freezing, the existing transformer must be upgraded to provide more power, the power supply cables must be moved underground, the floodgates require remedial work, and various

electrical components and installations for the pumps and floodgates must be upgraded to meet current Hydro regulations.

Erosion continues to worsen, to the extent that we had to install a concrete block wall along the Smith property between Snider Road and the Cemetery at a cost of \$226,000. Repairs and improvements are required all along the Wignell and Michener Drains to improve flows and reduce erosion.

The work has escalated beyond what was originally considered when the engineer was appointed in late 2001. The cost of the required works is now estimated at \$780,000, as follows:

10	Construction: Main Drain = \$400,000 (includes the \$226,000 for the concrete wall)	
	Wignell W-1 = \$38,000	
	Wignell W-2 = $$23,000$	
	Michener $M-1 = $15,000$	
	Michener $M-2 = $56,000$	
	Total construction & Contingency = $$532,000$	
	Allowances = \$53,000	
M	Engineering & Administration = \$151,000	
	GST = \$44,000	
圜	TOTAL COST = \$780,000	

#### **Resource Implications**

1. 18 . 1

The estimated \$780,000 cost will have to be borne upfront by the municipality. It is estimated that approximately 15% of that cost will be assessed to City owned lands and road allowances and the remainder will be invoiced to affected landowners within the watershed. The actual cost to be debentured, net of GST and commission/legal fees, amounts to \$745,000.00.

#### **Policies Affecting The Proposal**

The attached resolution provides the authority for the Region to issue a 10 year debenture for the construction of the Wignell and Michener Drains . This confirms that the Treasurer has updated the municipalities 2006 annual repayment limit respecting long term debt and financial obligations and determined that the estimated annual amount payable in respect of the drain construction, the additional cost amount and additional debenture authority, would not cause the municipality to reach or to exceed the updated 2006 limit.

#### Comments From Relevant Departments, Agencies & Corporate Partners

None.

#### Alternatives

None

#### Conclusions

That the construction of the Wignell and Michener Drains be approved with financing from the issuance of debentures from the Region in the amount of \$745,000.00. Costs will be recovered from the affected landowners following completion of the works.

#### Attachments

The attached by-law and resolution is required to authorize the borrowing of \$745,000.00 upon the issuance of debentures by the Region in June, 2007.

Prepared by:

1.1.1

22 René Landry, C.E.T., CST Drainage Superintendent

Engineering Assistant

Approved and Respectfully Submitted by:

Robert Cotterill, P. Eng. Chief Administrative Officer Reviewed and Approved by:

Tim Stuart, PlEng.

Director of Operational, Planning and Development Services

Financing strategy reviewed and Approved by:

Peter Senese Director of Community & Corporate Services

Wignell/Michener Debenture

ember 31,	December 31,		December 31,	,	December 31,	<u> </u>	December 31,	<u>_</u>	ecember 31,		ecember 31,		ecember 31,		ecember 31,	ð	ecember 31,	Dece	mber 31, Total
2008 TOT	LL 2008.	2009 TOTAL	2009.	2010 TOTAL .	2010. 26	11 TOTAL 2	011. 20	112 TOTAL 26	012. 20 <sup>1</sup>	13 TOTAL 21	013. 20	14 TOTAL 24	014. 20	15 TOTAL 21	015. 2t	016 TOTAL 20	16. 21	017 TOTAL 2017	
8	\$ 685,773,55		\$ 623,570,98		\$ 558,277,98		\$ 489,704.23	S	3 417,715,44	8	5 342,126.42		5 262,748.73	3	179,397,98	S	91,889,76	s	•
\$ 96,38	3,48	\$ 96,422,90		\$ 96,485,90	S	96,556,81	S	96,577,48	S	96,614,26	8	96,661,28	s	96,665,48	\$	96,613,74	0,	96,576,12	
\$ 59,22	5.45 5.45	\$ 62,192.57		\$ 65,303.00	s	68,573,75	Ś	71,988.79	s	75,589.02	ŝ	79,377,69	s	83,350,75	S	87,508.22	07	91,889,76	
\$ 37,16.	2.03	\$ 34,230,33		\$ 31,182,90	s	27,983,06	s	24,588,69	s	21,025,24	s	17,283,59	s	13,314.73	s	9,105.52		4,686.36	\$ 22

2007-2009 Contract cost for Rankin Construction Retaining Wall Erosion Protection Wall Erosion Protection Wall 2001-2007 Weibs Engineering Fees

÷													
3	2,191,23	\$13,425.	.67	\$12,366.52	\$11,265.57	\$10,109.55	\$8,883.25	\$7,595.87	\$6,244.11	\$4,810.26	\$3,289.59	\$1,693.06	\$79,683.45
	\$820.24	\$5,025.	63	\$4,629,16	\$4,217.04	\$3,784.31	\$3,325.27	\$2,843.36	\$2,337.36	\$1,800.63	\$1,231.39	\$633.76	\$29,827.92
I .	\$3,011.47	\$18,451.	31	\$16,995,69	\$15,482,61	\$13,893.86	\$12,208.52	\$10,439.23	\$8,581.47	\$6,610,89	\$4,520.98	\$2,326.82	\$ 109,511.38
		4.95	%6	4.59%	4.19%	3,76%	3,30%	2.82%	2.32%	1.79%	1.22%	0.63%	29.61%

Appendices

# Appendix D:

# **Supplementary Information**

# City of Port Colborne Regular Committee of the Whole Meeting 16-18 Minutes

Date:	July 23, 2018	
Time:	6:30 p.m.	
Place:	Council Chambers, M Colborne	unicipal Offices, 66 Charlotte Street, Port
Members Present:	R. Bodner, Councillor B. Butters, Councillor F. Danch, Councillor A. Desmarais, Counci D. Elliott, Councillor B. Kenny, Councillor J. Maloney, Mayor (pr Absent: Y. Doucet, J. Mayne,	llor esiding officer) Councillor (due to vacation) Councillor (leave of absence)
Staff Present:	D. Aquilina, Director o T. Cartwright, Fire Ch A. Grigg, Director of C N. Halasz, Manager o A. LaPointe, Manager C. Lee, Director of En S. Luey, Chief Admini P. Senese, Director of	f Planning and Development ef ommunity and Economic Development f Parks and Recreation of Legislative Services/City Clerk (minutes) gineering and Operations strative Officer Corporate Services

Also in attendance were interested citizens, members of the news media and WeeStreem.

# 1. Call to Order:

Mayor Maloney called the meeting to order.

# 2. Introduction of Addendum Items:

Nil.

# 3. Confirmation of Agenda:

Moved by Councillor B. Kenny Seconded by Councillor A. Desmarais

That the agenda dated July 23, 2018 be confirmed, as circulated or as amended.

CARRIED.

# 2. Engineering and Operations Department, Engineering Division, Report 2018-103, Subject: Wignell, Michener, Port Colborne and Beaverdam <u>Municipal Drains Engineer Appointment</u>

Moved by Councillor R. Bodner Seconded by Councillor B. Butters

That the appointment of Paul Smeltzer P. Eng. of AMEC(FW) be rescinded as per Section 39(2) Chapter D.17 of *the Drainage Act R.S.O. 1990*; and

That Paul Marsh P. Eng. of EWA Engineers Inc. be appointed under Section 78(1) Chapter D.17 of the *Drainage Act R.S.O. 1990*, and that this appointment become effective once the conditions of Section 78(2) have been met; and

That staff be authorized to execute a petition under Section 4 Chapter D.17 of the *Drainage Act R.S.O. 1990* to initiate/incorporate any new works related to municipal roads and/or property; and

That Paul Marsh P. Eng. of EWA Engineers Inc., be appointed under Section 8 Chapter D.17 of the *Drainage Act R.S.O. 1990* for the new works contemplated and any additional petitions under Section 4, related to the Wignell, Michener Port Colborne and Beaver Dam Drains, that may come forward during the Drainage Act process; and

That the Mayor and Clerk be authorized to sign the requisite Engineering Services Agreement for the preparation of new engineer(s) reports for the Wignell, Michener, Port Colborne and Beaverdam Municipal Drains. CARRIED.

# 14. Notice of Motion:

Nil.

# 15. Adjournment:

Moved by Councillor F. Danch Seconded by Councillor D. Elliott

That the Committee of the Whole meeting be adjourned at approximately 7:31p.m. CARRIED.

AL/cm

# WIGNELL MUNICIPAL DRAIN W2 RELOCATION W1 ABANDONMENT

## **ENGINEER'S REPORT**

CITY OF PORT COLBORNE Regional Municipality of Niagara

DATED: FEBRUARY 19, 1999

Copyright 1999

WIEBE ENGINEERING GROUP INC. CONSULTING ENGINEERS & PROJECT MANAGERS

> 826 East Main Street WELLAND, Ontario L3B 3Y9 Ph. (905) 735-4522 Fax (905) 735-5355 E-mail: wiebe@vaxxine.com



..



ENGINEERING AND OPERATIONS DEPARTMENT ENGINEERING DIVISION

# Report Number: 2013-1 Date: January 14, 2013

# SUBJECT: Wignell/Michener & Beaverdam Drains – Abandonments & Subsequent Connections

# 1. PURPOSE:

This report prepared by Henri Bennemeer, Drainage Superintendent has been authorized by Chris Lee, Manager of Projects & Design in response to a request from Port Colborne Quarries to have the Wignell 2A (W-2A) and a portion of the Wignell 2 (W-2) east of Babion Road abandoned and to have a remnant portion of the Wignell 2 watershed redirected to the Michener 2 (M2). The purpose of this report is to provide Council with background information and requisite actions.

# 2) HISTORY, BACKGROUND, COUNCIL POLICY, PRACTICES

Some years previous, circa 1998 the former owners of Port Colborne Quarries had requested that certain portions of the Wignell Municipal Drain system (W-1, W-2 & W-2A) be abandoned (see attached plan). An engineer's report was prepared by Wiebe Engineering Group dated February 19, 1999 dealing with an initial request to have a portion of the W-2 drain west of Babion Road, within the quarry lands, relocated as part of their rehabilitation plan, as well as the abandonment of a portion of the W-1 drain. The request to have the W-2 & W-2A drains abandoned was postponed until sometime in the future, when needed.

As Council may be aware the Wignell/Michener Municipal Drain Report has been under review for a number of years through a former appointment of Wiebe Engineering Group Inc. and more recently, combined with the Beaverdam Municipal Drain, through the appointment of AMEC Environment & Infrastructure. Throughout the review process, in discussions between AMEC and the current owner of Port Colborne Quarries (who now wish to move the abandonments forward), it was anticipated that the report, including the abandonments, would be finalized by the time quarry operations necessitated the removal of the aforementioned drains and ancillary works related to the redirection of the remnant portion of the W-2 watershed. A number of factors have affected this timing, namely the scope of the project and increased activity at the quarry that has moved the timelines forward, requiring that interim or alternate measures under the Drainage Act be taken.

## 3) STAFF COMMENTS AND DISCUSSIONS

Under Section 84 Chapter D.17 of the Drainage Act R.S.O. the Council of the initiating municipality may give notice on its own initiative, to the property owners affected, of its intention to abandon a drainage works or part thereof as specified in the notice, without any written request of the landowners assessed for benefit, in respect of the drainage
works. If within ten days of the mailing of the notice, no landowners receiving the notice request that an engineer's report be prepared on the proposed abandonment, then Council may by by-law abandon the drainage works or part thereof and thereafter the municipality will have no further obligation with respect to the drainage works.

In the case of the abandonment of the W-2 and W-2A east of Babion Road there are only two properties affected, that of Port Colborne Quarries, through which the drains pass and that of Mr. Paul Fehrman, who's lands drain into the W-2 at their west property line with Port Colborne Quarries. In discussions with both property owners, neither require the report of an engineer for the abandonment, provided that the drainage of the Fehrman lands can be redirected to the east into the M-2 drain.

In regard to redirecting or subsequently connecting lands to a drainage works to which the lands are not assessed, Section 65(3) & 65(5) Subsequent Connections to a Drainage Works, Chapter D.17 of the Drainage Act R.S.O. 1990, respectively provides for the clerk to instruct an engineer to inspect the subject lands and to assess it for a just proportion of the drainage works and to provide for Council authority to allow the connection. Again, similar to the abandonment, there will be no appeals as all construction costs and engineering related to the subsequent connection process are to be borne by Port Colborne Quarries. Staff is in receipt of the appropriate documentation from both parties in regard to the aforementioned requests/releases/commitments.

As a further assurance the new report by AMEC will address any oversights and or inequities that may develop as a result of this alternative measure.

## 4) OPTIONS AND FINANCIAL CONSIDERATIONS:

#### a) Do nothing.

This is an option. However, it would cause serious hardship and additional costs to Port Colborne Quarries if they were delayed until the outcome of the Engineer's Report on the Wignell/Michener Municipal Drain.

#### b) Other Options

None.

## 5) COMPLIANCE WITH STRATEGIC PLAN INITIATIVES

Municipal Drain Maintenance Strategic Planning is currently under review. This project is in compliance with all City legislative requirements.

## 6) ATTACHMENTS

Aerial plan of the subject area.

#### 7) **RECOMMENDATION**

- A. That Council receives this report as information.
- B. That Council hereby authorizes the subsequent connection of the Fehrman lands identified as Roll # 2711-040-003-15310 to the Michener M-2 Municipal Drain.
- C. That the City Clerk be authorized to send notice to the affected parties as defined in Section 84(2) Chapter D.17 of the Drainage Act R.S.O. 1990 and to prepare the appropriate by-law for the abandonment of those portions of the Wignell W-2 and W-2A Municipal Drains east of Babion Road, which by-law will come into effect once the conditions of Section 84(5) Chapter D.17 of the Drainage Act R.S.O. 1990 are met.

### 8) SIGNATURES

Prepared on January 2, 2013

Reviewed by:

Henri Bennemeer Drainage Superintendent Chris Lee Manager of Projects & Design

Reviewed by:

Reviewed by:

Ron Hanson, C.E.T. Director, Engineering & Operations Peter Senese Director of Corporate and Community Services

Reviewed and Respectfully Submitted:

Robert J. Heil Chief Administrative Officer



[TITLE] Wignell Drain

[OPTIONS] ;;Options		Value									
;; FLOW_UNITS INFILTRATION FLOW_ROUTING LINK_OFFSETS MIN_SLOPE ALLOW_PONDING SKIP_STEADY_STAT	E	CMS CURVE KINWA DEPTH 0 YES NO	_NUMBER VE								
START_DATE START_TIME REPORT_START_DAT REPORT_START_TIM END_DATE END_TIME SWEEP_START SWEEP_END DRY_DAYS REPORT_STEP WET_STEP ROUTING_STEP	E	11/20, 00:00 11/20, 00:00 11/23, 00:00 01/01 12/31 0 00:10 00:10 00:10 01:00 30	/2018 :00 /2018 :00 /2018 :00 :00								
INERTIAL DAMPING NORMAL FLOW LIMI FORCE MAIN EQUAT VARIABLE STEP LENGTHENING STEP MIN_SURFAREA MAX_TRIALS HEAD_TOLERANCE SYS_FLOW_TOL LAT_FLOW_TOL MINIMUM_STEP THREADS	TED ION	PARTI2 BOTH H-W 0.75 0 0 8 0.001 5 5 5 0.5 4	AL 5								
[EVAPORATION] ;;Type	Param	eters									
CONSTANT DRY_ONLY	0.0 NO										
[RAINGAGES] ;; ;;Name	Rain Type		Time Intrvl	Snow Catch	Data Source	e					
Rain Gage-01	CUMU	LATIVI	E 0:10	1.0	TIME	SERIES TS	5-SCS24_5				
[SUBCATCHMENTS] ;; ;;Name	Rain	gage		Outlet		Total Area	Pcnt. Imperv	Width	Pcnt. Slope	Curb Length	S
;; ;Bower B1 ;Michener	Rain	Gage	-01	J6		8.32	5	201	0.25	0	
M1 ;Michener	Rain	Gage	-01	J1		30.426	4.5	288	0.17	0	
M2	Rain	Gage	-01	J2		26.526	4.5	420	0.43	0	

;Michener

M3 ;Michener	Rain	Gage-	01	J7		41.95000	0 4.5	411	.01	0
M4	Rain	Gage-	01	J4		18.79000	0 4.5	469.75	.001	0
;Michener M5 .Bort Colborno	Rain	Gage-	01	J5		15.52000	0 4.5	597	.001	0
PC1 PC1	Rain	Gage-	01	J21		20.1163	4.5	198	0.53	0
PC10 PC10	Rain	Gage-	01	J18		1.98	55	40	0.4	0
PC11 ;Port Colborne	Rain	Gage-	01	J88		3.65	45	36.5	0.4	0
PC2 ;Port Colborne	Rain	Gage-	01	J21		41.1751	4.73	374	0.24	0
PC3-QW1 ;Port Colborne	Rain	Gage-	01	J20		66.06	0	660	0.01	0
PC4-QE1 ;Port Colborne	Rain	Gage-	01	J19		63.43000	0 0	906	0.01	0
PC5 ;Port Colborne	Rain	Gage-	01	J17		7.7	4.5	153	0.4	0
PC6 ;Port Colborne	Rain	Gage-	01	J14		21.44	4.5	447	0.2	0
PC7 ;Port Colborne	Rain	Gage-	01	J15		59.555	4.5	455	0.2	0
PC8 ;Port Colborne	Rain	Gage-	01	J16		39.25	4.5	441	0.56	0
PC9_3 ;Port Colborne	Rain	Gage-	01	J32		8.952833	4.5	239	0.75	0
PC9_4 ;Wignell	Rain	Gage-	01	J10		4.005947	85	60	0.75	0
W1 ;Wignell	Rain	Gage-	01	J22		62.0833	4.5	511	0.77	0
W10 ;Wignell	Rain	Gage-	01	J12		100.6000	00 4.5	680	.01	0
W11 ;Wignell	Rain	Gage-	01	J8		26.23000	0 4.5	1380	3	0
W12 ;Wignell	Rain	Gage-	01	J24		18.67	4.5	275	0.15	0
W13 ;Wignell	Rain	Gage-	01	J87		28.59	4.5	342	0.36	0
W14 ;Wignell	Rain	Gage-	01	J27		34.15	4.5	491	0.29	0
W2 ;Wignell	Rain	Gage-	01	J23		87.36	4.5	488	0.5	0
W3 ;Wignell	Rain	Gage-	01	J28		41.21	4.5	330	0.16	0
W4 ;Wignell	Rain	Gage-	01	J86		42.97	4.5	511	0.6	0
w5 ;Wignell	Rain	Gage-	01	J26		22.3	4.5	354	0.10	0
w6 ;Wignell	Rain	Gage-	01	JZ5		83.88	4.5	986	0.12	0
w/ ;Wignell	Rain	Gage-	01	JZ4		41.00	4.5	495	0.12	0
wa ;Wignell	Rain	Gage-	01	JZ 9		0.01	4.5	220	0.33	0
w9 ;Wignell	Rain	Gage-	01	J30		23.23	4.5	502.06	0.81	0
WDI ;Wignell	Kain	Gage-	01	JZY		0.00	4.J	250	0.38	0
WBZ	каın	Gage-	UT	J∠4		10.34	4.5	250	∪.∠4	U
[SUBAREAS] ;;Subcatchment	N-Imj	perv	N-Per	v	S-Imperv	S-Perv	PctZero	Route'	To I	ctRouted?

::						
B1	0.015	0.1	10	5	25	OUTLET
Ml	0.015	0.1	10	5	25	OUTLET
M2	0.015	0.1	10	5	25	OUTLET
МЗ	0.0150	0.1000	10	5.00	25	OUTLET
M4	0.0150	0.1000	10	5.00	25	OUTLET
M5	0.0150	0.1000	10	5.00	25	OUTLET
PC1	0.015	0.1	10	5	25	OUTLET
PC10	0.015	0.1	10	5	25	OUTLET
PC11	0.015	0.1	10	5	25	OUTLET
PC2	0.015	0.1	10	5	25	OUTLET
PC3-QW1	0.015	0.1	10	200	25	OUTLET
PC4-QE1	0.0150	0.1000	10	200	25	OUTLET
PC5	0.015	0.1	10	5	25	OUTLET
PC6	0.015	0.1	10	5	25	OUTLET
PC7	0.015	0.1	10	5	25	OUTLET
PC8	0.015	0.1	10	5	25	OUTLET
PC9 3	0.015	0.1	10	5	25	OUTLET
PC9_4	0.015	0.1	10	5	25	OUTLET
W1	0.015	0.1	10	5	25	OUTLET
W10	0.0150	0.1000	10	5.00	25	OUTLET
W11	0.0150	0.1000	10	5.00	25	OUTLET
W12	0.015	0.1	10	5	25	OUTLET
W13	0.015	0.1	10	5	25	OUTLET
W14	0.015	0.1	10	5	25	OUTLET
W2	0.015	0.1	10	5	25	OUTLET
W3	0.015	0.1	10	5	25	OUTLET
W 4	0.015	0.1	10	5	25	OUTLET
W5	0.015	0.1	10	5	25	OUTLET
W 6	0.015	0.1	10	5	25	OUTLET
W7	0.015	0.1	10	5	25	OUTLET
W8	0.015	0.1	10	5	25	OUTLET
W 9	0.015	0.1	10	5	25	OUTLET
WB1	0.015	0.1	10	5	25	OUTLET
WB2	0.015	0.1	10	5	25	OUTLET

[INFILTRATION]	Carace Nam	UndCom	Davar
;;Subcatchment			Dryrime
R1	83	0.5	Δ
M1	73	0.5	4
M2	83	0.5	4
M3	73.00	0.5	4
M4	73.00	0.5	4
М5	73.00	0.5	4
PC1	83	0.5	4
PC10	93	0.5	4
PC11	93	0.5	4
PC2	83	0.5	4
PC3-QW1	73	0.5	4
PC4-QE1	73.00	0.5	4
PC5	83	0.5	4
PC6	83	0.5	4
PC7	83	0.5	4
PC8	83	0.5	4
PC9_3	83	0.5	4
PC9_4	95	0.5	4
W1	83	0.5	4
W10	73.00	0.5	4
W11	73.00	0.5	4
W12	83	0.5	4
W13	83	0.5	4
W14	83	0.5	4
W2	83	0.5	4

W3 W4 W5 W6 W7 W8 W9 WB1 WB2	83 83 83 83 83 83 83 83 83 83	0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	4 4 4 4 4 4 4 4 4 4		
[JUNCTIONS] ;;	Invert	Max.	Init.	Surcharge	Ponded
;;Name ;;	Elev.	Depth 	Depth	Depth 	Area 
;Michener	176 21	1 07	0	0	0
J10	180.25	0.75	0	0	0
;Wignell J11 :Wignell	173.85	3.5	0	0	0
J12	174.134	2	0	0	0
;Wignell J13 .Wignell	174.345	2	0	0	0
J14	174.36	3.34	0	0	0
;Port Colborne J15	175.33	2	0	0	0.00
;Port Colborne J16 :Port Colborne	175.98	2	0	0	0.00
J17	178.43	1.74	0	0	0
;Port Colborne J18 .Port Colborne	179.98	2.08	0	0	0
J19	181.76	2	0	0	0.00
;Michener J2	176.377	1.2	0	0	0
J20	181.78	2	0	0	0.00
;Port Colborne J21	182.40	2	0	0	0.00
J22	181.38	2	0	0	0.00
;Wignell J23	181.36	2	0	0	0.00
;Wignell J24	180.75	2	0	0	0.00
;Wignell	170 00	0	0	0	000
;Wignell	1/8.32	2	U	0	0.00
J26 ·Wignoll	177.25	2	0	0	0.00
J27 ;Wignell	176.5	2	0	0	0.00
J28	175.52	2	0	0	0.00
;Wignell J29 :Michener	175.15	2	0	0	0.00
J3 ;Wignell	175.26	1	0	0	0
J30	174.48	2	0	0	0.00
J32	178.05	2.314 2.3	0	0	0
;Michener					

J4 •Michopor	174.6	1.2	0	0	0			
J5	174.1	2.96	0	0	0			
;Bower								
J6	174.5	2	0	0	0.00			
;Mıchener J7	175.85	0.9	0	0	0			
;Wignell J8	174.07	3	0	0	0			
;Wignell J86	176	2	0	0	0.00			
;Wignell	176	2	0	0	0 00			
;Wignell	1,0	2	0		0.00			
J88 ;Wignell	181.6	2.14	0	0	0			
J9	173.888	3.512	0	0	0			
[OUTFALLS]								
;; ;:Name	Invert Elev.	Outfall Type	Stage/Table Time Series	e Tid Gat	e e Route 7	ľo		
;;								
;Wignell								
J10 Outlet	173.75	FREE		NO				
[CONDUITS]								_
;;	Inlet	Outl	.et		Mannıng	Inlet	Outlet	1r
;;Name	Node	Node	:	Length	N	Offset	Offset	F.7
;;								
;MitchnerChannel	т1	77		1 E E	0 0 1	0	0	0
·MitchnorChannel	ΟI	07		433	0.04	0	0	0
, Mitchinerchanner	т2	. 77		350	0 04	0	0	0
•MitchnerChannel	UΖ	07		552	0.04	0	0	0
Link-04	J7	J3		533	0.04	0	0	0
;MitchnerChannel								
Link-05	J3	J4		510	0.04	0	0	0
;MitchnerChannel								
Link-06	J4	J5		230	0.04	0	0	0
; PortColborneChar	nnel							
Link-07	J21	788		302	0.04	0	0	0
; PortColborneChar	nnel	71.0		5.0.0	0.04	2	2	0
Link-08	J88	J18		500	0.04	0	0	0
; PortColborneChar	nnel-QEL			7.0	0 0 0 0	<u>^</u>	<u>^</u>	0
Link-09	JI9	788		70	0.032	0	0	0
; PortColbornechai	nnei-Qwi	т1 0		110	0 0 1	0	0	0
.DertColberneCha	JZU	J18		TIO	0.04	0	0	0
; PortColbornechan	T10	т1 7		640	0 0 1	0	0	0
·DowtColbownoChay	010	UI /		040	0.04	0	0	0
; PortColbornechan	11101 T17	то 1		100 540	0 0 1	0	0	0
·DortColbornoChay		0.5 1		190.042	0.04	0	0	0
ink-12 2	T21	т1 6		661 150	0.04	0	0	0
·PortColbornoChay	nnol	010		001.430	0.04	0	0	0
, FOILCOIDOINECHAI	T16	т1 Б		580	0.04	0	0	0
·DortColbornoChay	olo	010		200	0.04	0	0	0
Jink-14		.т1 /		600	0 04	0	0	0
:WignelChannel	0 1 0	014		000	0.04	0	U	0
, wryneronannel Link-15	.т22	.τ0 c		21 12	0.04	0	Ο	$\cap$
•WignelChannol	022	UZ J		LT . 72	0.04	0	U	0
, mrgneronanner Link-16	.T23	.т2 Л		883 618	0  0  4	0	0	$\cap$
:WignelChannel	020	024		000.010	0.01	v	U	0
Link-17	J24	.T2 5		1250	0.04	0	0	Ω
;WignelChannel		020		7200	0.01	v	Ŭ	v

Link-18	J25	J26	522.47	0.04	0	0	0
;WignelChannel							
Link-19	J26	J27	313.77	0.04	0	0	0
;WignelChannel							
Link-20	J27	J28	618.63	0.04	0	0	0
;WignelChannel							
Link-21	J28	J29	289.09	0.04	0	0	0
;WignelChannel							
Link-22	J29	J30	567	0.04	0	0	0
;WignelChannel							
Link-23	J30	J14	40.77	0.04	0	0	0
:WignelChannel							
Link-25	J14	J1.3	98.5	0.04	0	0	0
:BowerDrain					·	•	
Link-26	J.6	J1.3	25	0.04	0	0	0
:WignelChannel	0.0	010	20	0.01	0	0	0
Link-27	.T1 3	JT1 2	1364 61	0 04	0	0	0
·WignelChannel	010	012	1001.01	0.01	0	0	0
Link-28	.т1 2	.18	566 25	0 04	0	0	0
·WignelChannel	012	00	500.25	0.01	0	0	0
, wigherchanner Tink-29	.15	. T. Q	12	0 04	0	0	0
·WignolChannol	00	00	12	0.04	0	0	0
, wigherchannei Link-30	то	ΩT	13 50	0.04	0	0	0
MignelChennel	08	09	13.30	0.04	0	0	0
, wigherchanner	TO	<b>T1 1</b>	20 42	0.04	0	0	0
	09	JII	29.42	0.04	0	0	0
;wignelChannel	<b>T11</b>	710 0 1 1 1	0.01 0.4	0.04	0	0	~
Link-32	JII	JIU Outlet	231.24	0.04	0	0	U
;WignelChannel							
Link-33	J87	J28	254.29	0.04	0	0	0
;WignelChannel							
Link-34	J86	J29	278.16	0.04	0	0	0
PC1	J32	J31	256	0.036	0	0	0
PC2	J10	J32	680	0.036	0	0	0

[XSECTIONS]

;;Link	Shape	Geoml	Geom2	Geom3	Geom4	Barrels
;;		0 9	 0 6			1
Link-02	TRAPEZOTDAL	2 000	0 600	1 5	1 5	1
Link-04	TRAPEZOIDAL	1	1	1 5	1 5	1
Link-05	TRAPEZOTDAL	1 2	1	1 5	1 5	1
Link-06	TRAPEZOTDAL	1	л б	1 5	1 5	1
Link-07	TRALEZOIDAL TRAPEZOIDAL	2 000	0.0	1 5	1.5	1
Link-08	TRAPEZOIDAL	2.000	0.000	1.5	1 5	1
Link 00	TRALEZOIDAL	2.000	0.000	1.5	1.5	1
Link-09	TRAFEZOIDAL	2.000	0.000	1.J	15	1
Link 11		2.000	0.000	1.J 1.5	1.J	1
LINK-II I imla 10-1	TRAPEZOIDAL	2.000	0.000	1.0	1.0	1
LINK - 12 I	TRAPEZOIDAL	2	0.6	2	2	1
Link-12_2	TRAPEZOIDAL	2	0.6	2	2	1
Link-13	TRAPEZOIDAL	2.000	0.600	1.5	1.5	1
Link-14	TRAPEZOIDAL	2	0.6	1.5	1.5	1
Link-15	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-16	TRAPEZOIDAL	2	0.6	1.5	1.5	1
Link-17	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-18	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-19	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-20	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-21	TRAPEZOIDAL	2.0000000000	1.000	1.5	1.5	1
Link-22	TRAPEZOIDAL	2	1.65	2	2	1
Link-23	RECT OPEN	2.57	3.13	0	0	1
Link-25	TRAPEZOIDAL	2.5	5	1.5	1.5	1
Link-26	TRAPEZOIDAL	2.0000000000	0.600	1.5	1.5	1
Link-27	TRAPEZOIDAL	2	15	1.5	1.5	1
Link-28	TRAPEZOIDAL	2	15	1.5	1.5	1

Link-29	TRAPEZOIDAI	1		1.6	1.5	1.5	1	
Link-30	RECT OPEN	2.73		5.2	0	0	1	
Link-31	TRAPEZOIDAI	3.5		5	1.5	1.5	1	
Link-32	TRAPEZOIDAI	2.000		5.000	1.5	1.5	1	
Link-33	TRAPEZOIDAI	2.000000	0000	0.600	1.5	1.5	1	
Link-34	TRAPEZOTDAI	2.000000	0000	0.600	1.5	1.5	1	
PC1	TRAPEZOIDAI	1 2 0000000		0.8	1 5	1 5	1	
PC2	TRAPEZOIDAI	. 1 5		0.6	1 5	1 5	1	
102	INAL BUOLDAI	J I.J		0.0	1.0	1.0	Ŧ	
[LOSSES]								
::Link	Inlet	Outlet	Average	Flap Gat	e Seepad	reRate		
;;								
[INFLOWS]								
;;				Param	Units	Scale	Baseline	Baseline
;;Node	Parameter	Time	Series	Type	Factor	Factor	Value	Pattern
; ;								
J19	FLOW			FLOW	1.0	1.0	.118	Sanitarv I
J20	FLOW			FLOW	1.0	1.0	.057	Sanitarv I
[TIMESERIES]								
::Name	Date	Time	Value					
::								
:10-vear cumulati	ive storm wi	th a total	rainfall	l amount of	81.50 mm	using a SCS	S Type II	24-hr stor
TS-SCS24 10		0.00	0 00000	ano arre o r	01.00 1111	as ing a sol	5 190 11	LI 111 0001
TS - SCS24 = 10		0.10	0 13697					
TS SCS24_10 TS-SCS24_10		0.10	0.13057					
TS-SCS24_10		0.20	0.27020					
15-50524_10		0:30	0.41769					
TS-SCS24_10		0:40	0.56145					
TS-SCS24_10		0:50	0./0/4/					
TS-SCS24_10		1:00	0.85575					
TS-SCS24_10		1:10	1.00631					
TS-SCS24_10		1:20	1.15912					
TS-SCS24_10		1:30	1.31419					
TS-SCS24_10		1:40	1.47154					
TS-SCS24_10		1:50	1.63114					
TS-SCS24_10		2:00	1.79300					
TS-SCS24_10		2:10	1.95714					
TS-SCS24 10		2:20	2.12354					
TS-SCS24 10		2:30	2.29219					
TS-SCS24 10		2:40	2.46312					
TS-SCS24 10		2:50	2.63631					
TS-SCS24 <sup>10</sup>		3:00	2.81175					
TS-SCS24 <sup>10</sup>		3:10	2.98947					
TS-SCS24 10		3:20	3.16945					
TS-SCS24 10		3:30	3.35169					
TS - SCS24 = 10		3:40	3.53620					
TS = SCS24 = 10		3.50	3 72297					
TS-SCS24 10		4.00	3 91200					
TS-SCS24_10		4.00	1 10450					
TS SCS24_10		4.10	4.10450					
TS-SCS24_10		4.20	4.50140					
15-5C524_10		4:50	4.30200					
TS-SCS24_10		4:40	4.70896					
TS-SCS24_10		4:50	4.91950					
TS-SCS24_10		5:00	5.13450					
TS-SCS24_10		5:10	5.35412					
TS-SCS24_10		5:20	5.57829					
TS-SCS24_10		5:30	5.80688					
TS-SCS24_10		5:40	6.04007					
TS-SCS24_10		5:50	6.27784					
TS-SCS24_10		6:00	6.52000					
TS-SCS24_10		6:10	6.76684					
TS-SCS24_10		6:20	7.01807					
TS-SCS24_10		6:30	7.27388					

TS-SCS24_10	6:40	7.53424
TS-SCS24_10	6:50	7.79912
TS-SCS24_10	7:00	8.06850
TS-SCS24_10	7:10	8.34250
TS-SCS24_10	7:20	8.62096
TS-SCS24_10	7:30	8.90387
TS-SCS24_10	7:40	9.19146
TS-SCS24_10	7:50	9.48350
TS-SCS24_10	8:00	9.78000
TS-SCS24_10	8:10	10.09035
TS-SCS24_10	8:20	10.42314
TS-SCS24_10	8:30	10.77838
TS-SCS24_10	8:40	11.15664
TS-SCS24_10	8:50	11.55735
TS-SCS24_10	9:00	11.98050
TS-SCS24_10	9:10	12.41517
TS-SCS24_10	9:20	12.84983
TS-SCS24_10	9:30	13.28450
TS-SCS24_10	9:40	13.73764
TS-SCS24_10	9:50	14.22664
TS-SCS24_10	10:00	14.75150
TS-SCS24_10	10:10	15.32254
TS-SCS24_10	10:20	15.94738
TS-SCS24_10	10:30	16.62600
TS-SCS24_10	10:40	17.37852
TS-SCS24_10	10:50	18.22068
TS-SCS24_10	11:00	19.15250
TS-SCS24_10	11:10	20.24134
TS-SCS24_10	11:20	21.54534
TS-SCS24_10	11:30	23.06450
TS-SCS24_10	11:40	27.42855
TS-SCS24_10	11:50	38.38593
TS-SCS24_10	12:00	54.03450
TS-SCS24_10	12:10	56.50151
TS-SCS24_10	12:20	58.45751
TS-SCS24_10	12:30	59.90250
TS-SCS24_10	12:40	61.02421
TS-SCS24_10	12:50	62.02938
TS-SCS24_10	13:00	62.91800
TS-SCS24_10	13:10	63.71426
TS-SCS24_10	13:20	64.44776
TS-SCS24_10	13:30	65.11850
TS-SCS24_10	13:40	65.73383
TS-SCS24_10	13:50	66.30433
TS-SCS24_10	14:00	66.83000
TS-SCS24_10	14:10	67.32449
TS-SCS24_10	14:20	67.80330
TS-SCS24_10	14:30	68.26644
TS-SCS24_10	14:40	68.71338
TS-SCS24_10	14:50	69.14465
TS-SCS24_10	15:00	69.56025
TS-SCS24_10	15:10	69.95965
TS-SCS24_10	15:20	70.34338
TS-SCS24_10	15:30	70.71144
TS-SCS24_10	15:40	71.06330
TS-SCS24_10	15:50	/1.39949
TS-SCS24_10	16:00	/1.72000
TS-SCS24_10	16:10	72.02954
TS-SCS24_10	16:20	72.33345
TS-SCS24_10	16:30	72.63182
TS-SCS24_10	16:40	72.92433
TS-SCS24_10	16:50	/3.21129
TS-SCS24_10	17:00	73.49263
TS-SCS24_10	17:10	73.76820

	4 5	54 00010
TS-SCS24_10	1/:20	/4.03816
TS-SCS24 10	17 <b>:</b> 30	74.30249
TS-SCS24 10	17:40	74.56114
TS = SCS24 = 10	17.50	74 81412
	10.00	
TS-SCS24_10	18:00	/5.06150
TS-SCS24 10	18:10	75.30312
TS - SCS24 10	18.20	75 53914
TB 86824_10	10.20	
TS-SCS24_10	18:30	/5./695/
TS-SCS24 10	18:40	75.99416
TS-SCS24 10	18.50	76 21320
TB BCB21_10	10.00	
TS-SCSZ4_10	19:00	/ 6.42663
TS-SCS24 10	19:10	76.63429
TS-SCS24 10	19.20	76 83635
TO BOD21_10	10.20	
TS=SCS24_10	19:30	11.03214
TS-SCS24 10	19 <b>:</b> 40	77.22345
TS-SCS2410	19.50	77 40854
TO DOD21_10 TO DOD21_10	10.00	77 6000
TS=SCSZ4_10	20:00	//.58800
TS-SCS24 10	20 <b>:</b> 10	77.76399
TS-SCS2410	20:20	77.93886
TO 00021_10 TO 00021_10	20.20	
15-50524_10	20:30	/8.11202
TS-SCS24 10	20:40	78.28523
TS-SCS24 10	20:50	78-45674
	21.00	70 60712
15-50524_10	21:00	/0.02/15
TS-SCS24 10	21 <b>:</b> 10	78.79632
TS-SCS24 10	21:20	78.96440
	21.20	70 12145
15-50524_10	21:50	/9.13143
TS-SCS24_10	21:40	79.29722
TS-SCS24 10	21:50	79.46190
TC CC24 10	22.00	70 62550
15-50524_10	22:00	79.02330
TS-SCS24_10	22:10	79.78790
TS-SCS24 10	22:20	79.94919
$\pi q - q C q 2 I = 10$	22.30	90 10037
15 50524 10	22.30	0.10557
TS-SCS24_10	22:40	80.26840
TS-SCS24 10	22:50	80.42632
$T_{S-SCS24} = 10$	23.00	80 58313
15-50524_10	23:00	00.30313
TS-SCS24_10	23:10	80.73874
TS-SCS24 10	23:20	80.89323
TS-SCS2/ 10	23.30	81 04662
15-50524_10	23.30	01.04002
TS-SCS24_10	23:40	81.19886
TS-SCS24 10	23:50	81.34999
TC_CC21_10	21.00	81 50000
10 00024_10	24.00	51.50000
;100-year cumulative storm	with a tota	.1 rainfall amount of 121.1 mm using a SCS Type II 24-hr sto
TS-SCS24 100	0.00	0 00000
10 00024_100	0.00	
TS-SCS24_100	0:10	0.20353
TS-SCS24 100	0:20	0.41041
TS-SCS24 100	0.30	0 62064
ID DCD24_100	0.00	
TS-SCS24_100	0:40	0.83426
TS-SCS24 100	0:50	1.05123
TS-SCS24 100	1.00	1 27155
TB BCB24_100	1 10	1.4660
TS-SCS24_100	1:10	1.49526
TS-SCS24 100	1:20	1.72232
TS-SCS24 100	1.30	1 95274
TO 00021_100	1.40	
TS-SCS24_100	1:4U	2.10034
TS-SCS24 100	1:50	2.42370
TS-SCS24 100	2:00	2.66420
TO 00021_100	2.10	2.00.10
13-50524_100	∠:⊥∪	2.000
TS-SCS24_100	2:20	3.15534
TS-SCS24 100	2:30	3.40594
TR-80824 100	2.00	2 65002
13-36324_100	2.10	
TS-SCS24 100	2:40	5.05992
10 00021_100	2:40 2:50	3.91726
TS-SCS24 100	2:40 2:50 3:00	3.91726 4.17795
TS-SCS24_100	2:40 2:50 3:00	3.91726 4.17795 4.4203
TS-SCS24_100 TS-SCS24_100	2:40 2:50 3:00 3:10	3.91726 4.17795 4.44203

TS-SCS24_100	3:30	4.98024
TS-SCS24_100	3:40	5.25441
TS-SCS24 100	3:50	5.53193
TS-SCS24 100	4:00	5.81280
TS-SCS24 100	4:10	6.09884
TS-SCS24 100	4:20	6.39150
TS-SCS24 100	4:30	6.69078
TS-SCS24 100	4:40	6.99700
TS-SCS24 100	4:50	7.30984
TS-SCS24 100	5:00	7.62930
TS-SCS24 100	5:10	7.95562
TS-SCS24 100	5:20	8.28873
TS-SCS24 100	5:30	8.62838
TS-SCS24 100	5:40	8.97488
TS-SCS24 100	5:50	9.32817
TS-SCS24 100	6:00	9.68800
TS-SCS24 100	6:10	10.05477
TS-SCS24 100	6:20	10.42808
TS-SCS24 100	6:30	10.80818
TS-SCS24 100	6:40	11.19505
TS-SCS24 100	6:50	11.58862
TS-SCS24 100	7:00	11.98890
TS-SCS24 100	7:10	12.39604
TS-SCS24 100	7:20	12.80980
TS-SCS24 100	7:30	13.23018
TS-SCS24 100	7:40	13.65750
TS-SCS24 100	7:50	14.09144
TS-SCS24 100	8:00	14.53200
TS-SCS24 100	8:10	14.99315
TS-SCS24_100	8:20	15.48764
TS-SCS24_100	8:30	16.01548
TS-SCS24_100	8:40	16.57754
TS-SCS24_100	8:50	17.17295
TS-SCS24_100	9:00	17.80170
TS-SCS24_100	9:10	18.44757
TS-SCS24_100	9:20	19.09343
TS-SCS24_100	9:30	19.73930
TS-SCS24_100	9:40	20.41262
TS-SCS24_100	9:50	21.13922
TS-SCS24_100	10:00	21.91910
TS-SCS24_100	10:10	22.76761
TS-SCS24_100	10:20	23.69604
TS-SCS24_100	10:30	24.70440
TS-SCS24_100	10:40	25.82256
TS-SCS24_100	10:50	27.07392
TS-SCS24_100	11:00	28.45850
TS-SCS24_100	11:10	30.07640
TS-SCS24_100	11:20	32.01400
TS-SCS24_100	11:30	34.27130
TS-SCS24_100	11:40	40.75580
TS-SCS24_100	11:50	57.03725
TS-SCS24_100	12:00	80.28930
TS-SCS24_100	12:10	83.95500
TS-SCS24_100	12:20	86.86140
TS-SCS24_100	12:30	89.00850
TS-SCS24_100	12:40	90.67524
TS-SCS24_100	12:50	92.16881
TS-SCS24_100	13:00	93.48920
TS-SCS24_100	13:10	94.67235
TS-SCS24_100	13:20	95./6225
TS-SCS24_100	13:30	96.75890
TS-SCS24_100	13:40	97.67321
TS-SCS24_100	14:00	98.52091
TS-SCS24_100	14:UU	99.30200

TS-SCS24_2 TS-SCS24_2	0:00	0.00000
;2-year cumulative	storm with a total	rainfall amount of 49.8 mm using a SCS Type II 24-hr storm
_ `		
TS-SCS24 100	24:00	121.10000
TS-SCS24 100	23:50	120.87710
TS-SCS24_100	23.30	120.65254
TS-SCS24_100	23:20	120.42632
TS-SCS24_100 TS-SCS24_100	∠J:⊥U 23•20	120 19841
TS-SCS24_100 TS-SCS24_100	∠3:UU 23•10	119 96885
15-50524_100 TS-SCS24_100	22:5U 23:00	119.JU403 119.73763
15-50524_100 TS-SCS24_100	ZZ:4U 22.50	119.20990
TS-SCS24_100	22:30	119.0336/
TS-SCS24_100	22:20	110.02267
TS-SCS24_100	22:10	118.55601
TS-SCS24_100	22:00	118.31470
TS-SCS24_100	21:50	118.07161
TS-SCS24_100	21:40	117.82691
TS-SCS24_100	21:30	117.58059
TS-SCS24_100	21:20	117.33238
TS-SCS24_100	21:10	117.08263
TS-SCS24_100	21:00	116.83123
TS-SCS24 100	20:50	116.57805
TS-SCS24 100	20:40	116.32321
TS-SCS24 100	20:30	116.06672
TS-SCS24 100	20:20	115.80854
TS-SCS24_100	20:00	115,54870
TS-SCS24_100 TS-SCS24_100	20.00 TA:20	115 28720
$TS-SCSZ4_100$ $TS-SCSZ4_100$	19:40 10:50	115 02054
$TS-SCSZ4_100$	19:30	114.40215
$TS-SCS24_100$	19:20	114.1/034
TS-SCS24_100	19:10	113.87009
TS-SCS24_100	19:00	113.56153
TS-SCS24_100	18:50	113.24440
TS-SCS24_100	18:40	112.91893
TS-SCS24_100	18:30	112.58522
TS-SCS24_100	18:20	112.24283
TS-SCS24_100	18:10	111.89212
TS-SCS24_100	18:00	111.53310
TS-SCS24_100	17:50	111.16552
TS-SCS24_100	17:40	110.78963
TS-SCS24 100	17:30	110.40530
TS-SCS24 100	17:20	110.01253
TS-SCS24 100	17:10	109.61140
TS-SCS24 100	17:00	109.20193
TS-SCS24 100	16.50	108 78389
TS-SCS24_100 TS-SCS24_100	16.10	108 35749
TS-SCS24_100 TS-SCS24_100	16.30	107 92287
15-50524_100 TS-SCS24_100	16.20	107.02794
TS-SUSZ4_100	16:UU	107 02704
$TS-SCS24_100$	15:50	106 56000
TS-SCS24_100	15:40	105.59222
TS-SCS24_100	15:30	105.06939
TS-SCS24_100	15:20	104.52250
TS-SCS24_100	15:10	103.95232
TS-SCS24_100	15:00	103.35885
TS-SCS24_100	14:50	102.74132
TS-SCS24_100	14:40	102.10050
TS-SCS24_100	14:30	101.43639
TS-SCS24_100	14:20	100.74822
TS-SCS24_100	14:10	100.03675

TS-SCS24 2	0:20	0.16877
TS-SCS24 <sup>2</sup>	0:30	0.25523
TS-SCS24 <sup>2</sup>	0:40	0.34307
TS-SCS24 2	0:50	0.43230
TS-SCS24 <sup>2</sup>	1:00	0.52290
TS-SCS24 <sup>2</sup>	1:10	0.61490
TS-SCS24 <sup>2</sup>	1:20	0.70827
TS-SCS24 <sup>2</sup>	1:30	0.80303
TS-SCS24 2	1:40	0.89917
TS-SCS24 <sup>2</sup>	1:50	0.99670
TS-SCS24 <sup>2</sup>	2:00	1.09560
TS-SCS24 <sup>2</sup>	2:10	1.19590
TS-SCS24 <sup>2</sup>	2:20	1.29757
TS-SCS24 2	2 <b>:</b> 30	1.40063
TS-SCS24 <sup>2</sup>	2:40	1.50507
TS-SCS242	2:50	1.61090
TS-SCS24 <sup>2</sup>	3:00	1.71810
TS-SCS24 <sup>2</sup>	3:10	1.82670
TS-SCS24 2	3:20	1.93667
TS-SCS24 <sup>2</sup>	3 <b>:</b> 30	2.04803
TS-SCS242	3:40	2.16077
TS-SCS24 <sup>2</sup>	3:50	2.27490
TS-SCS24 <sup>2</sup>	4:00	2.39040
TS-SCS24 2	4:10	2.50803
TS-SCS24_2	4:20	2.62838
TS-SCS242	4:30	2.75145
TS-SCS24_2	4:40	2.87738
TS-SCS24_2	4:50	3.00603
TS-SCS24_2	5 <b>:</b> 00	3.13740
TS-SCS24_2	5 <b>:</b> 10	3.27159
TS-SCS24_2	5 <b>:</b> 20	3.40858
TS-SCS24_2	5 <b>:</b> 30	3.54825
TS-SCS24_2	5:40	3.69074
TS-SCS24_2	5:50	3.83603
TS-SCS24_2	6:00	3.98400
TS-SCS24_2	6:10	4.13483
TS-SCS24_2	6:20	4.28834
TS-SCS24_2	6:30	4.44465
TS-SCS24_2	6:40	4.603/4
TS-SCS24_2	6:50	4.76559
TS-SCS24_2	7:00	4.93020
	7:10	5.09/63
	7:20	J.20//8
$13-30324_2$	7:30	5.44005
TS-SCS24_2 TS-SCS24_2	7:40	5 79493
TS-SCS24_2 TS-SCS24_2	8.00	5 97600
TS-SCS24_2 TS-SCS24_2	8.00	5.97000
TS SCS24_2 TS-SCS24_2	8.20	6 36899
TS SCS24_2	8.30	6 58605
TS = SCS24 - 2	8:40	6 81719
TS = SCS24 - 2	8.50	7 06204
TS-SCS24_2	9.00	7 32060
TS-SCS24_2	9:10	7.58620
TS-SCS24_2	9:20	7.85180
TS-SCS24_2	9:30	8.11740
TS-SCS24 2	9:40	8.39429
TS-SCS24 2	9:50	8.69309
TS-SCS24 2	10:00	9.01380
TS-SCS24 2	10:10	9.36273
TS-SCS24 2	10:20	9.74453
TS-SCS24 <sup>2</sup>	10:30	10.15920
TS-SCS24 <sup>2</sup>	10:40	10.61902
TS-SCS24_2	10 <b>:</b> 50	11.13362

TS-SCS24 2	11:00	11.70300
TS-SCS24 <sup>2</sup>	11:10	12.36833
TS-SCS24 <sup>2</sup>	11:20	13.16513
TS-SCS24 2	11:30	14.09340
TS-SCS24 <sup>2</sup>	11:40	16.76002
TS-SCS24 <sup>2</sup>	11:50	23.45545
TS-SCS24 <sup>2</sup>	12:00	33.01740
TS-SCS24 <sup>2</sup>	12:10	34.52485
TS-SCS24 2	12:20	35.72005
TS-SCS24 <sup>2</sup>	12:30	36.60300
TS-SCS24 <sup>2</sup>	12:40	37.28841
TS-SCS24 <sup>2</sup>	12:50	37.90261
TS-SCS24 <sup>2</sup>	13:00	38.44560
TS-SCS24 <sup>2</sup>	13:10	38.93215
TS-SCS242	13:20	39.38035
TS-SCS24_2	13:30	39.79020
TS-SCS242	13:40	40.16619
TS-SCS24 <sup>2</sup>	13:50	40.51479
TS-SCS24 2	14:00	40.83600
TS-SCS24_2	14:10	41.13815
TS-SCS24_2	14:20	41.43073
TS-SCS242	14:30	41.71372
TS-SCS24 <sup>2</sup>	14:40	41.98683
TS-SCS24 2	14:50	42.25035
TS-SCS24_2	15:00	42.50430
TS-SCS24_2	15:10	42.74835
TS-SCS242	15:20	42.98283
TS-SCS242	15:30	43.20772
TS-SCS24_2	15:40	43.42273
TS-SCS24_2	15:50	43.62815
TS-SCS24_2	16:00	43.82400
TS-SCS24_2	16:10	44.01314
TS-SCS24_2	16:20	44.19884
TS-SCS24_2	16:30	44.38116
TS-SCS24_2	16:40	44.55989
TS-SCS24_2	16:50	44.73524
TS-SCS24_2	17:00	44.90715
TS-SCS24_2	17:10	45.07554
TS-SCS24_2	17:20	45.24049
TS-SCS24_2	17:30	45.40201
TS-SCS24_2	17:40	45.56006
TS-SCS24_2	17:50	45.71464
TS-SCS24_2	18:00	45.86580
TS-SCS24_2	18:10	46.01344
TS-SCS24_2	18:20	46.15/66
TS-SCS24_2	18:30	46.29846
	18:40	46.43569
	18:50	46.56954
	19:00	46.69995
	19:10	46.82684
	19:20	46.95031
	19:30	47.07031
	19:40	47.18684
	19:50	47.29994
10-00024_2 TC-CC224_2	20:00	4/,40960 /7 51710
	20:10	4/.JI/IJ 17 60000
	20:20	41.62399
	20:30	4/./JUI6
	20:4U 20.50	4/.03004
	20:30	4/.94043
	21:UU 21:10	40.U4433 10 11703
	21:10	40.14/93 10 25064
	21.20	40.20004 10 36071
10 00024 Z	∠⊥•JU	40.JJZ/L

TS-SCS24 2	21 <b>:</b> 40	48.45401										
TS-SCS24 <sup>2</sup>	21:50	48.55463										
TS-SCS24 <sup>2</sup>	22:00	48.65460										
TS-SCS24 <sup>2</sup>	22:10	48.75383										
TS-SCS24 2	22:20	48.85239										
TS = SCS24 = 2	22.20	48 95026										
	22:50	40.93020										
	22.40	49.04744										
	22:50	49.14393										
	23:00	49.23975										
TS-SCS24_2	23:10	49.33483										
TS-SCS24_2	23:20	49.42924										
TS-SCS24_2	23:30	49.52296										
TS-SCS24_2	23:40	49.61599										
TS-SCS24_2	23:50	49.70833										
TS-SCS24_2	24:00	49.80000										
;25-year cumulative	storm with a total	rainfall	amount	of	97.5	mm	using	a SC	S Type	ΙI	24 <b>-</b> hr	storm
TS-SCS24 25	0:00	0.00000					2					
TS-SCS24 25	0:10	0.16387										
TS = SCS24 = 25	0.20	0 33043										
TS = SCS24 = 25	0.20	0.00040										
	0.30	0.49909										
15-50524_25	0:40	0.0/108										
TS-SCS24_25	0:50	0.84636										
TS-SCS24_25	1:00	1.02375										
TS-SCS24_25	1:10	1.20387										
TS-SCS24_25	1:20	1.38668										
TS-SCS24_25	1:30	1.57219										
TS-SCS24 25	1:40	1.76043										
TS-SCS24 25	1:50	1.95137										
TS-SCS24 25	2:00	2.14500										
TS-SCS24 25	2.10	2.34137										
TS - SCS24 - 25	2.20	2 54043										
TS-SCS24_25	2.20	2 7/219										
	2.30	2 01660										
TS-SCS24_25	2.40	2.94000										
	2:50	3.13307										
TS-SCS24_25	3:00	3.363/3										
TS-SCS24_25	3:10	3.5/63/										
TS-SCS24_25	3:20	3./9168										
TS-SCS24_25	3:30	4.00969										
TS-SCS24_25	3:40	4.23043										
TS-SCS24_25	3:50	4.45387										
TS-SCS24 25	4:00	4.68000										
TS-SCS24 25	4:10	4.91029										
TS-SCS24 25	4:20	5.14592										
TS-SCS24 25	4:30	5.38688										
TS-SCS24 25	4:40	5.63342										
TS-SCS24 25	4:50	5.88530										
TS-SCS24 25	5.00	6 14250										
TS-SCS24 25	5.00	6 40523										
	5.10	6 67242										
	5:20	0.07342										
TS-SCS24_25	5:30	6.94688										
TS-SCS24_25	5:40	1.22586										
TS-SCS24_25	5:50	7.51029										
TS-SCS24_25	6:00	7.80000										
TS-SCS24_25	6:10	8.09530										
TS-SCS24_25	6:20	8.39585										
TS-SCS24 <sup>25</sup>	6:30	8.70188										
TS-SCS24 <sup>25</sup>	6:40	9.01335										
TS-SCS24 <sup>25</sup>	6:50	9.33023										
TS-SCS24 25	7:00	9.65250										
TS-SCS24 25	7 • 1 0	9,98030										
TS-SCS24 25	7 • 20	10.31342										
TS = SCS2 = 20 TS = SCS24 = 25	7.20	10 65100										
	7:50	10 00500										
15-56524_25	/:40	TO.99592										

TS-SCS24 25	7 <b>:</b> 50	11.34530
TS-SCS2425	8:00	11.70000
TS-SCS24 25	8:10	12.07128
TS-SCS24 25	8:20	12.46941
TS-SCS24 25	8:30	12.89438
TS-SCS24 25	8:40	13.34691
TS-SCS24 <sup>25</sup>	8:50	13.82628
TS-SCS24 25	9:00	14.33250
TS-SCS24 25	9:10	14.85250
TS-SCS24 25	9:20	15.37250
TS-SCS24 25	9:30	15.89250
TS-SCS24 25	9:40	16.43460
TS-SCS24 <sup>25</sup>	9:50	17.01960
TS-SCS24 25	10:00	17.64750
TS-SCS24 <sup>25</sup>	10:10	18.33065
TS-SCS24 <sup>25</sup>	10:20	19.07815
TS-SCS24 25	10:30	19.89000
TS-SCS24 25	10:40	20.79025
TS-SCS24 25	10:50	21.79775
TS-SCS24 25	11:00	22.91250
TS - SCS24 - 25	11.10	24.21510
TS-SCS24 25	11.20	25 77510
TS-SCS24 25	11.30	27 59250
TS = SCS24 = 25	11.40	32 81330
TS = SCS24 = 25	11.50	45 92182
TS = SCS24 = 25	12.00	64 64250
$TS SCS24_25$ $TS - SCS24_25$	12.00	67 59383
TS SCS24_25	12.10	69 93383
TS SCS24_25 TS_SCS24_25	12.20	71 66250
TS 50524_25 TS_SCS24_25	12.10	73 00443
TS-SCS24_25 TC-SCC224_25	12.40	74 20693
TS-SCS24_25 TS-SCS24_25	12.00	74.20095
	12.10	76 22257
	13:10	77 10000
	13:20	77.10008
	13:30	77.90250
	13:40	70.03863
	13:50	79.32113
TS-SCS24_25	14:00	79.95000
TS-SCS24_25	14:10	80.54157
TS=SCS24_25	14:20	81.11438
TS-SCS24_25	14:30	81.66844
TS-SCS24_25	14:40	82.20313
TS-SCS24_25	14:50	82./190/
TS-SCS24_25	15:00	83.21625
TS-SCS24_25	15:10	83.69407
TS-SCS24_25	15:20	84.15313
TS-SCS24_25	15:30	84.59344
TS-SCS24_25	15:40	85.01438
TS-SCS24_25	15:50	85.41656
TS-SCS24_25	16:00	85.80000
TS-SCS24_25	16:10	86.17031
TS-SCS24_25	16:20	86.53388
TS-SCS24_25	16:30	86.89083
TS-SCS24_25	16:40	87.24076
TS-SCS24_25	16:50	87.58406
TS-SCS24_25	17:00	87.92063
TS-SCS24_25	17:10	88.25031
TS-SCS24_25	17:20	88.57326
TS-SCS24_25	17:30	88.88948
TS-SCS24_25	17:40	89.19892
TS-SCS24_25	17:50	89.50156
TS-SCS24_25	18:00	89.79750
TS-SCS24_25	18:10	90.08656
TS-SCS24_25	18:20	90.36892

TS-SCS24 25	18:30	90.64458
TS-SCS24 <sup>25</sup>	18:40	90.91326
TS-SCS24 <sup>25</sup>	18:50	91.17531
TS - SCS24 25	19:00	91.43062
TS = SCS24 = 25	19.10	91 67905
TS-SCS24_25	19.20	91 92079
	10.20	00 15572
15-50524_25	19:50	92.10070
TS-SCS24_25	19:40	92.38388
TS-SCS24_25	19:50	92.60531
TS-SCS24_25	20:00	92.82000
TS-SCS24_25	20:10	93.03054
TS-SCS24_25	20:20	93.23974
TS-SCS24_25	20:30	93.44761
TS-SCS24_25	20:40	93.65411
TS-SCS24_25	20:50	93.85929
TS-SCS24 25	21:00	94.06313
TS-SCS24 25	21:10	94.26554
TS-SCS24 <sup>25</sup>	21:20	94.46661
TS-SCS24 25	21:30	94.66646
TS-SCS24 25	21:40	94.86477
TS - SCS24 - 25	21.50	95 06179
TS-SCS21_20 TS-SCS21_20	22.00	95 25750
TS SCS24_25	22.00	05.45170
15-50524_25	22:10	90.40179 05.64474
TS-SCS24_25	22:20	95.64474
TS-SCS24_25	22:30	95.83636
TS-SCS24_25	22:40	96.02661
TS-SCS24_25	22:50	96.21554
TS-SCS24_25	23:00	96.40313
TS-SCS24_25	23:10	96.58929
TS-SCS24_25	23:20	96.77411
TS-SCS24 25	23:30	96.95761
TS-SCS24 25	23:40	97.13974
_	00 50	
TS-SCS24 25	23:50	97.32053
TS-SCS24_25 TS-SCS24_25	23:50 24:00	97.50000
TS-SCS24_25 TS-SCS24_25	24:00	97.32053 97.50000
TS-SCS24_25 TS-SCS24_25 :5-year cumulative storm	23:50 24:00 with a total	97.32053 97.50000 Frainfall amount of 68 90 mm using a SCS Type II 24-br storm
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm	23:50 24:00 . with a total	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 with a total 0:00	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11590
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:22	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.22250
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20	97.32053 97.50000 l rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 with a total 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5 TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.09232
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.20272
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:00 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.1101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40 3:50	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950 3.14740
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40 3:50 4:00	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950 3.14740 3.30720
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40 3:50 4:00 4:10	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.0000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950 3.14740 3.30720 3.46994
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40 3:50 4:00 4:10 4:20	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950 3.14740 3.30720 3.46994 3.63645
TS-SCS24_25 TS-SCS24_25 ;5-year cumulative storm TS-SCS24_5 TS-SCS	23:50 24:00 24:00 0:10 0:10 0:20 0:30 0:40 0:50 1:00 1:10 1:20 1:30 1:40 1:50 2:00 2:10 2:20 2:30 2:40 2:50 3:00 3:10 3:20 3:30 3:40 3:50 4:00 4:10 4:20 4:30	97.32053 97.50000 1 rainfall amount of 68.90 mm using a SCS Type II 24-hr storm 0.00000 0.11580 0.23350 0.35311 0.47465 0.59810 0.72345 0.85073 0.97992 1.11101 1.24404 1.37896 1.51580 1.65456 1.79524 1.93781 2.08232 2.22873 2.37705 2.52730 2.67945 2.83351 2.98950 3.14740 3.30720 3.46994 3.63645 3.80673

TS-SCS24 5	4:40	3.98095
TS-SCS24 5	4.50	4 15894
TO BODZ4_0 TR_90924_5	5.00	4.34070
15-50524_5	5.00	4.54070
15-50524_5	5:10	4.52636
TS-SCS24_5	5:20	4./1588
TS-SCS24_5	5:30	4.90912
TS-SCS24_5	5:40	5.10627
TS-SCS24 5	5:50	5.30728
TS-SCS24 5	6:00	5.51200
TS-SCS24 5	6:10	5.72068
TS-SCS24 5	6.20	5 93307
TS 50521_0 TS 50621_5	6.30	6 1/033
15-50524_5	0.30	0.14955
15-50524_5	6:40	6.36944
TS-SCS24_5	6:50	6.59336
TS-SCS24_5	7:00	6.82110
TS-SCS24_5	7 <b>:</b> 10	7.05274
TS-SCS24 5	7:20	7.28815
TS-SCS24 5	7:30	7.52733
TS-SCS24 5	7:40	7,77045
TS - SCS24 - 5	7.50	8 01734
TO DOD21_0 TO_OCO24_5	9.00	0.01/01
15-50524_5	0.00	0.20000
TS-SCS24_5	8:10	8.53037
TS-SCS24_5	8:20	8.81171
TS-SCS24_5	8:30	9.11203
TS-SCS24_5	8:40	9.43181
TS-SCS24 5	8:50	9.77057
TS-SCS24 <sup>5</sup>	9:00	10.12830
TS-SCS24 5	9:10	10.49577
TS-SCS24 5	9:20	10.86323
TS_SCS21_0 TS_SCS21_5	9.20	11 23070
	9.30	11 61270
	9:40	10.00710
TS-SCS24_5	9:50	12.02/18
TS-SCS24_5	10:00	12.47090
TS-SCS24_5	10:10	12.95366
TS-SCS24 5	10:20	13.48189
TS-SCS24 5	10:30	14.05560
TS-SCS24 5	10:40	14.69178
TS-SCS24 5	10:50	15.40374
TS-SCS24_5	11.00	16 19150
TG 50524_5	11.10	17 11200
	11.10	10 01440
TS-SCS24_5	11:20	18.21440
TS-SCS24_5	11:30	19.498/0
TS-SCS24_5	11:40	23.18807
TS-SCS24_5	11 <b>:</b> 50	32.45142
TS-SCS24 5	12:00	45.68070
TS-SCS24 5	12:10	47.76630
TS-SCS24 5	12:20	49.41990
TS-SCS24 5	12:30	50.64150
TS SOULT_S	12.40	51 58979
	12.40	51.00070
TS-SCS24_5	12:50	52.43956
TS-SCS24_5	13:00	53.19080
TS-SCS24_5	13:10	53.86395
TS-SCS24_5	13:20	54.48405
TS-SCS24 5	13:30	55.05110
TS-SCS24 5	13:40	55.57130
TS-SCS24 5	13:50	56.05360
TS-SCS24_5	14:00	56.49800
TS-SCS24 5	14.10	56 91604
	14.20	50.21004
	14:∠U	J1.32083
TS-SCS24_5	14:30	5/./1236
TS-SCS24_5	14:40	58.09021
TS-SCS24_5	14:50	58.45481
TS-SCS24_5	15:00	58.80615
TS-SCS24 5	15:10	59.14381

TS-SCS24 5	15:20	59.46821					
TS-SCS21 5	15.30	59 77936					
TD D0D24_0	15.30	60.07600					
15-50524_5	15:40	60.07683					
TS-SCS24_5	15 <b>:</b> 50	60.36104					
TS-SCS24 5	16:00	60.63200					
TS-SCS24 5	16.10	60 89368					
15 50524_5	10.10	00.05500					
TS-SCS24_5	16:20	61.15061					
TS-SCS24 5	16:30	61.40285					
TS-SCS245	16.40	61 65014					
	16.10	61 00070					
TS-SCS24_5	10:50	61.892/3					
TS-SCS24_5	17:00	62.13058					
TS-SCS24 5	17:10	62.36355					
TS-SCS21 5	17.20	62 59177					
TD D0024_0	17.20	02.0JI//					
15-50524_5	1/:30	62.81523					
TS-SCS24_5	17 <b>:</b> 40	63.03390					
TS-SCS24 5	17:50	63.24777					
TC-CC21 5	18.00	63 15690					
	10.00	03.43090					
TS-SCS24_5	18:10	63.66II7					
TS-SCS24 5	18:20	63.86070					
TS-SCS245	18:30	64.05550					
	10.40	CA 04627					
15-50524-5	10:40	04.24337					
TS-SCS24_5	18:50	64.43055					
TS-SCS24 5	19:00	64.61098					
TS-SCS24 5	19.10	64 78653					
TD D0024_0	10.00	64.05706					
TS-SCS24_5	19:20	64.95/36					
TS-SCS24 5	19:30	65.12338					
TS-SCS24 5	19:40	65.28461					
TC-CC21 5	10.50	65 44108					
15 50524_5	19.00	05.44100					
TS-SCS24_5	20:00	65.59280					
TS-SCS24 5	20:10	65.74158					
TS-SCS24 5	20:20	65.88941					
	20.30	66 03631					
15-50524_5	20:30	00.03031					
TS-SCS24_5	20:40	66.18224					
TS-SCS24 5	20:50	66.32723					
TS-SCS245	21:00	66.47128					
TB B0021_0	01.10	CC C1 4 21					
TS-SCS24_5	21:10	66.61431					
TS-SCS24_5	21:20	66.75641					
TS-SCS24 5	21 <b>:</b> 30	66.89763					
TS-SCS21 5	21.40	67 03777					
15 56524_5	21.40	67.03777					
TS-SCS24_5	21:50	67.17699					
TS-SCS24 5	22 <b>:</b> 00	67.31530					
TS-SCS24 5	22:10	67.45259					
TC-CC21 5	22.20	67 58895					
	22.20	07.50055					
TS-SCS24_5	22:30	67.72436					
TS-SCS24 5	22 <b>:</b> 40	67.85881					
TS-SCS24 5	22:50	67.99231					
TC 00011_0 TC 00011_0	23,00	60 12/00					
15-50524_5	23.00	00.12400					
TS-SCS24_5	23:10	68.25643					
TS-SCS24 5	23:20	68.38704					
TS-SCS245	23:30	68.51671					
	22.40	60 64541					
15-50524_5	23:40	00.04041					
TS-SCS24_5	23:50	68.77318					
TS-SCS24 5	24:00	68.90000					
50				100 0			<b>TT 04 1 1</b>
;50-year cumulative storm	with a total	rainiall	amount of	109.3	mm using	g a SCS Typ	e 11 24-nr stor
TS-SCS24_50	0:00	0.00000					
TS-SCS24 50	0:10	0.18370					
TS = SCS24 = 50	0.20	0 37042					
	0.20	0.5/042					
TS-SCS24_50	0:30	0.56016					
TS-SCS24 50	0:40	0.75297					
TS-SCS24 50	0:50	0.94880					
TS = SCS24 = 50	1.00	1 1/765					
	1 10	1.04050					
TS-SCS24_50	1:10	⊥.34956					
TS-SCS24 50	1:20	1.55450					
—							

TS-SCS24 50	1:30	1.76246
TS-SCS24 50	1:40	1.97348
TS-SCS24 50	1:50	2.18753
TS-SCS24 50	2:00	2.40460
TS-SCS24 50	2:10	2.62473
TS-SCS24 50	2:20	2.84788
TS-SCS24 50	2:30	3.07406
TS-SCS24 50	2:40	3.30330
TS-SCS24 50	2:50	3.53556
TS-SCS24 50	3:00	3.77085
TS-SCS24 50	3:10	4.00920
TS-SCS24 50	3.20	4 25057
TS-SCS24 50	3.20	4 49496
TS_SCS24_50	3.10	4.49490
TS_SCS24_50	3.50	1 99290
TS_SCS24_50	4.00	5 24640
TS SCS24_50 mg_gcg24_50	4.00	5 50457
IS-SCS24_50	4.10	5.30437
15-5C524_50	4:20	5.70071
TS-SCS24_50	4:30	6.03883
TS-SCS24_50	4:40	6.31521
TS-SCS24_50	4:50	6.59/5/
TS-SCS24_50	5:00	6.88590
TS-SCS24_50	5:10	7.18043
TS-SCS24_50	5:20	7.48107
TS-SCS24_50	5:30	7.78762
TS-SCS24_50	5:40	8.10037
TS-SCS24_50	5:50	8.41923
TS-SCS24_50	6:00	8.74400
TS-SCS24_50	6:10	9.07503
TS-SCS24_50	6:20	9.41197
TS-SCS24_50	6:30	9.75503
TS-SCS24_50	6:40	10.10420
TS-SCS24_50	6:50	10.45943
TS-SCS24 50	7:00	10.82070
TS-SCS24 50	7:10	11.18817
TS-SCS24 50	7:20	11.56161
TS-SCS24 50	7:30	11.94103
TS-SCS24 50	7:40	12.32671
TS-SCS24 50	7:50	12.71837
TS-SCS24 50	8:00	13.11600
TS-SCS24 50	8:10	13.53221
TS-SCS24 50	8:20	13.97852
TS-SCS24 50	8:30	14.45493
TS-SCS24 50	8:40	14.96222
TS-SCS24 50	8.50	15 49961
TS = SCS24 = 50	9.00	16 06710
TS-SCS24_50	9.10	16 65003
TS SCS24_00	9.20	17 23297
TS 50524_50 TS-SCS24_50	9.20	17 81590
TS 50524_50 TC-50224_50	9.30	10 102561
IS-SCS24_50 TR SCS24_50	9:40	10.42301
IS-SCS24_50	9.00	10 70220
15-50524_50	10:00	19.78330
TS-SCS24_50	10:10	20.54913
TS-SCS24_50	10:20	21.38/10
TS-SCS24_50	10:30	22.29720
TS-SCS24_50	10:40	23.30640
TS-SCS24_50	10:50	24.43584
TS-SCS24_50	11:00	25.68550
TS-SCS24_50	11:10	27.14575
TS-SCS24_50	11:20	28.89455
TS-SCS24_50	11:30	30.93190
TS-SCS24_50	11:40	36.78455
TS-SCS24_50	11:50	51.47953
TS_SCS21 50	12:00	72.46590

TS-SCS24 50	12:10	75.77441
TS-SCS24 50	12:20	78.39761
TS-SCS24 50	12:30	80.33550
TS-SCS24 50	12:40	81.83983
TS-SCS24 50	12:50	83.18787
TS-SCS24 50	13:00	84.37960
TS-SCS24 50	13:10	85.44746
TS-SCS24 50	13:20	86.43116
TS-SCS24 50	13:30	87.33070
TS-SCS24 50	13:40	88.15591
TS-SCS24 50	13:50	88.92102
TS-SCS24 50	14:00	89.62600
TS-SCS24 50	14:10	90.28916
TS-SCS24 50	14:20	90.93130
TS-SCS24 50	14:30	91.55241
TS-SCS24 50	14:40	92.15181
TS-SCS24 50	14:50	92.73019
TS-SCS24 50	15:00	93.28755
TS-SCS24 50	15:10	93.82319
TS-SCS24 50	15:20	94.33781
TS-SCS24 <sup>50</sup>	15:30	94.83141
TS-SCS24 50	15:40	95.30330
TS-SCS24 50	15:50	95.75416
TS-SCS24 50	16:00	96.18400
TS-SCS24 50	16:10	96.59912
TS-SCS24 50	16:20	97.00670
TS-SCS24 50	16:30	97.40685
TS-SCS24 50	16:40	97.79913
TS-SCS24 50	16:50	98.18397
TS-SCS24 50	17:00	98.56128
TS-SCS24 50	17:10	98.93085
TS-SCS24 50	17:20	99.29289
TS-SCS24 50	17:30	99.64739
TS-SCS24 50	17:40	99.99427
TS-SCS24 50	17:50	100.33354
TS-SCS24 50	18:00	100.66530
TS-SCS24 50	18:10	100.98934
TS-SCS24 50	18:20	101.30587
TS-SCS24 50	18:30	101.61490
TS-SCS24 50	18:40	101.91609
TS-SCS24 50	18:50	102.20985
TS-SCS24 50	19:00	102.49607
TS-SCS24 50	19:10	102.77457
TS-SCS24 50	19:20	103.04556
TS-SCS24 50	19:30	103.30894
TS-SCS24 50	19:40	103.56470
TS-SCS24 50	19:50	103.81292
TS-SCS24 50	20:00	104.05360
TS-SCS24 <sup>50</sup>	20:10	104.28962
TS-SCS24 50	20:20	104.52414
TS-SCS24 50	20:30	104.75716
TS-SCS24 50	20:40	104.98866
TS-SCS24 50	20:50	105.21867
TS-SCS24 50	21:00	105.44718
TS-SCS24 50	21:10	105.67408
TS-SCS24 <sup>50</sup>	21:20	105.89949
TS-SCS24 50	21:30	106.12352
TS-SCS24 50	21:40	106.34584
TS-SCS24 50	21:50	106.56670
TS-SCS24 50	22:00	106.78610
TS-SCS24 50	22:10	107.00390
TS-SCS24 50	22:20	107.22020
TS-SCS24 50	22:30	107.43501
TS-SCS24 <sup>50</sup>	22:40	107.64829
_		

TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50 TS-SCS24_50		22:50 23:00 23:10 23:20 23:30 23:40 23:50 24:00	) ) ) ) )	107.8 108.0 108.2 108.4 108.6 108.8 109.0 109.3	5008 7038 7907 3626 9196 9614 9882 0000			
[PATTERNS] ;;Name	Туре	Mult	iplier	S				
Sanitary TP-03 Sanitary TP-03	MONTHLY	1.0 1.0	1.0 1.0	1.0 1.0	1.0 1.0	1.0 1.0	1.0 1.0	
[REPORT] ;;Reporting Opti INPUT YES CONTROLS YES SUBCATCHMENTS AI NODES ALL LINKS ALL	Lons							
[TAGS]								
[MAP] DIMENSIONS UNITS	643980.407 Meters	75	4747	589.53	ō	64761	3.9825	4754619.085
[COORDINATES] ;;Node ::	X-Coord		Y-Co	ord				
J1 J10 J11 J12 J13 J14 J15 J16 J17 J18 J19 J2 J20 J21 J22 J23 J24 J22 J23 J24 J25 J26 J27 J28 J29 J3 J29 J3 J30 J31 J32 J30 J31 J32 J4 J5 J5 J6 J7 J8 J32 J32 J4 J5 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J32 J30 J31 J30 J31 J30 J31 J30 J31 J32 J30 J31 J30 J31 J30 J31 J32 J30 J31 J30 J31 J30 J31 J30 J31 J32 J30 J31 J32 J32 J33 J30 J31 J30 J31 J32 J32 J32 J32 J33 J30 J31 J32 J32 J32 J32 J32 J32 J32 J32 J32 J32	645495.04 644984.427 645549.88 645009.32 644971.1 644968.9 644981.39 644981.39 645440 645793.52 645847.07 645817.33 645691.36 645768.04 646596.45 646617.85 647023.16 646650.71 646367.33 645802.88 645517.18 645525.2 644995.13 645334.124 645535.255 645543.355 644945.377 645539.777 645511.4	r L 7	4749843.42 4751723.074 4748115.22 4748356.47 4749720.54 4749819.02 4750336.06 4750788.06 4751355.44 4751633.26 4752117.18 4749465.97 4751614.15 4752421.17 4752422.15 4751905.96 4750894.91 4750368.8 4750115.61 475071.48 4748818.72 4748818.72 4748818.72 4749850.23 4751224.453 4751385.992 4748168.19 4749722.83 4749392.75 4748166.74					

J87	645881.27	4750357.52
.T88	645783 96	4752124 13
10	645545 1	4740144 25
10 Outlot	645654 61	4740144.20
JIU UULIEL	643634.6I	4/4/909.06
[VEDUTOEO]		
[VERTICES]	V. G l	V. Carad
;;Link	X-Coord	Y-Coord
;;		4740017 016
Link-14	644893.667	4749817.216
Link-16	646985.327	4752420.587
PC2	645290.524	4751615.308
[POLYGONS]		
;;Subcatchment	X-Coord	Y-Coord
;;		
B1	644551.47	4749578.28
B1	644547.75	4749803.94
B1	644566.84	4749828.59
B1	644763.85	4749829.73
B1	644802.33	4749787.63
В1	644958.56	4749791.87
В1	644961.89	4749701.17
В1	644765.39	4749581.9
В1	644551.47	4749578.28
M1	645435.43	4749839.87
M1	645452.18	4749862.21
M1	645450.79	4749860.82
M1	645481 5	4749911 08
M1	645508 03	4749934 82
M1	645551 32	4749966 93
M1	645725 85	4750015 8
M1	645838 95	4750015.8
M1	645030.95	4750015.0
M1	640040.4	4749941.0
M1	646372.33	4/49955.42
MI	646611.1	4/49900.93
MI	646602.636	4/49833.//4
ML	646455.359	4/49484.959
MI	646253.821	4/49659.36/
ML	645872.083	4/49/08.458
ML	645811.988	4749833.774
Ml	645435.43	4749839.87
MZ	645819.4	4/48934.38
M2	645804.39	4749845.46
M2	645870.124	4749709.751
M2	646249.945	4749651.615
M2	646373.968	4749574.101
M2	646453.32	4749497.08
M2	646239.69	4749291.13
M2	646123.1	4749205.26
M2	646025.36	4749134.75
M2	645971.6	4749080.99
M2	645819.4	4748934.38
МЗ	645405.89	4748812.41
M3	645402.43	4748991.91
M3	645396.67	4749321.65
М3	645402.96	4749517.17
M3	645405.89	4749766.17
M3	645432 25	4749837 85
M3	645804 36	4749845 59
M3	645819 /1	4748934 41
M3	645821 8	4748824 76
M3	645405 89	17/8812 /1
MA	645411 51	4/40012.41 1710550 /2
M 4	04J4II.JI 645212 62	4/40JJ0.43 17/0553 10
114	049212.02	4/40JJJ.LZ

M4	645208.26	4748806.9
M4	645405.9	4748812.41
M 4	645821.8	4748824.76
M4	645826.82	4748560.79
M 4	645536 06	4748415 38
MA	645411 51	4748558 43
ME	645411.51	4740550.45
MS	645411.55	4740000.42
MO	645536.09	4/48415.16
M5	645826.83	4/48560./9
M5	645833.72	4748170.44
M5	645837.38	4748108.39
М5	645717.47	4748076.69
М5	645617.6	4748022.84
M5	645586.18	4748160.38
M5	645572.92	4748163.43
М5	645542.81	4748165.09
М5	645521.25	4748167.97
М5	645466.01	4748171.98
M5	645420.42	4748183.11
M5	645411 53	4748558 42
PC1	645768 01	1752399 72
	645752 97	4753106 77
PCI	043732.97	4755100.77
PCI	645755.6	4755119.55
PCI	645764.14	4/5312/.15
PCI	645/64.14	4/53164.5/
PCI	646166.82	4753367.59
PC1	646180.129	4753384.991
PC1	646222.761	4753341.267
PC1	646289.441	4753272.401
PC1	646315.828	4753241.681
PC1	646264.6	4753192.6
PC1	646152.9	4753133.4
PC1	645974.45	4752972.55
PC1	645860.34	4752715.56
PC1	645859.98	4752502.12
PC1	645986.2	4752413.5
PC1	645984.71	4752404.56
PC1	645768 01	4752399 72
PC10	645749 92	4751618 57
PC10	645747 66	4751635 62
PC10	645767 70	4751640 50
PC10	C45767.73	4751049.59
PC10	043737.93	4/JZIZZ.Z/
PCIU PCIU	645795.6	4/52125.09
PCIU	645808.1	4/51624.92
PCIU	645749.92	4/51618.5/
PCII	645/84.91	4752122.95
PC11	645758.07	4752122.28
PC11	645753.18	4752381.39
PC11	644968.95	4752358.66
PC11	644967.86	4752379.94
PC11	645767.92	4752399.43
PC11	646178.1	4752406.54
PC11	646181.1	4752382.61
PC11	645802.42	4752368.7
PC11	645790.65	4752359.51
PC11	645795.6	4752123.09
PC11	645784.91	47.52122.95
PC2	645767 82	4752399 5
PC2	644943 61	4752379 6/
PC2	644267 53	4752363 11
L C 2	611396 65	1752103.44 1752103 77
L C 2	644704 05	1752500 71
ECZ DC2	044/04.30 6//007 675	4/JZJ00./4
FUZ DC2	04402/.0/0	4/3232/.322
FUZ	044942.842	4/3246/.031

PC2	644989.374	4752496.113
PC2	645031.68	4752623.46
PC2	645101.63	4752620.95
PC2	645167.4	4752613.41
PC2	645214.73	4752675.41
PC2	645377.05	4752710.59
PC2	645418.52	4752709.34
PC2	645584.71	4753023.19
PC2	645753.58	4753119.24
PC2	645752.63	4753105.58
PC2	645767.82	4752399.5
PC3-QW1	644968.95	4752358.65
PC3-QW1	645753.18	4752381.39
PC3-QW1	645766.97	4751649.78
PC3-QW1	645747.18	4751635.64
PC3-QW1	645763.08	4751486.37
PC3-QW1	645753.42	4751472.94
PC3-QW1	645635.84	4751478.6
PC3-QW1	645613.22	4751449.38
PC3-QW1	645621	4751415.69
PC3-QW1	645609.22	4751402.96
PC3-QW1	645486.69	4751411.45
PC3-QW1	645365.11	4751434.07
PC3-QW1	645293.48	4751449.15
PC3-QW1	645283.43	4751541.2
PC3-QW1	645289.4	4751615.97
PC3-QW1	645066.97	4751680.06
PC3-QW1	644991.57	4751747.92
PC3-QW1	644987.8	4751796.93
PC3-QW1	644970.84	4751881.75
PC3-QW1	644968.95	4752358.65
PC4-QE1	645818.92	4751289.45
PC4-QE1	645811.5	4751382.76
PC4-QE1	645809.03	4751607.28
PC4-QE1	645804.2	4751701.29
PC4-QE1	645796.54	4752078.29
PC4-QE1	645790.65	4752359.5
PC4-QE1	645802.43	4752368.69
PC4-QE1	645861.34	4752372.7
PC4-QE1	646181.31	4752382.6
PC4-QE1	646371.72	4752383.6
PC4-QE1	646394.02	4751593.14
PC4-QE1	646397.94	4751407.23
PC4-QE1	646384.92	4751403.62
PC4-QE1	646201.25	4751399.28
PC4-QE1	646191.31	4751394.51
PC4-QE1	646190.72	4751185.07
PC4-QE1	645957.32	4751243.32
PC4-QE1	645818.92	4751289.45
PC5	645407.22	4751426.49
PC5	645486.03	4751410.26
PC5	645609.49	4751403.1
PC5	645620.82	4751415.03
PC5	645614.26	4751447.83
PC5	645635.14	4751477.06
PC5	645752.03	4751472.88
PC5	645763.96	4751486
PC5	645750.84	4751618.41
PC5	645808.11	4751624.9
PC5	645818.91	4751289.56
PC5	645957.13	4751243.31
PC5	645941.35	4751196.67
PC5	645795.82	4/51237.22
PC5	645585.88	4751298.72

PC5	645435.85	4751344.84
PC5	645392.91	4751354.92
PC5	645407 22	4751426 49
PC6	611958 57	1709120.19
DC6	644902 33	4749791.07
PCC	644002.33	4749707.03
PC6	644763.85	4749829.73
PC6	644552.74	4/49828.8
PC6	644544.07	4750305.14
PC6	644556.21	4750316.45
PC6	644966.75	4750330.02
PC6	644973.24	4749983.07
PC6	644961.91	4749911.03
PC6	644961.31	4749846.22
PC6	644964.1	4749833.1
PC6	644960.72	4749827.34
PC6	644958.57	4749791.87
PC7	644966 76	4750330 03
PC7	644556 22	4750316 45
PC7	644566 72	4750225 04
PC7	044500.75	4750525.94
PC7	644566.18	4/50560.25
PC7	644211.08	4/50352.95
PC'/	644203.42	4750380.1
PC7	644146.43	4750379.77
PC7	644145.57	4750454.98
PC7	644208.69	4750490.58
PC7	644293.24	4750528.2
PC7	644320.79	4750546.57
PC7	644427.51	4750549.27
PC7	644552.72	4750650.14
PC7	644687.74	4750824.51
PC7	644681.51	4750957.55
PC7	644614.14	4751066.81
PC7	644529.56	4751348.69
PC7	644499.038	4751715.963
PC7	644953 611	4751721 821
PC7	644973 528	4751611 692
PC7	645035 621	4751544 912
PC7	645056 71	1751356 288
DC7	644066 09	4751255 1
PC7	644900.90	4751555.1
PC7	644961.40	4750545.52
PC7	644980.45	4/5033/.6
PC7	644975.85	4/50331.41
PC7	644966.83	4750331.12
PC7	644966.76	4750330.03
PC8	644975.96	4750331.4
PC8	644980.5	4750337.6
PC8	644981.47	4750345.42
PC8	644966.95	4751355.1
PC8	645304.86	4751359.63
PC8	645370.53	4751357.36
PC8	645410.73	4751349.43
PC8	645435.64	4751343.77
PC8	645935.55	4751196.26
PC8	645639.47	4751200
PC8	645089.14	4750528.94
PC8	645092.44	4750333.81
PC8	644975.96	4750331.4
PC9 3	644959 426	4751720 921
PC9 3	645066.82	4751680 12
PC9 3	645287 4	4751615 12
PC9 3	645280 82	4751541 35
PC9 3	645293 24	4751//8 50
	645405 72	
	645301 11	4/J142J.94 1751355 00
L U J J	040001.11	4/01000.09

PC9 3	645305.66	4751363.86
PC9_3	645053.003	4751386.244
PC9_3	645037.544	4751430.368
PC9_3	645037.59	4751545.876
PC9_3	644973.169	4751611.789
PC9_3	644966.031	4751651.564
PC9_3	644959.426	4751720.921
PC9_4	644935.63	4752323.99
PC9_4	644346.91	4752310.73
PC9_4	644348.67	4752365.36
PC9_4	644943.52	4752379.45
PC9_4	644967.85	4752379.84
PC9_4	644968.94	4752358.66
PC94	644968.94	4752325.06
PC9_4	644979.045	4751723.729
PC9_4	644953.611	4751721.821
PC9_4	644935.63	4752323.99
Wl	645984.86	4752404.64
Wl	645986.2	4752413.59
Wl	645860.06	4752502.16
Wl	645860.17	4752715.64
Wl	645974.44	4752972.56
Wl	646152.88	4753133.35
Wl	646264.64	4753192.54
Wl	646396.91	4753319.52
W1	646421.708	4753382.805
Wl	646283.975	4753473.534
Wl	646373.3	4753590.3
Wl	646472.44	4753705.88
Wl	646581.8	4753689.36
W1	646584.29	4753689.64
W1	646608.89	4752415.46
W1	646176.79	4752406.51
W1	645984.86	4752404.64
WIO	645003.41	4748359.66
WIO	644567.93	4748568.23
WIO	644551.48	4/495/8.2/
WIU WIO	644765.39	4/49581.9
WI0	644961.9	4/49/01.16
W10	644958.57	4/49/91.8/
W10	644960.72	4/4902/.54
W10	645431 77	4/49033.1
W10	645405 89	4749050.97
W10	645405.89	4749700.10
W10	645208 26	4748806 9
W10	645212 62	4748553 12
W10	645129 26	4748465 87
W10	645003 41	4748359 66
W11	645542 08	4748150 47
W11	645511 83	4748092 71
w11	645459.24	4748078.43
w11	645400 16	4748056 35
w11	645267.72	4748000.52
w11	645215.13	4747994.03
w11	645163.84	4748024.54
W11	644995.04	4748173.22
W11	644853.5	4748268.66
W11	644667.17	4748404.35
W11	644569.8	4748445.49
W11	644567.93	4748568.23
W11	645003.41	4748359.66
W11	645129.26	4748465.84
W11	645212.62	4748553.12

w11	646411 60	1710550 10
WII	045411.52	4/40000.42
W11	645420.42	4748183.11
W11	645466.01	4748171.95
W11	645522 37	4748167 85
W11	CAFE 41 07	1710101.00
WII	645541.27	4/48164.9/
W11	645571.57	4748163.24
W11	645542.08	4748150.47
W12	647024 75	4751904 4
W10	C4701E 0E	1751000.74
WIZ	64/015.25	4/51922./4
W12	647000.57	4752089.62
W12	646987.03	4752366.18
W12	646987 1	4752422 77
W12	C47422 42	4752422.77
WIZ	647432.42	4/52430.91
W12	647437.47	4752098.83
W12	647113.77	4751955.17
W12	647024 75	4751904 4
W12	645012 27	4750247 16
W13	645813.37	4/5034/.10
W13	645795.25	4751198.03
W13	645941.17	4751195.44
W13	646168.14	4751129.82
w1 0		17601125.02 1760066 00
WIS	040121.30	4/50905.92
W13	646224.86	4750542.62
W13	646023.79	4750385.99
W13	645980 93	4750352 23
W12	646071 26	4750240 16
WID .	045071.55	4750549.10
W13	645813.37	4/5034/.16
W14	645980.93	4750352.22
W14	646224.85	4750542.62
w 1 4	646121 59	1750965 92
W 1 4	040121.39	4750905.92
$W \perp 4$	646168.14	4751129.82
W14	646632.17	4750994.12
W14	646644.9	4750369.93
W14	646368 14	1750363 53
W 1 1	646960.14	4750303.33
W⊥4	645980.93	4/50352.22
W2	646610.18	4752415.68
W2	646584.33	4753689.74
W2	646693 67	4753714 08
W2	616655.07	1753711.00
WZ	040704.90	4/55009.01
W2	646829.92	4/53/64.64
W2	646847.95	4753915.73
W2	646950.27	4754299.56
W 2	647067 96	4754142 11
W2	647007.90	4/J4142.11
WZ	64/012.29	4/53944.36
W2	646994.8	4753750.33
W2	647076.92	4753559.56
W2	647223 29	4753374 45
W2	647170 00	4750074.40
WZ	64/1/8.23	4/53191.55
W2	647164.45	4752989.03
W2	647031.91	4752847.48
W2	647302 82	4752739 72
W2	647502.02	4752730.72
WZ	64/428.2	4/52/39./2
W2	647432.44	4752430.98
W2	646610.18	4752415.68
WЗ	645798 45	4750117 4
W3	C45790.45	4750117.4
W J	040/00.0	4/30342./0
W 3	645802.24	4/50346.85
WЗ	646368.09	4750363.53
W3	646612.16	4750369.07
WЗ	616611 9	1750360 00
W.J.		4750202.23
εw	646834./3	4/503/5.1
W3	646829.71	4750361.48
W3	646827.07	4750155.64
W 3	646005 01	
MM 1	646805 31	4750068 18
W3	646805.31	4750068.18

W3	646620 62	1719968 68
W 2	C4CC11 E2	474000.00
W 3	646611.52	4/4990/.13
W3	646372.33	4/49933.42
W3	646048.4	4749941.8
W3	645838.95	4750015.8
W3	645800.66	4750015.8
W.3	645798.45	4750117.4
W A	645813 18	4750349 86
W -1	645013.10	4750345.00
W 4	645802.23	4/50346.83
W 4	645092.77	4750332.45
W 4	645089.15	4750528.94
W 4	645639.47	4751200
W 4	645795.17	4751198.08
W 4	645807.39	4750572.13
W A	645813 18	4750349 86
W I	646642 21	4750406 02
WD	040042.31	4/50490.95
W5	646632.17	4/50994.13
W5	647190.76	4750834.83
W5	647171.37	4750786.98
W5	647115.01	4750725.64
W5	647052.94	4750635.91
W 5	646907 56	4750474 16
W 5	616909 22	1750276 10
		4/303/0.49
W5	646644.89	4/50369.93
W5	646642.31	4750496.93
W6	646996.67	4750890.27
W6	645941.19	4751195.43
W6	645957.15	4751243.35
W 6	646190.74	4751185
W6	646191.47	4751394.46
Wé	646201 26	1751300 25
WC	646201.20	4751333.23
WO	646364.92	4751405.02
W6	646397.94	4/5140/.23
W6	646389.79	4751743.05
W6	647144.78	4751778.46
W6	647168.13	4751743.16
W6	647443.35	4751750.43
W6	647447.13	4751564.88
W6	647448 82	4751509 85
We	647427 57	4751500.20
WO	647457.57	4751509.20
WO	64/301./8	4/51506.72
W 6	64/293.93	4/51152.68
W6	647216.62	4750899.34
W6	647190.76	4750834.83
W6	646996.67	4750890.27
W7	647029.93	4751893.54
W7	647032.19	4751816.78
W7	647032 53	1751773 11
57.7	646200 70	4751742 05
W /	646369.79	4751745.05
W /	6463/1./3	4/52383.6
M./	646181.11	4752382.63
W7	646178.1	4752406.55
W7	646617.81	4752415.68
W7	646899.41	4752421.14
W7	646987.04	4752410.54
พ7	646987.04	4752365 39
W7	616999 16	1752102 27
W /		4751000 00
W /	04/ULJ.20	4/31922.89
W /	64/029.93	4/51893.54
8	645515.3	4750073.62
W8	645515.03	4750076.23
W8	645672.1	4750240.69
W8	645699.65	4750309.38
W8	645686.31	4750344.31

W8	645802.03	4750346.8
W8	645793.89	4750342.76
W8	645800.66	4750015.81
W8	645725.85	4750015.81
W8	645551.32	4749966.93
W8	645515 3	4750073 62
WO	644969 58	4749833 11
W 9	644964 1	4749833 1
W 9 W 0	644964.1	4749033.1
W 9 W 0	644901.31	4749040.22
W 9 W 0	644901.91	4749911.03
W 9	644973.20	4749983.00
W 9	644966.76	4750330.02
W9	644966.83	4/50331.12
W9	645092.64	4/50333.8
W9	645092.77	4750332.41
W9	645337.16	4750337.05
W9	645391.66	4750088.95
W 9	645515.02	4750076.03
W 9	645515.26	4750073.36
W 9	645551.32	4749966.93
W 9	645481.5	4749911.1
W 9	645434.16	4749839.03
W 9	644969.58	4749833.11
WB1	645515.13	4750076.04
WB1	645391.67	4750088.97
WB1	645337.32	4750336.56
WB1	645686.44	4750343.35
WB1	645699.65	4750309.38
WB1	645672.09	4750240.69
WB1	645515.13	4750076.04
WB2	647025.08	4751904.32
WB2	647117.13	4751956.75
WB2	647437.3	4752098.7
WB2	647443.31	4751750.46
WB2	647168.16	4751743.17
WB2	647144.78	4751778.46
WB2	647032.42	4751773.13
WB2	647032.13	4751816.84
WB2	647029.91	4751893.6
WB2	647025 08	4751904 32
	01/020.00	1,0101.02
[SYMBOLS]		
::Gage	X-Coord	Y-Coord
;;		
, ,		

# Port Colborne Quarries Inc.

20

Quarry Site Office: Corner Chippawa Road & Hwy. 140 P.O. Box 275 Port Colborne, Ontario L3K 5W1 Telephone: 905-834-3647 Plant - Telephone: 905-834-3692

Fax: 905-834-7141

Head Office: 222 Martindale Road P.O. Box 1116 St. Catharines, Ontario L2R 7A3 Telephone: 905-684-1111 Fax: 905-684-2260 stcath@rankinconstruction.ca

Re: Wignell Drain Cleaning PCQ- March 6<sup>th</sup> to 27<sup>th</sup>, 2017

Operator	135 hrs x	\$45 = \$6075.00
Labour	135 hrs x	\$40 = \$5400.00
E34 (Excavator	) 135 hrs x	\$73 = \$9855.00
D16 (Dozer)	18 hrs x	\$60 = \$1080.00
Float Move		\$650.00
Rubble (50 t @ \$15/t)		\$750.00
Trucking (2hr @ \$100)		\$200.00
Fuel (3000 L @ . <mark>6</mark> 8/L)		<u>\$2040.00</u>
Total Cost		<u>\$26,050.00</u>

2515 - 20 **X** X

The following is a record of correspondence received during the previous design period for the Wignell, Port Colborne, Michener and Beaverdam Drain projects.

Subject / Sender / Date	Notes:
Memo to file: Wignell / Michener Abandonments	Summary of abandonment work by review of
Henri Bennemeer October 11, 2018	existing documents on file.
Letter from Rankin Construction regarding water influent to quarry. Jan.11, 1999	"Natural drainage is to the East" request for re-dress.
Wignell Michener Drain Section 65 Report	"The City of Port Colborne has requested K. Smart Associates I td to prepare a report under
Preapred by: K.Smart Associates Jan. 11, 1999	Section 65(4) of the Drainage Act to address the
	disconnection of the northeast part of Lot 19,
lanan 1. Inter an an Anna an An	Concession 2 from the Wignell Drain W2 and under Section 65(3) to address the subsequent
De Constantino de la constanti en constanti en la constanti en constan	connection of the northeast part of Lot 19,
The second secon	Concession 2 to the Michener Drain M2 at Carl
The second secon	Road."
In the Section Section Section 2 and Section	
with the property of the second seco	
Wignell Municipal Drain	Engineer's report to Council to abandon W1
W2 Relocation	drain, formerly proceeding north to Second
Engineer's Report - Feb. 19, 1999	Ouarry works.
	Report also details relocation of W2.
WGC12. UKUSTUR. JRACK with advantument BADRATES.ERRHI (217) WITH CONTRACT, STRATE	
ANTE MILLION AL ANT	
Name Television Control	

<section-header>         By-Law 3741/26/99         Lumme make         Lumme make         This concernence         This concernence</section-header>	City of Port Colborne Bylaw to abandon W1 And relocate W2.
Ontario Drainage Tribunal Decision	
<section-header>         Species Case of Support       For a f</section-header>	<ol> <li>There were six points in the Tribunals findings:         <ol> <li>Engineer directed to amend the report and drawings.</li> <li>Revise the drawing to show original and proposed clearly.</li> <li>Actions by clerk.</li> <li>Clerk to provide notification of the change.</li> <li>Report as amended for repair and maintenance.</li> <li>All parties responsible for their own costs.</li> </ol> </li> </ol>
Drainage Tribunal Decision with respect to the appeal by Bill Walker heard on April 3, 1997 From: Andrew Wright To: Mrs Pat Premi, Deputy Clerk April 11, 1997	<ul> <li>Appeal by Mr. Walker is dismissed.</li> <li>Engineer's report to be amended to indicate entire channel on Property Roll No. 4-4-47 is to be incorporated as part of the drain.</li> <li>The cost of the engineer preparation and attendance paid for by Mr. Walker. Not to exceed \$3,000.</li> </ul>
	<ul> <li>Point of Information</li> <li>regarding the Tribunal Hearing and findings,</li> <li>Pollution prohibition removed from Drainage Act</li> <li>Written by Dianne Saxe on March 28, 2011.</li> <li>Posted in Environmental laws <ul> <li>"Ontario has revoked the old pollution prohibition in s. 83 of the Drainage Act, saying it had become redundant:</li> <li>'The ministry believes there are more effective tools to communicate the responsibility to protect water resources to those in the industry</li> </ul> </li> </ul>
	<ul> <li>WRGC Expansion Irrigation Supply Needs Study,</li> <li>Wiebe Engineering Group Inc. 1996</li> <li>WRGC Irrigation Agreement, circa 2000</li> <li>Michener Municipal Drain M1 Relocation Report 1996, Wiebe Engineering Group Inc. November 15, 1996</li> </ul>
--	--
Letter: Beaverdam Municipal Drain Peter Prophet – 1671 Firelane 2, Port Colborne August 29, 2011	Concerns expressed for water quality wrt processing facility. "What I object to is that a poultry processing plant is allowed to discharge large amounts of water upstream and flow through the watershed and eventually discharged into Lorraine Bay at Weaver road. This is water used in the slaughtering and processing of approximately 50,000 chickens daily. This results in brown murky water at the beach and in the bay for extended periods of time in the spring and fall when they discharge the water."
Water quality info Correspondence from LBWQG November 5, 2011	<ul> <li>Water quality data (testing results)</li> <li>History of The Lorraine Bay Water Quality Group (LBWQG) to 2010</li> <li>Niagara Water Quality Protection Strategy, - references to key points</li> </ul>
Lake Erie North Shore Watershed Plan NPCA August 24, 2011	
Niagara Peninsula Conservation Authority, Species at Risk Map NPCA January 2012	<ul> <li>Species at Risk mapping</li> <li>Lake Erie North Shore Watershed Plan</li> <li>Floodplain Mapping</li> <li>No specific correspondence records identified.</li> <li>Follow up correspondence:</li> <li>Brian Lee blee@npca.ca via</li> <li>niagarapeninsulaca.onmicrosoft.com July 5, 2018</li> <li>Hi Paul</li> <li>Here is a link to the section of our FTP</li> <li>Site that contain our DEM data:</li> <li>Here you will find the following folders of</li> <li>interest:</li> </ul>

	<ul> <li>"DTM2010_3kmtiles_dwg": This contains all the .dwg files along with some PDF files that show the tile layout of the data.</li> <li>"DTM2010_gdb" This folder and subfolders contain the DTM information (contours included) in a geodatabase format. This geodatabase is fairly large (so give it time to download). Give this a go to see if QGIS can read geodatabases. Cheers, Brian Brian Lee, B.E.S GIS Analyst Tel (905) 788-3135   extension 226</li> </ul>
Subject: Wignell/Michener and Beaverdam Drains – proposal for drain maintenance Katherine Yagi SAR Biologist, MNR Niagara Area August 4, 2011 Included list of SAR possible presence in area.	<ul> <li>From Guelph District Office, to Lisa Vespi Amec [not dated] but recorded as August 4, 2011</li> <li>"Our records indicate the presence of Common Hop Tree and Fowler's Toad within the area of the proposed work."</li> <li>"Please note that because the province has not been surveyed comprehensively for the presence of species at risk, the absence in the NHIC database of an EO in a particular geographic area does not indicate the absence of the species in that area. Consequently, the presence of an EO is useful to flag the presence of the species in the area, but is not an appropriate tool to determine whether a species is absent from the area, or whether it should be surveyed for or not in a particular area. It is the responsibility of the preson engaging in the activity (the proponent) to remain in compliance with the Endangered Species Act, 2007."</li> <li>"I. Habitat Inventory The District recommends undertaking a comprehensive botanical inventory of the entire area that may be subject to direct and indirect impacts from the proposed activity."</li> <li>"II. Potential SAR on the property The list of species at risk known to occur in the City of Port Colborne is attached."</li> <li>"III. SAR surveys</li> </ul>

T		<ul> <li>The District is of the opinion that each species at risk identified under Step II should be surveyed for, regardless of whether or not the species has been previously recorded in the area."</li> <li>Contact if presence of SAR is detected.</li> <li>New contact is:</li> <li>Elizabeth Reimer</li> <li>A/Management Biologist</li> <li>Ministry of Natural Resources and Forestry</li> <li>Guelph District - Vineland Field Office</li> <li>P.O. Box 5000, 4890 Victoria Ave. N.</li> <li>Vineland, ON LOR 2E0</li> <li>Tel: (905) 562-0041</li> </ul>
	Great Lakes guardian community fund grant application and guide Not dated.	Documentation recorded - Grant application information received. No other correspondence of record.
	October 30 CofPC notes Port Colborne Drain Re-alignment documentation	3 map figures
	Branch Drain Email exchange June 23, 2015	With respect to my earlier email regarding the overview of the petition process required for the aforementioned drains, please note this will also include potential branch drains from discussions with parties to the award drains mentioned in the terms of reference, ie Port Colborne & Geo. A. Schooley Award Drains in the Wignell/Michener watershed and the Kinsley,Chas. Sherk & David Michener Award Drains in the Beaver Dam watershed. Regards! Henri Bennemeer Drainage Superintendent Various maps documenting potential branch drain arrangements.
Ì	2014-01-16 Port Colborne_James Craig Agreement Drain	Documentation on the drain in a variety of files. GPS survey with low accuracy.
	2014-01-21 Port Colborne _Wignell Drain_Erosion Protection Works Email dated January 21, 2014	On or about September 15, 2006 an erosion protection works was commissioned as an emergency works by Wiebe Engineering Group Inc. under the Drainage Act, to address concerns raised by several property owners (MacNeil 828

	Lakeshore, Smith 503 Snider and St. Joseph's Cemetery). This work was estimated at the time of tender at \$145,000.00. A tender from Rankin Construction Inc. indicates a cost of \$148,690.00 excluding G.S.T. to carry out these works by their forces. The work was carried out during the winter of 2007 at a total actual cost of \$241,254.46. The Drainage Act requires the Minister's approval before any emergency work can be carried out on a municipal drain (Section 124) prior to the Engineer's (Wiebe) Report being finalized. The Minister's approval was not sought/given for this work. As such, the cost of this work, which can not be billed out as maintenance under the old report/by-law, must be incorporated in the new (AMEC) report, in order for the City to recover this cost. Appended to this email is pertinent documentation, from which a determination can be made to incorporate these works under the new report. Please note the design changes to the concrete block wall asindicated in one of these documents. A copy of the plan has not yet been located but should be in the Wiebe repository of information which you have on CD. The original design drawings are also located in this repository and are noted as PP-2 & XTN-2 dated April 6, 2006. If you are not able to locate these drawings or need further information please contact me.
2014-01-21 Port Colborne_Ramey Drain	For reference
	Here is the information on the James Craig Agreement Drains. I have not yet been able to walk/chart the more northerly route, as indicated in my earlier email below. Regards! Henri Bennemeer Drainage Superintendent
Beaverdam Drain Water Quality Enhancement Project City of Port Colborne July 27, 2009	A Feasibility Study for the Beaverdam Drain Wetland Restoration Project was prepared by the MNR and issued in October of 2008. The study determined that a wetland restoration project was not suitable/applicable for this location. The study along with a summary document did

	however recommend a Watershed Buffer Restoration Project, which is another MNR program. The goal of this program is to improve downstream water quality primarily by the implementation of upstream buffer restoration and/or through the installation of sediment basins. Report No. 2008-76 was presented to Council on November 10, 2008 authorizing staff to prepare a Request For Proposal (RFP) to hire an Engineer to design sediment traps on the Beaverdam Municipal Drain. A draft RFP was prepared shortly after Council approval which the writer attempted to finalize. Upon review a number of issues surfaced as well as the concerns of the Lorraine Bay Water Quality Group regarding timelines.
Wiebe Meeting documentation Wignell Michener Site meeting September 19, 2003 Wignell Michener PIC meeting July 15, 2002 Wignell Michener PIC meeting October 20, 2003 Wignell Michener PIC meeting October 20, 2004 Email to AMEC dated November 17, 2014	We have on file a CD of Wiebe's records pertaining to this project, which were acquired through legal channels. I can't recall if AMEC has been provided with this information as it may have been considered sensitive at the time. I'm quite sure that I have reviewed all of the text/correspondence records contained in this CD and had made hard copies at the time, for our file. I may need to check this over again as some of the meeting minutes were (if they exist(ed)) were not on file. Regards! Henri Bennemeer Drainage Superintendent
2015-03-27 Insyght_revised report	Outlet Control Structures; Wignell and Beaverdam Condition Assessment Report updated 2015
2015-06-12 Port Colborne Culvert Assessment Report	OSIM report for 2012
RFP Addendum #1 January 12, 2011 Henri Bennemeer Drainage Superintendent	electronic topographic survey file of the Wignell/Michener Drain by Suda & Maleszyk Inc. has been included

the investigation will include the incorporation of one or both former railway ditches along the Friendship Trail, as well as the Port Colborne Branch (Reuter Drain) which is located at or near the Friendship Trail, as referenced in Appendix 'A' , a singular distance of 2100 m (Weaver Rd. to Reuter Rd.). Petitions will be initiated by the City at the time of the onsite meeting. There is also one existing award drain, the Geo. A Schooley Award Drain, at Hwy # 3 & Michener Drain M2 that could be a potential branch drain dependent on interest.
With respect to branch drains, for clarification the investigation will include the incorporation of one or both former railway ditches along the Friendship Trail, a singular distance of 1600m, the improvement of an existing drainage ditch (James Craig Agreement Drain) that serves as an outlet for the Sherk Road ditches, an approximate distance of 1200 m and the extension of the East Branch Drain from Con Rd. 2 to Brookfield Rd., a distance of Petitions will be initiated by the City and presented at the time of the onsite meeting. There are also three existing award drains, the Kinsley Award (at the market gardening operation) and the Chas. Sherk and David Michener Awards (at Gasline) that could be potential branch drains dependent on interest.

Appendices

# Appendix E: Specifications

----

# **SPECIAL PROVISIONS - MUNICIPAL DRAIN**

## INDEX

<u>SPSCI</u>	<u>ltem No.</u>	<b>Description</b>	Page
A1 ROLE	ES		2
A2 ENVI	RONMENTAL	CONDITONS AND COMPLIANCE	2
A3 CON	STRUCTION L	AYOUT	2
a) Stake	s		
b) Proje	ct Signage		
A5 INST	ALL AND MAIN	ITAIN SEDIMENT CONTROL DEVICES	
a) SILT	FENCE		
b) SEDI	MENT BASINS .		
A6 ACCI	ESS & NOTICE		
B1 EAR	ΓΗ ΕΧCΑVΑΤΙ	ON	
B2 CON	STRUCTION		5
a) Vege	tation Removal		
b) Exca	vation		
c) Profi	le		
d) Line			
e) Exca	vated Material		
f) Excav	ation Through W	oodlots	
g) Exca	vation at Bridge a	nd Culvert Sites	7
h) Obsti	ructions		7
i) Fence	s and private furn	ture or equipment	7
j) Tile C	Outlets		
<b>B3 INST</b>	ALLATION OF	NEW CULVERT	
<b>B4 HANI</b>	D LAND RIP R	AP WITH FILTER CLOTH	9
C1 COI	MPLETION		
C2 AS-0	CONSTRUCTE	D DOCUMENTATION	

## A1 ROLES

The Contractor is responsible for the construction site including all approvals required for compliance with applicable legislation not already completed by the City of Port Colborne.

The City of Port Colborne, who is further recognized as The Owner, shall be responsible party for allocation of resources in support of construction where required, such as road occupancy permits during construction.

The Drainage Engineer or the Drainage Superintendent shall supervise construction and the Drainage Engineer, Drainage Superintendent or their representative shall respond to any requests by the Contractor and identify any deficiencies between the Contractor's work and the Design documents.

The Drainage Engineer is the responsible designer and will provide technical direction to the Contractor on an as needed and as requested basis from the Drainage Superintendent or their representative.

#### A2 ENVIRONMENTAL CONDITONS AND COMPLIANCE

The Contractor is wholly responsible for the site environmental conditions, compliance with applicable approvals and existing legislation. The Owner will facilitate environmental approvals, but the Contractor shall control the site and be the responsible party for all construction activities.

General requirements to be fulfilled by Contractor:

- a) Department of Fisheries and Oceans, DFO.
  - Requirements to protect Fish and Fish habitat.
- b) Endangered Species Act, 2007 ONTARIO REGULATION 230/08 https://www.ontario.ca/page/species-risk
- c) Ontario Water Resources Act, R.S.O. 1990, c. O.40
- d) On-Site and Excess Soil Management, 2019 ONTARIO REGULATION 406/19 Environmental Protection Act
- e) O. Reg. 675/98: Classification and Exemption of Spills and Reporting of Discharges, Environmental Protection Act, R.S.O. 1990

Any other legislation applicable to the jurisdiction of the works.

#### A3 CONSTRUCTION LAYOUT

Conditions stipulated in the Niagara Peninsula Standard Contract Document also apply. Failure to comply with these conditions will result in a reduction in payment to this item.

#### a) Stakes

Contractor is responsible for setting any layout, alignment or grade control stakes required for construction. A Stake shall be placed to mark every cross-section grade and a second stake shall be placed to mark the limits of the Working Zone. Work Zone Stake shall be 4' wooden stake painted red at the top of the stake. Grade stake shall be placed at the Work Zone Top of Bank. X-Section stakes shall be placed at a maximum spacing of 25m. A recommended spacing shall coincide with the Profile drawings. Prior to the start of Construction, the Contractor will stake and identify the difference between the existing grade and the design grade. The Drainage Engineer shall review the stakes and the measurement of the soil to be removed. Post Construction, the Contractor shall remove all stakes.

#### b) Project Signage

The Contractor is responsible for the installation and removal of all construction signage and is responsible for daily maintenance of all signage throughout the contract.

#### A5 INSTALL AND MAINTAIN SEDIMENT CONTROL DEVICES

In addition to the conditions stipulated in the Niagara Peninsula Standard Contract Document and OPSS 577, the following shall also apply:

#### a) SILT FENCE

Silt fence is to be placed prior to disturbing soil adjacent to the drain that could be carried by runoff into the drain. This excludes the area of the drain where The Contractor is working to re-establish Drain grade and cross-section. It includes areas adjacent to the drain impacted by clearing and grubbing for work access.(missing is a description of where a silt fence is to be placed. How frequently across the drain.)

Silt fence shall be installed in accordance with OPSD 219.190 except that the minimum height above the invert of the drain shall be 500 mm. Silt fence materials shall be in accordance with OPSS 577.05.02.02 for geotextile and OPSS 577.05.03 for stakes. Stakes shall be 1.5 m minimum height.

The silt fence shall remain in place for the duration of the section that the Contractor is working and the Contractor shall make every effort to maintain it throughout the project. The Contractor shall request Approval from the Engineer or the Drainage Superintendent for the removal of the silt fence once each section of the drain is complete. Prior to the removal of the silt fence, the accumulated silt shall be removed and leveled adjacent to the drain in accordance with the disposal of excavated material section.

#### b) SEDIMENT BASINS

Sediment basins have been provided along the length of the drain in an effort to minimize the transport of sediment. The Contractor shall construct the sediment basins in accordance with the construction drawings in the locations indicated. Relocation of sediment basins can only be undertaken upon approval of the Engineer.

The Sediment basin is to be constructed prior to the upstream work and shall be monitored during construction for sediment accumulation and sediment removed if the basin has more than 50% of the 0.5m depth occupied with sediment. Once the upstream work is complete, the Sediment basin shall be converted from Construction to Final as per the Design Detail Drawings. Sediment accumulated during construction shall be removed and disposed of in the manner directed by the Contract.

## A6 ACCESS & NOTICE

The City of Port Colborne's Drainage Superintendent or designate shall provide affected landowners with notice of the commencement of construction.

It will be the Contractor's responsibility to inform the various businesses and residences of daily construction impacts in order to reduce/eliminate any problems with parked vehicles that may interfere with their operations. Ingress & egress to the abutting businesses and residences must be maintained at all times.

The Contractor shall advise the Police Department, Fire Department and Niagara Emergency Medical Service on a daily basis, with current status of the construction as it pertains to the passage of traffic within the contract limits.

The Contractor will co-ordinate with local transit to ensure minimum interruption to bus schedules. Transit, school buses and garbage and recycling service vehicles will be given priority to maintain their schedule.

The Contractor shall also maintain/provide existing pedestrian access at all times to the businesses and residents during all phases of construction in an acceptable manner.

#### **B1 EARTH EXCAVATION**

Work under this item shall include the supply of all labour, equipment and materials required for ditch excavation or any other type of excavation or earth work as outlined on the Contract Drawings. Ditch work involves clearing, excavation, leveling, and seeding as required. Specifications and information on the Contract Drawings shall take precedence over the standard specifications outlined below. The specifications below shall take precedence over the Niagara Peninsula Standard Contract Document Special Provisions B2.

# **B2 CONSTRUCTION**

#### a) Vegetation Removal

All trees, brush, fallen timber and debris shall be moved from the ditch cross-section and to such a distance on each side to eliminate any interference with the spreading of the spoil. The roots shall be left in the banks if no bank excavation is required as part of the new channel excavation. In wooded or heavily overgrown areas all cleared material may be pushed into piles or rows along the edge of the cleared path and away from leveled spoil. All dead trees along either side of the drain that may impede the performance of the drain if allowed to remain and fall into the ditch, shall be removed prior to excavation and put in piles, unless directed otherwise by the Engineer.

Any tree removed will be offered as wood to the property owner in the form of logs from the trunk where they lay and to be moved from the site by the owner at their expense. Tree tops shall be cut and limbs stacked as piles adjacent to the drain and within the work zone.

#### b) Excavation

The bottom width and the side slopes of the ditch shall be as shown on the profile(s) and/or cross-sections on the Contract Drawings. Side slopes are normally one and one-half metre horizontal to one metre vertical (1.5:1) unless otherwise noted on the Contract Drawings. If a bottom width is not specified then any excavation required shall be from the bottom of the ditch without disturbing the bank slopes subject to the clearing of brush required as described in a).

#### c) Profile

The profile(s) on the Contract Drawings show the depth and grade for the drain improvements. The description and elevation of benchmarks that were established during the survey are shown on the profile(s) in the location for each benchmark.

#### d) Line

The drain shall follow the course of the existing channel and/or shall be constructed in a straight line as outlined on the Contract Drawings. A uniform grade shall be maintained in accordance with the profile(s). A variation of one hundred millimeters (100mm) above

the required grade will require the Contractor to remedy the grade to that given on the profile. The Contractor may be required to backfill any portion of the ditch that is excavated more than two hundred millimeters (200mm) below the required grade. All curves shall be made with a minimum radius of fifteen metres (15m).

## e) Excavated Material

Excavated material (spoil) shall be deposited on either or both sides of the drain as directed on the Contract Drawings. Spoil upon excavation shall be placed a minimum one (1) metre back from the top of the bank, either existing or new. No excavated material shall be placed in tributary drains, depressions, or low areas, which direct or channel water into the ditch so that no water will be trapped behind the spoil bank. The excavated material shall be placed and leveled to a maximum depth of three hundred millimeters (300mm); unless otherwise instructed. The edge of the spoil bank away from the ditch shall be feathered down to existing ground. The edge of the spoil bank nearest the ditch shall have a maximum slope of 2:1. The material shall be leveled such that it may be cultivated with ordinary equipment without causing undue hardship on farm machinery and farm personnel. Wherever clearing is necessary prior to leveling, the Contractor shall remove all stumps unless the Contract Drawings specify that stumps can be covered with the leveled spoil. No excavated material shall cover any logs, brush or rubbish of any kind. Large stones or boulders in the leveled spoil that are heavier than fifteen kilograms (15kg or approximately 300mm in size roughly referred to as man stone or the size of a stone that a single person can carry.) shall be moved to the edge of the leveled spoil nearest to the ditch but in general no closer than one metre (1) to the top of bank.

Where it is necessary to straighten any unnecessary bends or irregularities in the alignment of the ditch or to relocate any portion of an existing ditch, the excavation from the new cut shall be used for backfilling the original ditch. Regardless of the distance between the new ditch and old ditch, no extra compensation will be allowed for this work. If the Contractor obtains written permission from an affected landowner stating that the owner does not wish the spoil to be leveled and such is approved by the Engineer, the Engineer may release the Contractor from the obligation to level the spoil. If spoil is not leveled that was to be leveled as part of the Contract, the Engineer shall determine the credit to be applied to the Contractor's payment. No additional compensation is provided to the owner if the spoil is not leveled.

If the affected landowner requests that the spoil be removed from the site instead of being spread adjacent to the drain within the work zone or that the grading requirement is to a higher standard than suitable for agricultural cultivation, then the Contractor shall provide trucking of the spoil including disposal at a suitable site or additional grading and shall provide the Drainage Superintendent with the specific costs for each landowner who requests such work. The Engineer shall assess the cost of the trucking of spoil to the landowner making such request.

The Engineer may require the Contractor to obtain written statements from any or all of the landowners affected by the leveling of the spoil. A written statement from the owners indicating their complete satisfaction with the leveling of the spoil is sufficient to comply with this specification. The final decision, with respect to leveling of the spoil, shall be made by the Engineer.

#### f) Excavation Through Woodlots

The Contractor shall minimize disturbance through woodlots by reducing the limit of excavation to the bottom width of the drain and a minimum side slopes. The drain shall be routed around existing trees at the direction of the Drainage Superintendent or where requested by the Engineer.

Prior to performing work through a woodlot, the Contractor in coordination with the Drainage Superintendent shall mark all trees for preservation or removal within the Drain or Workzone. This mark will consist of a physical identification that will be easily understood by the landowner and consist of either colour ribbons or specific paint markings (green to keep, red mark of an 'X' for removal).

#### g) Excavation at Bridge and Culvert Sites

The Contractor shall excavate or clean through all bridges and culverts to match the grade line and the downstream channel cross-section. Bridges that span from bank to bank may be carefully removed to permit excavation below the bridge and then replaced to original condition. Permanent bridges must be left intact. All necessary care and precautions shall be taken to protect the structure. The Contractor shall notify the Engineer before completing excavation in the area of a bridge or culvert if the excavation will expose the footings or otherwise cause bridge instability.

Where the invert of any pipe culvert is above the grade line, the Contractor will be required to remove the culvert, clean and relay it, so that the invert of the culvert is one hundred and fifty millimetres (150mm) below the grade for the ditch bottom at this location.

#### h) Obstructions

In all cases, the Contractor shall ensure that the finished drain is clear of obstructions to flow. The contractor will ensure that trunks are cut flush and that any debris or snags are removed as part of the bid price.

#### i) Fences and private furniture or equipment

The contractor will use the identified work zone for access and shall restore any fences to an equivalent or better condition than before construction. Where possible the Contractor shall perverse existing fences, private equipment and furniture in place but where it must be moved, the Contractor shall in all cases restore to a like or better condition than existed before construction.

## j) Tile Outlets

The location of all existing tile outlets may not be shown on the profile for the drain. The Contractor shall contact each owner and ensure that all tile outlets are marked prior to commencing excavation on the owner's property. If a marked tile outlet is damaged during, or altered due to construction, the Contractor shall repair or replace the damaged or altered outlet as part of the Contract. If an existing outlet pipe does require replacement the Contractor shall confirm the replacement outlet pipe with the Engineer. All tile outlets identified are considered part of the bid work.

Additional payment will be allowed for the repair or replacement of any unmarked tile outlets encountered during excavation. Where stone or concrete riprap protection exists at any existing tile outlet such protection shall be removed and replaced as necessary to protect the outlet after reconstruction of the channel.

If any outlet becomes plugged as a result of construction, the Contractor shall be obligated to free such outlet of any impediments. Where any damage results to tile leading to and upstream of the outlet, as a consequence of such construction, the Engineer may direct the Contractor to repair such tile and shall determine a fair compensation to be paid to the Contractor for performing the work.

## **B3 INSTALLATION OF NEW CULVERT**

Work under this item shall include the supply of all labour, equipment and materials required for supply and installation of culverts as outlined on the Contract Drawings. The Niagara Peninsula Standard Contract Document Special Provision B7 shall apply but the specifications and information on the Contract Drawings shall take precedence over Special Provision B7.

The size and material for any new ditch crossings shall be as specified on the Contract Drawings. Any crossings assembled on-site shall be assembled in accordance with the manufacturer's specifications for on-site assembly.

Where a new crossing replaces an existing crossing the following shall apply: If directed on the drawings that the existing crossing is to be salvaged for the owner the Contractor shall carefully remove the existing crossing and leave along the ditch or haul to a location as specified on the Drawings.

If the existing crossing is not to be saved then the Contractor shall remove and dispose of the existing crossing. Disposal by burying on-site is not permitted.

All new pipe crossings shall be installed a minimum of 100mm below design grade (not as-constructed grade) or at the invert elevations as specified on the Drawings. If the ditch is over excavated greater than 200mm the Contractor shall confirm with the Engineer the elevations for installation of the new pipe crossing.

When an existing crossing is being replaced the contractor shall save all granular and riprap. New crossings can be backfilled with compacted on-site native material that is

free of large rocks or stones. Contractor responsible for any damage to a culvert pipe as a result of rocks or stones in the backfill.

All new crossings shall have a minimum 6m laneway width and end slopes shall be at 1:1 slope or flatter. Finished crossing elevation shall provide a minimum of 300mm cover. Finished crossing surface shall be a minimum 150mm depth of Granular A for the minimum 6m width and extending from top of bank to top of bank using salvaged granular or imported granular as required.

Installation of private crossings during construction must be approved by the Engineer before the culvert is installed.

Where riprap protection is called for at either or both ends of a new culvert, such riprap shall be in accordance with Special Provision B4. Payment will be based on plan quantity.

Riprap to be adequately keyed in along the bottom of the slope. Riprap to extend to top of pipe or as directed on the Drawings. No riprap is required in the ditch bottom on the upstream side of a crossing. If riprap is required in the ditch bottom on the downstream side of a crossing it shall be specified on the Drawings. Any new end face slope not protected by riprap shall be seeded as per specifications for ditch bank seeding.

#### **B4 HAND LAND RIP RAP WITH FILTER CLOTH**

Rip rap complete with filter fabric underlay (geotextile) shall be placed by the Contractor at the locations shown on the drawing or as requested by the Drainage Superintendent. Rip rap shall consist of 200 – 250 mm dia. stones (min.) and shall be placed at 300 mm minimum thickness. Along upstream edges, where surface water will enter the drain, the underlay shall extend a minimum of 300 mm upstream from the rip rap and be keyed into the soil a minimum of 300 mm. The finished elevation of the rip rap shall be at design elevation or flush with the ground.

Work under this item shall include the supply of all labour, equipment and materials required for placing riprap as outlined on the Contract Drawings. The Niagara Peninsula Standard Contract Document Special Provision B20 shall apply but the specifications and information on the Contract Drawings shall take precedence over Special Provision B20.

#### **C1 COMPLETION**

At the time of final inspection, all work in the contract shall have the full dimensions and cross-sections specified.

Payment is for all work complete on the basis of a measured linear distance inclusion of all items identified above. Where a culvert is removed and reinstalled, compensation shall be in the form of a per each payment. Where a tile is discovered and constructed as an outlet, compensation will be in the form of a per each payment for tile outlets repaired.

#### **C2 AS-CONSTRUCTED DOCUMENTATION**

For the 'as-constructed' works, the Contractor must provide the City of Port Colborne with an electronic version of the final drainage works as surveyed post construction, to be imported into AutoCAD or GIS. This copy must confirm that the design grade and cross-section details for all drainage work and the invert elevations and lengths for all culverts complies with the Engineer's Report. Survey spacing shall be to a minimum of 25m.

All work must be in an acceptable electronic format that the City of Port Colborne can use and all work must be completed using the verified geodetic benchmarks. The submission of the As-Constructed works will be in a common delimited format having the form as follows:

Numeric key, Northing, Easting, Elevation, Coded identifier & optional description For the coded identifiers, the City of Port Colborne will provide a table for reference along with an example file from a past project for comparison. The City will certify the as-constructed files with respect to their completeness.

Failure to provide a certified as-built file will result in the delay of substantial completion and/or contract completion. In the event that the contractor asks the City to perform the AS CONSTRUCTED SURVEY, then payment for the lump sum item is negated. A4 PAYMENT; Payment in full at the lump sum bid price for this item shall be made only upon completion and approval by the Contract Administrator.